



# Unica

REPLACEMENT GUIDE

2025




# END CAP CONFIGURATIONS



# HOW TO FIND A FILTER CARTRIDGE REPLACEMENT USING THE UNICEL REPLACEMENT GUIDE

1. Measure the outside diameter of the cartridge (in inches, +/- 1/32").
2. Measure the cartridge length (in inches, +/- 1/16") including end caps but excluding any handles or other extensions. Unicel recommends measuring through the center (if possible) rather than along the outside edge.
3. Identify the cartridge outside edge end cap configuration using the chart on the opposing page. If the top and/or bottom is "open," measure the inside diameter (in inches, +/- 1/32") of the top and/or bottom.
4. Record the OEM name and model of the filter the cartridge came out of (if possible).
5. Count the number of pleats (+/- 2) and note whether there is a center core or not.



The information gathered in 1-5 above can then be used to identify a proper replacement. On pages 1 to 21 of the Replacement Guide, Unicel cartridges are grouped into "series" based on the outer diameter (O.D.) of the cartridge. For example, the 2000 Series is comprised of cartridges between 2 and 2.99 inches in O.D.; the 9000 Series is comprised of cartridges with an O.D. of 9 inches or greater. *Note that if the cartridge O.D. is either, for example, 4-15/16" or 6-15/16" it may be necessary to check the next series, the 5000 Series and 7000 Series, respectively.*

Within each series, cartridges are listed sequentially by O.D. and cartridge length and identified according to end cap i.d. and configuration, pleat count, media, and respective OEM.

Unicel cartridges listed between horizontal lines are interchangeable.

# Why Unicel?

Let's be clear. Unicel builds the best performing filter cartridge on the market. It all starts with quality components and 50+ years of filter cartridge manufacturing experience. Made in the U.S.A.



## END CAPS

- Exact OEM design and material specifications for proper fit and seal
- Made from durable, chemical resistant compounds
- Clearly marked with one part number



## FILTER MEDIA

Unique synthetic fiber construction provides


- Maximum dirt holding capacity
- Excellent chemical resistance
- Torturous path depth filtration



## PLEAT SUPPORT BANDS

Positioned and securely adhered to

- Maintain proper pleat spacing
- Reduce pleat flutter
- Ensure optimal filtration efficiency



## SHARP, UNIFORM PLEAT FOLDS

- Maximizes flow • Minimizes pressure loss
- Increases spacing between pleats
- Allows full use of pleat surface



## CORE

- The backbone of a quality filter element
- Solid one-piece construction for structural integrity
- Strategically offset round openings to optimize flow and strength



## CORE SUPPORT

- Provides greater structural integrity for longer filter cartridges

**Unicel**<sup>®</sup>

**CLEARLY THE BEST**

818-678-0400 FAX 800-531-7903 [www.unicelfilters.com](http://www.unicelfilters.com)

## 2000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
2-5/8"	14-11/16"	1-1/16" / open 1-1/16" / open	41 6 oz 6 sq. ft.	Wet Institute	C-2601
<b>Note: This product has no center core.</b>					
2-5/8"	19-15/16"	1-1/16" / open 1-1/16" / open	62 6 oz 10 sq. ft.	Encon Spa	C-2610
<b>Note: The C-2610 has been discontinued by Unicel.</b>					
2-3/4"	5-1/8"	1-1/16" / open 1-1/16" / open	76 3 oz 3.5 sq.ft.	Spa-In-A-Box	C-2305
2-3/4"	6"	/ closed 1-1/16" / open	75 3 oz 3.7 sq. ft.	Skim Filter	C-2304
2-3/4"	9-3/4"	1-1/16" / open 1-1/16" / open	75 3 oz 6 sq. ft.	Harmsco OTC/6-4	C-2306
2-3/4"	9-3/4"	1-1/16" / open 1-1/16" / open	75 4 oz 6 sq. ft.	Harmsco ST/6, American, Pac-Fab, Premier, Rainbow, Swimquip, SwimRite	T-380
<b>Note: Approved for commercial use by the Florida Dept. of Health and Rehab. Services.</b>					
2-3/4"	9-3/4"	1-1/16" / open 1-1/16" / open	75 4 oz 6 sq. ft.	Harmsco ST/6, American, Pac-Fab, Premier, Rainbow, Swimquip, SwimRite	T-380R
<b>Note: Varies from T-380 by packaging only.</b>					
2-7/8"	9-3/4"	/ hose fitting / closed	41 6 oz 4 sq.ft.	fill filter	C-2699
2-7/8"	9-3/4"	1-1/16" / open 1-1/16" / open	62 6 oz 6 sq. ft.	American, Pac-Fab, Premier, Rainbow, Swimquip, SwimRite	C-2606
2-7/8"	9-3/4"	1-1/16" / open 1-1/16" / open	84 3 oz 8 sq. ft.	American, Rainbow	C-2308
2-7/8"	9-3/4"	1-1/16" / open 1-1/16" / open	41 6 oz 4 sq. ft.	Rainbow, Pac-Fab	C-2604
<b>Note: The C-2604 has been discontinued by Unicel. Use C-2606.</b>					
2-7/8"	14-11/16"	1-1/16" / open 1-1/16" / open	41 4 oz 6 sq. ft.	Wet Institute	C-2607
2-7/8"	14-11/16"	1-1/16" / open 1-1/16" / open	84 3 oz 12 sq. ft.	Rainbow	C-2912
<b>Note: The C-2912 has been discontinued by Unicel. Use C-2607.</b>					
2-7/8"	17-1/16"	1-1/16" / open 1-1/16" / open	84 3 oz 14.5 sq. ft.	Rainbow-Hi Flow	C-2302
2-7/8"	17-1/16"	2-1/8" / open 2-1/8" / open	150 3 oz 8.5 sq. ft.	Rainbow-Chloro	C-2303
2-7/8"	19-1/2"	1-1/16" / open 1-1/16" / open	41 4 oz 8 sq. ft.	Rainbow 19	C-2608
2-7/8"	19-1/2"	1-1/16" / open 1-1/16" / open	62 4 oz 12 sq. ft.	Rainbow 19X	C-2612
2-7/8"	19-3/4"	/ hose fitting / closed	41 6 oz 8 sq.ft.	fill filter	C-2698
2-7/8"	29-1/4"	1-1/16" / open 1-1/16" / open	41 4 oz 12 sq. ft.	Rainbow 29	C-2613
2-7/8"	29-1/4"	1-1/16" / open 1-1/16" / open	62 4 oz 18 sq. ft.	Rainbow 29X	C-2618

## 3000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
3-1/8"	3-11/16"	1-1/8" / open 1-1/8" / open	52 3 oz 2 sq.ft.	Best Way	C-3305
3-1/8"	3-11/16"	1-1/8" / open 1-1/8" / open	52 3 oz 2 sq.ft.	Intex "E" skim filter	C-3302
<b>Note: This product has no center core.</b>					
3-1/4"	9-3/4"	1-1/16" / open 1-1/16" / open	64 4 oz 8 sq. ft.	Alcove	C-3608
<b>Note: The C-3608 has been discontinued by Unicel.</b>					

## 3000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
3-1/4"	14-11/16"	1-1/16" / open 1-1/16" / open	64 4 oz 12 sq. ft. Sylvan		C-3612
<b>Note: The C-3612 has been discontinued by Unicel.</b>					
3-1/2"	4"	1-3/16" / open 1-3/16" / open	55 3 oz	Intex Type "H"	C-3304
3-7/8"	5-3/8"	2-3/16" / open 2-3/16" / open	50 3 oz	Cold Plunge Filter	C-3301
3-7/8"	7"	2-3/16" / open 2-3/16" / open	150 3 oz	8 sq.ft. Master Spas Eco-Pur (inner)	C-3310AM
<b>Note: Manufactured with antimicrobial filter media; used in conjunction with Unicel C-7330 or C-8341 outer cartridges in Eco-Pur filtration systems.</b>					

## 4000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
4-1/4"	2-15/16"	2-1/16" / open 2-1/16" / open	120 3 oz	Intex Type "S1" (Spa Models)	C-4317
4-1/4"	3-3/4"	2-1/16" / open 2-1/16" / open	52 3 oz	2.5 sq.ft. Aqua Leisure Size "1", Intex Sand-n-Sun Size "D"	C-4313
4-1/4"	4"	2-1/16" / open 2-1/16" / open	216 3 oz	10 sq. ft. skim filter	C-4310
4-1/4"	7-1/8"	/ semi-circular handle 2" / open	163 3 oz	15 sq.ft. Icon Spas	C-4315
<b>Note: The C-4315 has been discontinued by Unicel.</b>					
4-1/4"	8"	/ closed 1-15/16" / open	51 3 oz	SLM, Buddy-L, Waterworks, Empire, Pelican Recreational, Haughs D-8 skim filter, H2O Recreation	C-4304
<b>Note: Can also be replaced with C-4607 w/ top "plug" (not furnished).</b>					
4-1/4"	8"	1-3/4" / open 1-3/4" / open	51 3 oz	5 sq. ft. General Foam Plastics	C-4306
4-1/4"	8"	1-15/16" / open 1-15/16" / open	51 4 oz	Coleco F-120/DR-7, Krystal Klear Models 108R/12, Intex Sand-n-Sun, Wet Set, Easy Set Size "A" or "C", Aqua Leisure Size "2"	C-4607
4-1/4"	8"	1-15/16" / open 1-15/16" / open	51 4 oz	Coleco F-120	C-4606
<b>Note: The C-4606 (no core) has been discontinued by Unicel. Use C-4607.</b>					
4-1/4"	10-7/8"	1-15/16" / open 1-15/16" / open	65 4 oz	9 sq. ft. Haugh's, Jacuzzi Leisure C-11	C-4603
<b>Note: The C-4603 has been discontinued by Unicel.</b>					
4-1/4"	12"	/ semi-circular handle 2" / open	167 3 oz	25 sq.ft. Icon Spas	C-4329
<b>Note: The C-4329 has been discontinued by Unicel.</b>					
4-1/4"	17-7/8"	1-15/16" / open 1-15/16" / open	65 4 oz	15 sq. ft. Haugh's, Jacuzzi Leisure C-22	C-4604
4-1/4"	23-3/4"	/ semi-circular handle 2" / open	190 3 oz	60 sq.ft. Icon Spas	C-4360
4-1/4"	23-3/4"	/ semi-circular handle 2-5/16" / open w/ molded o-ring	202 3 oz	50 sq.ft. Icon Spas	C-4351
<b>Note: Product has 1 blue and 1 orange end cap.</b>					
4-5/16"	8"	/ closed 2-3/16" / open	55 4 oz	8 sq.ft. Muskin A2300	C-4600
4-5/16"	8"	2-3/16" / open 2-3/16" / open	55 4 oz	8 sq.ft. Muskin FP A2027, Sears, Haugh Products	C-4605
4-5/16"	8"	2-3/16" / open 2-3/16" / open	55 4 oz	Muskin	C-4602
<b>Note: This product has no center core. Original is 4-1/2" OD. The C-4602 has been discontinued by Unicel. Use C-4605.</b>					
4-1/2"	9-3/4"	1-1/16" / open 1-1/16" / open	80 4 oz	Sta-Rite TX-15	C-4610

# 4000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
4-5/8"	4-5/8"	/ molded cone handle / 1-1/2" male thread/MPT	199 3 oz 13 sq. ft. top load		4CH-19
4-5/8"	4-5/8"	/ molded cone handle 1-9/10" / open	177 3 oz 12 sq.ft. Pleatco skim filter, Softsider Spas, Comfort Line Spas		C-4302
4-5/8"	5-3/16"	/ dual bar handle / injection molded 1-1/2" SAE thread	199 3 oz 15 sq.ft. skim filter, Waterway		4CH-15
4-5/8"	6"	/ molded cone handle 1-7/8" / open w/ slots	157 3 oz 13.5 sq.ft. Saratoga Spa		C-4314AM
<b>Note: Requires existing tabbed thread adapter in skim well (not furnished). Manufactured with antimicrobial filter media.</b>					
4-5/8"	6-3/4"	/ molded cone handle / 1-1/2" male thread/MPT	204 3 oz 20 sq. ft. top load		4CH-20
4-5/8"	6-3/4"	/ molded cone handle 1-9/10" / open	150 3 oz 15 sq.ft. Pleatco skim filter, Softsider Spas, Vita Spas		C-4303
<b>Note: The C-4303 has been discontinued by Unicel. Use 4CH-20 if PAD adapter is MPT; must remove threaded PAD adapter from skim well.</b>					
4-5/8"	6-3/4"	/ molded cone handle / 1-1/4" SAE thread	204 3 oz 20 sq.ft. Saratoga Spas		4CH-920
4-5/8"	7-1/4"	/ semi-circular handle / injection molded 1-1/2" SAE thread	190 3 oz 20 sq. ft. top load		4CH-925
4-5/8"	8"	/ molded cone handle / 1-1/2" male thread/MPT	158 3 oz 19 sq. ft. top load		4CH-21
4-5/8"	8"	/ molded cone handle / 1-1/2" male thread/MPT	184 3 oz 23 sq.ft. top load		4CH-25
4-5/8"	8"	/ molded cone handle / 2" male thread/MPT	213 3 oz 25 sq.ft. Cal Spas, Master Spas		4CH-252
<b>Note: Cal Spa/Coleman Spa &amp; Master Spa originals have 4-3/4" OD.</b>					
4-5/8"	9-3/4"	/ molded cone handle / 1-1/2" male thread/MPT	173 3 oz 25 sq. ft. top load		4CH-24
4-5/8"	9-3/4"	/ molded cone handle 1-7/8" / open w/ slots	138 4 oz 20 sq. ft. Aqua Spa		C-4402
4-5/8"	9-3/4"	/ molded cone handle 1-9/10" / open	173 3 oz 25 sq.ft. Pleatco skim filter, Spa Manufacturers, Gatsby Spas		C-4324
<b>Note: The C-4324 has been discontinued by Unicel. Use 4CH-24 if PAD adapter is MPT; must remove threaded PAD adapter from skim well.</b>					
4-5/8"	11-5/8"	/ molded cone handle 1-7/8" / open w/ slots	158 3 oz 27.5 sq.ft. Saratoga Spa		C-4327AM
<b>Note: Requires existing tabbed thread adapter in skim well (not furnished). Manufactured with antimicrobial filter media.</b>					
4-5/8"	11-5/8"	/ molded cone handle 1-3/8" / open	143 4 oz 25 sq. ft. Nemco		C-4403
<b>Note: The C-4403 has been discontinued by Unicel.</b>					
4-5/8"	11-7/8"	/ molded cone handle / 1-1/2" male thread/MPT	158 4 oz 30 sq. ft. top load		4CH-30
4-5/8"	11-7/8"	2-1/16" / open 2-1/16" / open	110 3 oz 20 sq. ft. Hayward CX200RE, American Commander II (in-line)		C-4320
4-5/8"	11-7/8"	2-1/16" / open 2-1/16" / open	138 3 oz 25 sq. ft. Hayward CX225RE, American Commander II (in-line)		C-4325
<b>Note: Hayward original has 4-3/4" OD and 11-13/16" overall length. American original has 4-11/16" OD.</b>					
4-5/8"	11-7/8"	2-1/16" / open 2-1/16" / open	66 3 oz 12 sq. ft. Hayward C120RE		C-4312
<b>Note: The C-4312 has been discontinued by Unicel. Use C-4325.</b>					
4-5/8"	11-7/8"	2-1/16" / open 2-1/16" / open	111 6 oz 20 sq. ft. American Commmander II (in-line)		C-4620
<b>Note: The C-4620 has been discontinued by Unicel. Use C-4320.</b>					
4-5/8"	12"	/ semi-circular handle / 1-1/4" SAE thread	139 3 oz 25 sq. ft. top load - Dimension One Spas		4CH-950
4-5/8"	12-1/2"	/ molded cone handle / 2" SAE thread	186 3 oz 35 sq.ft. Jacuzzi Premium J-400		4CH-934
4-5/8"	14-3/4"	/ molded cone handle / 1-1/2" male thread/MPT	225 3 oz 50 sq. ft. top load		4CH-50

# 4000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
4-5/8"	15"	/ semi-circular handle / 1-1/4" SAE thread	176 3 oz	40 sq. ft. top load - Dimension One Spas	4CH-940
4-5/8"	16"	/ molded cone handle / 1-1/2" male thread/MPT	145 3 oz	35 sq. ft. top load	4CH-35
4-5/8"	16-3/4"	/ castle 2-1/16" / open	158 4 oz	40 sq. ft. Sundance Spas	C-4440
4-5/8"	19-5/8"	/ molded cone handle / 1-1/2" male thread/MPT	217 3 oz	65 sq. ft. top load	4CH-65
4-5/8"	23-3/4"	2-1/16" / open 2-1/16" / open	138 3 oz	50 sq. ft. Grecian Spa	C-4350
<b>Note: The C-4350 has been discontinued by Unicel.</b>					
4-3/4"	8"	1-1/4" / open 2-7/16" / open	51 4 oz	Coleco F-110, CR-8	C-4609
4-3/4"	8"	1-1/4" / open 2-7/16" / open	51 4 oz	Coleco F-110, CR-8, Cyclone Pool Vac	C-4608
<b>Note: This product has no center core.</b>					
4-3/4"	8"	1-3/4" / open 1-3/4" / open	60 3 oz	7 sq. ft. General Foam Plastics	C-4307
4-3/4"	8"	1-3/4" / open 1-3/4" / open	86 3 oz	10 sq. ft. General Foam Plastics	C-4309
4-3/4"	11"	1-1/4" / open 2-7/16" / open	57 4 oz	Coleco F-112, F-350, CR-11, DR-11	C-4611
4-3/4"	16"	1-1/4" / open 2-7/16" / open	57 4 oz	Coleco F-750, F-775, F-850, F-875, DR-16	C-4616
4-3/4"	18"	1-1/4" / open 2-7/16" / open	57 4 oz	Coleco F-225, F-235, F-345, DR-18, Lomart 60-4314	C-4618
4-3/4"	18"	1-1/4" / open 2-7/16" / open	69 4 oz	16 sq.ft. Lomart 60-4316	C-4601
<b>Note: The C-4601 has been discontinued by Unicel. Use C-4618.</b>					
4-15/16"	4-5/8"	2-1/8" / open 2-1/8" / open	158 4 oz	Rainbow DSF-35, Waterway Plastics	C-4401
<b>Note: 2 cartridges per set with stick handle.</b>					
4-15/16"	5-1/2"	/ molded cone handle 1-9/10" / open	177 3 oz	16 sq.ft. Splash Tub	C-4316
4-15/16"	6-5/8"	/ closed / 1-1/2" male thread/MPT	212 3 oz	25 sq.ft. Freeflow Spas CLX	4CH-23
4-15/16"	6-5/8"	2-1/8" / open / 1-1/2" male thread/MPT	212 3 oz	25 sq.ft. Freeflow Spas TLX, RLX	4CH-22
4-15/16"	6-5/8"	2-1/8" / open 2-1/8" / open	158 4 oz	Rainbow DSF-50, Waterway Plastics	C-4405
<b>Note: 2 cartridges per set with stick handle.</b>					
4-15/16"	9-1/4"	/ v-groove semi-circular handle / 2" female SAE thread	219 3 oz	35 sq.ft. Waterway	4CH-935
<b>Note: For use on 1-1/2" male SAE stand pipe.</b>					
4-15/16"	9-1/4"	2-1/8" / open 2-1/8" / open	219 3 oz	35 sq. ft. Rainbow, Waterway Plastics, Custom Molded Products	C-4335
4-15/16"	9-13/16"	/ closed 2-1/8" / open	148 4 oz	25 sq. ft. Santanna	C-4328
4-15/16"	9-13/16"	2-1/8" / open 2-1/8" / open	148 4 oz	25 sq. ft. Santanna	C-4428
4-15/16"	10-3/8"	/ closed 2-1/8" / open	158 3 oz	30 sq. ft. skim filter, Lifestyle	C-4431
<b>Note: The C-4431 has been discontinued by Unicel.</b>					
4-15/16"	10-3/8"	2-1/8" / open 2-1/8" / open	158 3 oz	30 sq. ft. Nemco	C-4429
4-15/16"	11-1/4"	2-1/8" / open 2-1/8" / open	216 3 oz	40 sq. ft. Waterway Plastics	C-4339



## 4000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count	Media	Description	UNICEL P/N
4-15/16"	11-5/8"	2-1/8" / open 2-1/8" / open	197	3 oz	40 sq. ft. Dimension One Spas	C-4340
4-15/16"	11-7/8"	2-1/8" / open 2-1/8" / open	154	3 oz	32 sq. ft. Martec, Sonfarrel, Advantage Mfg.	C-4332
4-15/16"	11-7/8"	2-1/8" / open 2-1/8" / open	145	4 oz	30 sq. ft. Santanna	C-4430
<b>Note: The C-4430 has been discontinued by Unicel. Use C-4332.</b>						
4-15/16"	12-1/4"	2-1/8" / open 2-1/8" / open	212	3 oz	45 sq. ft. spa filter	C-4311
<b>Note: The C-4311 has been discontinued by Unicel.</b>						
4-15/16"	13-5/16"	/ closed w/ raised ring 2-1/8" / open	106	3 oz	Rainbow Leaf Canister	C-4321
4-15/16"	13-5/16"	2-1/8" / open 2-1/8" / open	106	3 oz	25 sq. ft. Rainbow, Waterway Plastics, Custom Molded Products	C-4326
4-15/16"	13-5/16"	2-1/8" / open 2-1/8" / open	106	4 oz	25 sq. ft. Rainbow, Waterway Plastics, Custom Molded Products	C-4625
4-15/16"	13-5/16"	2-1/8" / open 2-1/8" / open	158	4 oz	37 sq. ft. Rainbow, Waterway Plastics, Morgan Spas, Leisure Bay Spas, Custom Molded Products	C-4637
<b>Note: 37 sq.ft. C-4637 is an upgrade to 25 sq.ft. C-4326 and C-4625 cartridges.</b>						
4-15/16"	13-5/16"	2-1/8" / open 2-1/8" / open	212	3 oz	50 sq. ft. Rainbow, Waterway Plastics, Custom Molded Products	C-4950
<b>Note: 50 sq.ft. C-4950 is an upgrade to 25 sq.ft. C-4326 and C-4625 cartridges.</b>						
4-15/16"	13-1/2"	/ v-groove semi-circular handle / 2" female SAE thread	105	3 oz	25 sq.ft Waterway	4CH-926
4-15/16"	13-1/2"	/ v-groove semi-circular handle / 2" female SAE thread	210	3 oz	50 sq.ft. Rising Dragon, Waterway, Dynasty Spas	4CH-949
<b>Note: For use on 1-1/2" male SAE stand pipe.</b>						
4-15/16"	14-9/16"	2-1/8" / open 2-1/8" / open	94	3 oz	25 sq. ft. Sonfarrel	C-4308
4-15/16"	14-7/8"	/ closed 2-1/8" / open	173	3 oz	45 sq. ft. Santanna	C-4345
<b>Note: The C-4345 has been discontinued by Unicel.</b>						
4-15/16"	14-7/8"	2-1/8" / open 2-1/8" / open	106	3 oz	28 sq. ft. Martec, Sonfarrel	C-4301
4-15/16"	14-7/8"	2-1/8" / open 2-1/8" / open	193	3 oz	50 sq. ft. Cal Spas, Martec, Sonfarrel, Advantage Mfg.	C-4305
4-15/16"	14-7/8"	2-1/8" / open 2-1/8" / open	173	3 oz	45 sq. ft. Santanna	C-4347
<b>Note: The C-4347 has been discontinued by Unicel. Use C-4305.</b>						
4-15/16"	17-3/8"	2-1/8" / open 2-1/8" / open	155	3 oz	50 sq. ft. Advantage Electric	C-4349
4-15/16"	17-3/4"	/ closed 2-1/8" / open	143	4 oz	45 sq. ft. Santanna	C-4346
<b>Note: The C-4346 has been discontinued by Unicel.</b>						
4-15/16"	17-3/4"	2-1/8" / open 2-1/8" / open	143	4 oz	45 sq. ft. Santanna	C-4449
4-15/16"	20-1/8"	2-1/8" / open 2-1/8" / open	210	3 oz	75 sq. ft. Rainbow RTL-75, Custom Molded Products	C-4975
4-15/16"	23-5/8"	2-1/8" / open 2-1/8" / open	222	3 oz	95 sq. ft. Waterway Plastics, Cal Spas	C-4995
4-15/16"	23-5/8"	2-1/8" / open 2-1/8" / open	178	3 oz	75 sq. ft. Waterway Plastics	C-4970
<b>Note: The C-4970 has been discontinued by Unicel. Use C-4995.</b>						
4-15/16"	26-11/16"	2-1/8" / open 2-1/8" / open	210	3 oz	100 sq. ft. Rainbow RTL-100	C-4999

## 5000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
5"	8"	/ closed 2-1/4" / open	56 3 oz 8 sq. ft.	Pelican Rec, H2O Recreation	C-5301
5"	13-5/16"	2-3/8" / open 2-3/8" / open	103 4 oz 25 sq. ft.	Jacuzzi CFR-25 (in-line)	C-5625
5"	13-5/16"	2-3/8" / open 2-3/8" / open	158 4 oz 37 sq. ft.	Jacuzzi CFR-37 (in-line)	C-5635
<b>Note: This product has no center core.</b>					
5"	13-5/16"	2-3/8" / open 2-3/8" / open	64 4 oz 15 sq. ft.	Jacuzzi CFR-15 (in-line)	C-5615
<b>Note: This product has no center core. The C-5615 has been discontinued by Unicel. Use C-5625.</b>					
5-1/8"	10-1/4"	1-15/16" / open 1-15/16" / open	157 3 oz 30 sq. ft.	Hot Springs Spas/Watkins Mfg. (Model FH/IH (220 volt))	C-5431
5-3/16"	9"	1-1/16" / open 1-5/8" / open	100 4 oz 16 sq. ft.	Premier	C-5616
<b>Note: The C-5616 has been discontinued by Unicel.</b>					
5-3/16"	9"	1-5/8" / open 1-5/8" / open	154 4 oz 25 sq. ft.	Premier	C-5426
5-3/16"	10-3/4"	/ bar handle / 2" male thread/MPT	204 3 oz 40 sq. ft.	Del Sol Spas	5CH-402
<b>Note: OEM original is 11" OAL and 5-1/2" OD.</b>					
5-3/16"	11-7/8"	/ closed w/ string handle 1-15/16" / open	106 3 oz 22 sq. ft.	Advanced Spa (original)	C-5621
<b>Note: The original had a white knob handle.</b>					
5-3/16"	11-7/8"	1-1/16" / open 1-5/8" / open	115 4 oz 25 sq. ft.	Marquis Spas (old)	C-5626
5-3/16"	11-7/8"	1-1/16" / open 1-5/8" / open	100 6 oz 22 sq. ft.	Premier (old)	C-5622
<b>Note: The C-5622 has been discontinued by Unicel. Use C-5626.</b>					
5-3/16"	11-7/8"	1-5/8" / open 1-5/8" / open	115 4 oz 25 sq. ft.	Premier	C-5427
<b>Note: The C-5427 has been discontinued by Unicel.</b>					
5-3/16"	11-15/16"	/ closed 1-5/8" / open	158 3 oz 34 sq. ft.	Marquis Spas (old style)	C-5423
<b>Note: The original was 25 sq. ft. (115 pleats). This replacement has been upgraded to 35 sq. ft.</b>					
5-3/16"	12-1/2"	/ bar handle / 2" male thread/MPT	151 3 oz 35 sq. ft.	Marquis Spa (new style)	5CH-352
5-3/16"	12-1/2"	/ bar handle / 2" male thread/MPT	197 3 oz 50 sq. ft.	Marquis Spas (new style), Cal Spas	5CH-502
<b>Note: Unicel part number was formerly C-5303.</b>					
5-3/16"	14-1/8"	/ closed 1-5/8" / open	180 3 oz 50 sq. ft.	Marquis Spas (old style)	C-5346
5-3/16"	14-3/4"	1-1/16" / open 1-5/8" / open	100 6 oz 27 sq. ft.	Marlin Spa, Romanesque, Waterworks	C-5627
<b>Note: The C-5627 has been discontinued by Unicel.</b>					
5-3/16"	16"	/ bar handle / 2" male thread/MPT	155 3 oz 50 sq. ft.	Marquis Spas	5CH-512
5-3/16"	16-1/8"	/ bar handle / 2" male thread/MPT	194 3 oz 75 sq. ft.	Cal Spas	5CH-752
5-3/16"	19-5/8"	/ closed 1-5/8" / open	158 3 oz 58 sq. ft.	Pacific Marquis (new)	C-5434
<b>Note: The original was 40 sq. ft. (109 pleats). This replacement has been upgraded to 60 sq. ft.</b>					
5-3/16"	19-5/8"	1-1/16" / open 1-5/8" / open	109 4 oz 40 sq. ft.	Pacific Marquis (old)	C-5637
5-3/16"	19-5/8"	1-1/16" / open 1-5/8" / open	100 6 oz 36 sq. ft.	Marquis Spas	C-5636
<b>Note: The C-5636 has been discontinued by Unicel. Use C-5637.</b>					
5-3/16"	23-1/4"	1-5/8" / open 1-5/8" / open	172 3 oz 75 sq. ft.	Premier, Maxi-Sweep	C-5371

# 5000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
5-3/16"	30"	/ bar handle / 2" male thread/MPT	159 4 oz	90 sq.ft. Marquis Spas	5CH-902AM
<b>Note: Manufactured with antimicrobial filter media.</b>					
5-5/16"	9"	/ bar handle / 1-1/2" male thread/MPT	221 3 oz	37.5 sq.ft. Aquaterra Spa	5CH-37
<b>Note: Original has a closed top w/ string handle.</b>					
5-5/16"	10"	2-1/8" / open / 1-1/2" male thread/MPT	225 3 oz	45 sq.ft. Freeflow Spas Legend	5CH-45
5-5/16"	10-1/8"	2-1/8" / open 2-1/8" / open	230 3 oz	45 sq. ft. Rec Warehouse S2/G2 Spa, Rainbow, Waterway	C-5345
5-5/16"	13-9/16"	2" / open 2" / open	84 4 oz	23 sq. ft. Pac-Fab	C-5623
<b>Note: The C-5623 has been discontinued by Unicel.</b>					
5-5/16"	14-13/16"	2-1/8" / open 2-1/8" / open	223 3 oz	65 sq. ft. Rec Warehouse S2/G2 Spa, Rainbow, Waterway	C-5374
5-5/16"	17-13/16"	2-1/8" / open 2-1/8" / open	223 3 oz	80 sq. ft. Rec Warehouse S2/G2 Spa, Rainbow, Waterway	C-5397
5-5/16"	21-5/16"	2-1/8" / open 2-1/8" / open	222 3 oz	100 sq.ft. Waterway, Coast Spas	C-5396
5-5/16"	30-1/8"	2-1/8" / open 2-1/8" / open	222 3 oz	135 sq.ft. Waterway, Coast Spas	C-5351
5-3/8"	7"	/ semi-circular handle / 3" male thread/MPT	235 3 oz	20 sq.ft. LA Spas sock filter substitute	5CH-203
5-1/2"	11-7/8"	1-15/16" / open w/ 12 concentric holes 2-7/8" / open	133 4 oz	25 sq. ft. ozone cartridge (Dimension One Spas)	C-5402
<b>Note: The C-5402 has been discontinued by Unicel.</b>					
5-1/2"	17"	1-15/16" / open w/ 12 concentric holes 2-7/8" / open	133 4 oz	40 sq. ft. ozone cartridge (Dimension One Spas)	C-5404
5-5/8"	6"	/ semi-circular handle / 1-1/2" male thread/MPT	201 3 oz	25 sq.ft. top load - Maax Spas	5CH-25
5-5/8"	8"	/ semi-circular handle / 1-1/2" male thread/MPT	203 3 oz	35 sq. ft. Elite Spas by Maax	5CH-35
5-11/16"	10-3/8"	/ closed w/ string loop 2-1/8" / open	100 3 oz	25 sq. ft. Jacuzzi Whirlpool Bath (front load)	C-5601
5-11/16"	10-3/8"	/ closed w/ string loop 2-1/8" / open	224 3 oz	50 sq. ft. Jacuzzi Whirlpool Bath (front load)	C-5300
5-3/4"	10"	1-7/8" / open 1-7/8" / open	70 3 oz	15 sq. ft. Intex "B" filter	C-5315
5-3/4"	11-7/8"	2-1/8" / open 2-1/8" / open	98 3 oz	25 sq. ft. Jacuzzi Whirlpool Bath	C-5624
5-3/4"	11-7/8"	2-1/8" / open 2-1/8" / open	196 3 oz	50 sq. ft. Teledyne Spa Pak	C-5302
<b>Note: The C-5302 has been discontinued by Unicel. Use C-5624.</b>					
5-3/4"	12"	1-7/8" / open 1-7/8" / open	115 3 oz	30 sq. ft. Intex 58621, Krystal Klear Models 520/530, Sand-n-Sun, Wet Set, East Set	C-5330
5-7/8"	6"	/ semi-circular handle / male slip fitting w/ molded o-ring	171 3 oz	25 sq. ft. Seasonmaster (Model 111 before 1994)	C-5325
5-7/8"	6"	/ semi-circular handle / male slip fitting w/ MPT	171 3 oz	25 sq. ft. Seasonmaster (Model 111 after 1994)	C-5326
<b>Note: The C-5326 has been discontinued by Unicel.</b>					
5-7/8"	12-3/4"	/ semi-circular handle / male slip fitting w/ molded o-ring	161 3 oz	50 sq. ft. Seasonmaster (Model 121 before 1994)	C-5350
5-7/8"	12-3/4"	/ semi-circular handle / male slip fitting w/ MPT	161 3 oz	50 sq. ft. Seasonmaster (Model 121 after 1994)	C-5349
<b>Note: The C-5349 has been discontinued by Unicel.</b>					
5-7/8"	15-5/8"	/ molded cone handle 1-3/8" / open	136 4 oz	50 sq. ft. Nemco	C-5405

## 5000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
5-7/8"	19-1/4"	/ closed / male slip fitting w/ molded o-ring	160 3 oz 75 sq. ft.	Seasonmaster (Model 131 before 1994)	C-5375
5-7/8"	19-1/4"	/ semi-circular handle / male slip fitting w/ MPT	160 3 oz 75 sq. ft.	Seasonmaster (Model 131 after 1994)	C-5376
5-7/8"	25-3/4"	/ semi-circular handle / male slip fitting w/ molded o-ring	160 3 oz 100 sq. ft.	Seasonmaster (Model 141 before 1994)	C-5399
5-7/8"	25-3/4"	/ semi-circular handle / male slip fitting w/ MPT	160 3 oz 100 sq. ft.	Seasonmaster (Model 141 after 1994)	C-5398

## 6000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
6"	5-1/2"	/ semi-circular handle / 1-1/2" male thread/MPT	205 3 oz 25 sq. ft.	top load	6CH-25
6"	5-1/2"	/ semi-circular handle / 1-1/2" SAE thread	205 3 oz 25 sq.ft.	top load	6CH-924
6"	7"	/ semi-circular handle / 1-1/2" male thread/MPT	158 3 oz 25 sq. ft.	top load	6CH-26
6"	8"	/ semi-circular handle / 2" male thread/MPT	188 3 oz 35 sq.ft.	top load	6CH-352
6"	8-1/4"	/ semi-circular handle / 1-1/2" male thread/MPT	213 3 oz 45 sq.ft.	Sunrise Spas	6CH-49
6"	8-1/4"	/ semi-circular handle / 1-3/4" male slip fitting	225 3 oz 45 sq.ft.	stacked top load (upper) Waterway, Custom Molded Products	6CH-941
<b>Note: Must be used with P/N 6CH-942.</b>					
6"	8-1/4"	/ semi-circular handle / injection molded 1-1/2" SAE thread	132 3 oz 25 sq.ft.	top load	6CH-925
6"	8-1/4"	/ semi-circular handle / injection molded 1-1/2" SAE thread	225 3 oz 45 sq. ft.	top load	6CH-940
6"	8-1/4"	1-3/4" / open / 1-1/2" SAE thread	225 3 oz 45 sq.ft.	stacked top load (lower) Waterway, Custom Molded Products	6CH-942
<b>Note: Must be used with P/N 6CH-941.</b>					
6"	9"	1-15/16" / open 1-15/16" / open	158 3 oz 33 sq. ft.	Hot Springs Spas/Watkins Mfg.	C-6433
<b>Note: The C-6433 has been discontinued by Unicel.</b>					
6"	9-1/8"	/ semi-circular handle / 1-1/2" male thread/MPT	225 3 oz 47 sq. ft.	top load	6CH-47
6"	9-1/2"	/ semi-circular handle / 2" male thread/MPT	204 3 oz 40 sq.ft.	top load	6CH-402
6"	9-3/4"	/ semi-circular handle 1-7/8" / open w/ slots	111 4 oz 25 sq. ft.	Four Seasons, Aqua Spa	C-6601
<b>Note: The C-6601 has been discontinued by Unicel. Use 6CH-35 (35 sq.ft.) or 6CH-47 (47 sq.ft.) if PAD adapter is MPT, or 6CH-940 if PAD adapter is SAE; must remove threaded PAD adapter from skim well.</b>					
6"	9-7/8"	/ semi-circular handle / 1-1/2" male thread/MPT	156 3 oz 35 sq. ft.	top load	6CH-35
6"	10-1/2"	1-15/16" / open 1-15/16" / open	124 3 oz 30 sq.ft.	Hot Springs Spas/Watkins Mfg.	C-6330
6"	10-1/2"	1-15/16" / open 1-15/16" / open	124 4 oz 30 sq. ft.	Hot Springs Spas/Watkins Mfg.	C-6430
<b>Note: Models dated after 1990.</b>					
6"	12-3/8"	/ semi-circular handle / 1-1/2" male thread/MPT	158 3 oz 45 sq. ft.	top load	6CH-45
6"	13-7/16"	/ semi-circular handle / 1-1/2" male thread/MPT	158 3 oz 50 sq. ft.	top load	6CH-50
6"	13-7/16"	/ molded cone handle 1-9/10" / open	161 3 oz 50 sq. ft.	Pleatco skim filter, Hercules	C-6450
<b>Note: The C-6450 has been discontinued by Unicel. Use 6CH-50 if PAD adapter is MPT; must remove threaded PAD adapter from skim well.</b>					

# 6000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
6"	13-1/2"	/ semi-circular handle / 2" SAE thread	143 3 oz	45 sq.ft. Jacuzzi Premium	6CH-945
6"	14"	1-15/16" / open 1-15/16" / open	142 3 oz	50 sq.ft. Hot Springs Spas/Watkins. Mfg.	C-6350
6"	14"	1-15/16" / open 1-15/16" / open	229 3 oz	75 sq.ft. Hot Springs Spas/Watkins	C-6355
<b>Note: Original is 6-3/8" OD.</b>					
6"	14-3/4"	/ semi-circular handle 1-7/8" / open w/ slots	101 4 oz	35 sq. ft. Four Seasons	C-6603
6"	14-3/4"	/ semi-circular handle 1-7/8" / open	215 3 oz	75 sq. ft. Advanced Spa	C-6475
<b>Note: The C-6475 has been discontinued by Unicel. Use 6CH-50 if PAD adapter is MPT; must remove threaded PAD adapter from skim well.</b>					
6"	16-1/8"	/ semi-circular handle 1-7/8" / open w/ slots	158 4 oz	60 sq. ft. Pageant Spa	C-6602
6"	16-1/4"	/ semi-circular handle / 1-1/2" male thread/MPT	158 3 oz	60 sq. ft. top load	6CH-60
6"	17-1/2"	/ semi-circular handle / 2" SAE thread	143 3 oz	60 sq.ft. Jacuzzi Premium	6CH-959
6"	19-5/8"	/ semi-circular handle 1-7/8" / open w/ slots	107 4 oz	50 sq. ft. Four Seasons	C-6605
<b>Note: The C-6605 has been discontinued by Unicel.</b>					
6"	19-3/4"	/ semi-circular handle / 1-1/2" male thread/MPT	158 3 oz	75 sq. ft. top load	6CH-75
6-1/16"	12-1/16"	1-15/16" / open 1-15/16" / open	165 3 oz	50 sq. ft. Aquatemp, Onyx	C-6405
<b>Note: The C-6405 has been discontinued by Unicel.</b>					
6-1/16"	17-3/4"	1-15/16" / open 1-15/16" / open	167 3 oz	75 sq. ft. Onyx	C-6407
6-1/16"	18"	1-15/16" / open 1-15/16" / open	167 3 oz	75 sq. ft. Aquatemp	C-6408
6-1/4"	8"	2-5/8" / open 2-5/8" / open	73 4 oz	10 sq. ft. Muskin A2090	C-6610
6-1/4"	8"	2-5/8" / open 2-5/8" / open	146 4 oz	20 sq. ft. Muskin A2030	C-6620
6-1/4"	8"	2-5/8" / open 2-5/8" / open	117 4 oz	16 sq. ft. Muskin	C-6616
<b>Note: The C-6616 has been discontinued by Unicel. Use C-6610 or C-6620.</b>					
6-1/4"	19-5/8"	3" / open w/ molded o-ring 3" / open w/ molded gasket	45 0 oz	15 sq.ft. Hayward D150E	C-6950
6-1/4"	20-3/4"	3" / open w/ molded gasket 3" / open w/ molded gasket	42 8 oz	15 sq.ft. Pentair Quad DE 60	C-6960
6-1/4"	25-1/2"	3" / open w/ molded gasket 3" / open w/ molded gasket	45 0 oz	20 sq.ft. Hayward DE200E	C-6970
6-1/4"	26-3/4"	3" / open w/ molded gasket 3" / open w/ molded gasket	42 8 oz	20 sq.ft. Pentair Quad DE 80	C-6980
6-1/4"	32-3/4"	3" / open w/ molded gasket 3" / open w/ molded gasket	42 8 oz	25 sq.ft. Pentair Quad DE 100, Hayward DEP100	C-6900
6-3/8"	5-1/8"	3-3/4" / closed 3-3/4" / open w/ step	242 3 oz	15 sq.ft. Splash Tub	C-6324
6-3/8"	11-7/8"	3" / open 3" / open	207 3 oz	45 sq. ft. Hot Springs Spas/Watkins Mfg.	C-6600
<b>Note: The original was 25 sq. ft. (116 pleats). The replacement has been upgraded to 45 sq. ft.</b>					
6-1/2"	17"	3" / open 3" / open	62 4 oz	Coleco DR-17	C-6617
<b>Note: The C-6617 has been discontinued by Unicel.</b>					
6-1/2"	22"	3" / open 3" / open	62 4 oz	Coleco DR-22	C-6622

## 6000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
6-9/16"	13-5/16"	2-3/8" / open 2-3/8" / open	224 3 oz	75 sq.ft. Waterway Dyna-Flo XL	C-6375
6-9/16"	17-13/16"	2-3/8" / open 2-3/8" / open	221 3 oz	100 sq.ft. Waterway Dyna-Flo XL	C-6310
6-3/4"	8"	/ semi-circular handle / 2" male thread/MPT	209 3 oz	50 sq. ft. Artesian Spas	6CH-502
6-3/4"	15-1/2"	/ semi-circular handle / 2" SAE thread	113 3 oz	52 sq.ft. Jacuzzi Premium	6CH-960
6-3/4"	15-1/2"	/ semi-circular handle / 2" SAE thread	163 3 oz	75 sq.ft. Cal Spas, Waterway	6CH-975
6-3/4"	15-1/2"	/ open w/ slots / 2" SAE thread	131 3 oz	60 sq.ft. Jacuzzi Premium	6CH-961
<b>Note: 6CH-961 requires injection molded semi-circular handle (not furnished).</b>					
6-7/8"	11-7/8"	3-1/2" / open 3-1/2" / open	89 6 oz	25 sq. ft. Jacuzzi CF-25	C-6625
<b>Note: This product has no center core.</b>					
6-7/8"	13-3/4"	2" / open 2" / open	123 4 oz	Fountain Valley Spa	C-6445
<b>Note: The C-6445 has been discontinued by Unicel.</b>					
6-7/8"	14-7/8"	3-1/2" / open 3-1/2" / open	89 4 oz	30 sq. ft. Jacuzzi Whirlpool Bath	C-6300
<b>Note: This product has no center core. The C-6300 has been discontinued by Unicel.</b>					
6-15/16"	17-5/8"	2-1/16" / open 2-1/16" / open	110 4 oz	45 sq. ft. Gerico	C-6645
6-15/16"	19-3/8"	3-1/2" / open 3-1/2" / open	88 6 oz	40 sq. ft. Jacuzzi CF-40	C-6640
<b>Note: This product has no center core.</b>					
6-15/16"	19-5/8"	2-1/16" / open 2-1/16" / open	110 4 oz	50 sq. ft. Sundance Spas	C-6650
6-15/16"	22-3/8"	/ closed w/ string handle 2-1/16" / open	113 4 oz	60 sq. ft. Doughboy	C-6659
<b>Note: The C-6659 has been discontinued by Unicel.</b>					
6-15/16"	29-3/8"	3-1/2" / open 3-1/2" / open	88 6 oz	60 sq. ft. Jacuzzi CF-60	C-6660
<b>Note: This product has no center core.</b>					

## 7000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
7"	5"	/ injection molded knob handle / injection molded cone adapter	113 4 oz	12.5 sq.ft. Baker-Hydro HM-12.5	C-7603
7"	6-1/2"	/ injection molded knob handle 1-1/2" / open	127 4 oz	20 sq. ft. Doughboy Skim-Line	C-7401
<b>Note: Original is 7-1/2" OD.</b>					
7"	7-1/4"	4-1/8" / open 4-1/8" / open	265 3 oz	30 sq.ft. Micro Filter, 7-1/4" OAL	C-7330
7"	8"	/ semi-circular handle / 1-1/2" male thread/MPT	175 3 oz	32 sq. ft. top load	7CH-32
7"	8"	/ semi-circular handle / 2" male thread/MPT	175 3 oz	32 sq. ft. top load - Coleman Spas, Artesian Spas	7CH-322
7"	8"	/ semi-circular handle 1-9/10" / open	175 4 oz	32 sq. ft. Softsider Spas, Pleatco skim filter	C-7432
<b>Note: The C-7432 has been discontinued by Unicel. Use 7CH-32 if PAD adapter is 1-1/2" MPT or 7CH-322 if PAD adapter is 2" MPT; must remove threaded PAD adapter from skim well.</b>					
7"	9-1/8"	/ injection molded knob handle 1-1/2" / open	191 4 oz	40 sq. ft. Doughboy Skim-Line	C-7402
<b>Note: Original is 7-1/2" OD. The C-7402 has been discontinued by Unicel.</b>					

# 7000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count	Media	Description	UNICEL P/N
7"	9-3/4"	/ semi-circular handle / 1-1/2" male thread/MPT	178	3 oz	40 sq. ft. top load - Coleman Spas, Vita Spas	7CH-40
7"	9-3/4"	/ semi-circular handle / 2" male thread/MPT	178	3 oz	40 sq. ft. Coleman Spas	7CH-402
7"	9-3/4"	/ semi-circular handle 1-9/10" / open	178	4 oz	40 sq. ft. Pleatco skim filter, Softsider Spas	C-7439
<b>Note: The C-7439 has been discontinued by Unicel. Use 7CH-40 if PAD adapter is 1-1/2" MPT or 7CH-402 if PAD adapter is 2" MPT; must remove threaded PAD adapter from skim well.</b>						
7"	9-13/16"	/ injection molded knob handle / injection molded cone adapter	156	4 oz	35 sq. ft. Baker-Hydro UM-35	C-7404
7"	9-13/16"	/ injection molded knob handle / injection molded cone adapter	113	4 oz	25 sq. ft. Baker-Hydro HM-25	C-7604
<b>Note: The C-7604 has been discontinued by Unicel. Use C-7404.</b>						
7"	9-13/16"	/ semi-circular handle 2-1/16" / open	110	4 oz	25 sq. ft. top load	C-7624
7"	9-13/16"	3" / open 3" / open	113	4 oz	25 sq. ft. American, Swimquip, Premier	C-7425
7"	9-13/16"	3" / open 3" / open	156	4 oz	35 sq. ft. American, Swimquip, Premier	C-7435
7"	9-13/16"	3" / open 3" / open	225	3 oz	50 sq.ft. Aquasports	C-7352
<b>Note: The C-7352 has been discontinued by Unicel. Use C-7425.</b>						
7"	9-13/16"	3" / open 3" / open	113	6 oz	25 sq. ft. American, Swimquip, Premier	C-7625
<b>Note: The C-7625 has been discontinued by Unicel. Use C-7425.</b>						
7"	9-13/16"	3" / open w/ molded gasket 3" / open w/ molded gasket	111	4 oz	25 sq. ft. Hayward CX250RE	C-7626
7"	10-1/2"	/ semi-circular handle / 2" male thread/MPT	216	3 oz	52 sq. ft. top load - Dimension One Spas	7CH-552
7"	10-1/2"	/ semi-circular handle / 1-1/2" SAE thread	216	3 oz	52 sq. ft. top load - Dimension One Spas	7CH-975
7"	10-3/4"	/ semi-circular handle / 2" male slip fitting	200	3 oz	50 sq. ft. Caldera Spas	C-7451
<b>Note: C-7350 can also be used as a replacement.</b>						
7"	10-3/4"	/ semi-circular handle 2-11/16" / open	200	3 oz	50 sq.ft. Caldera Spas (new style)	C-7350
7"	11-1/8"	2-15/16" / open 2-15/16" / open	99	6 oz	25 sq. ft. Purex CF-25	C-7610
7"	11-1/8"	2-15/16" / open 2-15/16" / open	155	4 oz	40 sq. ft. Purex CF-40	C-7440
7"	11-3/4"	/ semi-circular handle 3" / open	110	4 oz	30 sq. ft. skim filter	C-7630
7"	11-13/16"	3" / open 3" / open	160	4 oz	43.7 sq. ft. American Quantum	C-7437
7"	13-11/16"	3" / open w/ step 3" / open w/ step	119	3 oz	40 sq.ft. Jacuzzi CE	C-7304
7"	14"	2-1/16" / open 2-1/16" / open	99	4 oz	33 sq. ft. top load	C-7632
<b>Note: The C-7632 has been discontinued by Unicel.</b>						
7"	14"	2-15/16" / open 2-15/16" / open	99	4 oz	33 sq. ft. Purex CF-33/100	C-7433
7"	14"	2-15/16" / open 2-15/16" / open	99	6 oz	33 sq. ft. Purex CF-33/100	C-7633
7"	14-1/8"	3" / open 3" / open	167	4 oz	60 sq. ft. Clean & Clear Plus, American Quantum	C-7469
7"	14-1/8"	3" / open 3" / open	225	3 oz	75 sq.ft. Aquasports	C-7377
<b>Note: The C-7377 has been discontinued by Unicel. Use C-7469.</b>						

# 7000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
7"	14-3/16"	3" / open w/ molded gasket 3" / open w/ molded gasket	120 4 oz	40 sq. ft. Hayward CX410RE	C-7442
7"	14-3/16"	3" / open w/ molded gasket 3" / open w/ molded gasket	152 4 oz	50 sq. ft. Hayward CX470XRE, Sta-Rite PRC 50	C-7447
7"	14-3/16"	3" / open w/ molded gasket 3" / open w/ molded gasket	171 4 oz	56 sq.ft. Hayward CX480XRE	C-7458
7"	14-3/4"	/ semi-circular handle / 1-1/2" male thread/MPT	144 3 oz	50 sq. ft. top load - Coleman Spas, Vita Spas	7CH-50
7"	14-3/4"	/ semi-circular handle / 2" male slip fitting	216 3 oz	75 sq. ft. Caldera Spa	C-7479
<b>Note: C-7375 can also be used as a replacement.</b>					
7"	14-3/4"	/ semi-circular handle / 2" male thread/MPT	144 3 oz	50 sq. ft. Coleman Spas	7CH-502
7"	14-3/4"	/ semi-circular handle / 2" male thread/MPT	216 3 oz	75 sq. ft. Dimension One Spas	7CH-752
7"	14-3/4"	/ injection molded knob handle / injection molded cone adapter	144 4 oz	50 sq. ft. Baker-Hydro UM-50	C-7405
7"	14-3/4"	/ semi-circular handle 1-7/8" / open	143 4 oz	50 sq. ft. Goldkey	C-7400
<b>Note: Product has 1 blue and 1 orange end cap. The C-7400 has been discontinued by Unicel. Use 7CH-50 if PAD adapter is 1-1/2" MPT or 7CH-502 if PAD adapter is 2" MPT; must remove threaded PAD adapter from skim well.</b>					
7"	14-3/4"	/ semi-circular handle 1-9/10" / open	144 4 oz	50 sq. ft. Pleatco skim filter, Vita Spas	C-7449
<b>Note: The C-7449 has been discontinued by Unicel. Use 7CH-50 if PAD adapter is 1-1/2" MPT; must remove threaded PAD adapter from skim well.</b>					
7"	14-3/4"	/ semi-circular handle 2-11/16" / open	216 3 oz	75 sq.ft. Caldara Spa (new style)	C-7375
7"	14-3/4"	/ semi-circular handle 3" / open	115 4 oz	40 sq. ft. skim filter, Pacific Spa	C-7641
<b>Note: The C-7641 has been discontinued by Unicel.</b>					
7"	16"	2-15/16" / open 2-15/16" / open	177 4 oz	67.5 sq. ft. Purex CF-67.5 (Tango Pools)	C-7467
7"	16-1/2"	3" / open 3" / open	225 4 oz	87.5 sq. ft. American Quantum	C-7474
7"	17-3/8"	3" / open w/ molded gasket 3" / open w/ molded gasket	146 4 oz	56 sq.ft. Hayward CX481XRE	C-7456
7"	17-5/8"	/ injection molded knob handle 1-1/2" / open	144 4 oz	60 sq. ft. Doughboy Skim-Line	C-7403
<b>Note: Original is 7-1/2" OD. The C-7403 has been discontinued by Unicel.</b>					
7"	17-11/16"	3" / open w/ step 3" / open w/ step	137 3 oz	60 sq.ft. Jacuzzi CE	C-7306
7"	18-7/16"	2-5/8" / open 2-5/8" / open	150 4 oz	75 sq. ft. Pac-Fab Seahorse-300	C-7491
7"	19"	2-1/2" / open w/ beveled edge / 1-1/2" male thread/MPT	182 3 oz	90 sq.ft. Sundance, 19" w/ 1-1/2" MPT	7CH-90
7"	19"	3" / open 3" / open	206 4 oz	93.5 sq. ft. Purex	C-7481
7"	19-1/8"	3" / open w/ molded gasket 3" / open w/ molded gasket	194 4 oz	87 sq.ft. Hayward CX591XRE	C-7485
7"	19-3/8"	3" / open 3" / open	110 4 oz	50 sq. ft. Swimquip	C-7652
<b>Note: 100 sq.ft. Swimquip is comprised of two C-7652 (OAL 38-3/4").</b>					
7"	19-3/8"	3" / open 3" / open	222 3 oz	100 sq.ft. Aquasports	C-7399
<b>Note: The C-7399 has been discontinued by Unicel. Use C-7652.</b>					
7"	19-3/8"	3" / open w/ molded gasket 3" / open w/ molded gasket	188 4 oz	87 sq.ft. Hayward CX590RE	C-7484



# 7000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
7"	19-5/8"	/ injection molded knob handle / injection molded cone adapter	110 4 oz	50 sq. ft. Baker-Hydro HM-50	C-7605
7"	19-5/8"	/ injection molded knob handle / injection molded cone adapter	162 4 oz	75 sq. ft. Baker-Hydro	C-7406
7"	19-5/8"	2-15/16" / open 2-15/16" / open	129 4 oz	60 sq. ft. Purex CF-60	C-7460
7"	19-5/8"	2-15/16" / open 2-15/16" / open	172 4 oz	80 sq. ft. Purex CF-80	C-7480
<b>Note: The C-7480 has been discontinued by Unicel. Use C-7460.</b>					
7"	19-5/8"	2-15/16" / open 2-15/16" / open	110 6 oz	50 sq. ft. Purex CF-50/150	C-7651
<b>Note: The C-7651 has been discontinued by Unicel. Use C-7460.</b>					
7"	19-5/8"	3" / open 3" / open	110 4 oz	50 sq. ft. American, Premier	C-7450
7"	19-5/8"	3" / open 3" / open	161 4 oz	75 sq. ft. American, Premier	C-7453
7"	19-5/8"	3" / open 3" / open	110 6 oz	50 sq. ft. American, Premier	C-7650
<b>Note: The C-7650 has been discontinued by Unicel. Use C-7450 or C-7453.</b>					
7"	19-5/8"	3" / open w/ molded gasket 3" / open w/ molded gasket	108 4 oz	50 sq. ft. Hayward CX500RE	C-7656
7"	19-5/8"	3" / open w/ molded gasket 3" / open w/ molded gasket	176 4 oz	81 sq.ft. Hayward CX580XRE	C-7483
7"	19-5/8"	3" / open w/ molded gasket 3" / open w/ molded gasket	105 4 oz	55 sq. ft. Hayward CX550RE, Muskin P/N 58039, FE-127	C-7455
<b>Note: The C-7455 has been discontinued by Unicel. Use C-7656.</b>					
7"	19-5/8"	3" / open w/ molded gasket 3" / open w/ molded gasket	161 4 oz	75 sq. ft. Hayward CX570RE, Sta-Rite PRC 75	C-7477
<b>Note: The C-7477 has been discontinued by Unicel. Use C-7483.</b>					
7"	20"	3" / open 3" / open	170 4 oz	80 sq. ft. Clean & Clear Plus, Waterway Crystal Water	C-7470
7"	20"	3" / open 3" / open	190 4 oz	90 sq. ft. Clean & Clear Plus, American Quantum	C-7476
7"	24-3/4"	2-5/8" / open 2-5/8" / open	150 4 oz	100 sq. ft. Pac-Fab Seahorse-400	C-7492
7"	25-1/2"	3" / open w/ molded gasket 3" / open w/ molded gasket	176 4 oz	106 sq.ft. Hayward CX880XRE	C-7488
7"	25-1/2"	3" / open w/ molded gasket 3" / open w/ molded gasket	185 4 oz	112 sq.ft. Hayward CX875RE	C-7489
7"	25-1/2"	3" / open w/ molded gasket 3" / open w/ molded gasket	164 4 oz	100 sq. ft. Hayward CX870RE	C-7487
<b>Note: The C-7487 has been discontinued by Unicel. Use C-7488 or C-7489.</b>					
7"	25-5/8"	2-15/16" / open 2-15/16" / open	172 4 oz	105 sq. ft. Purex CF-105/315	C-7496
7"	26"	3" / open 3" / open	202 4 oz	125 sq. ft. Clean & Clear Plus, American Quantum	C-7498
7"	26-1/16"	3" / open 3" / open	168 4 oz	105 sq. ft. Clean & Clear Plus, Waterway Crystal Water	C-7471
7"	26-1/4"	/ injection molded knob handle 1-1/2" / open	144 4 oz	90 sq. ft. Doughboy Skim-Line	C-7409
<b>Note: Original is 7-1/2" OD. The C-7409 has been discontinued by Unicel.</b>					
7"	27"	3" / open 3" / open	130 4 oz	85 sq.ft. Jandy CL340	C-7459
7"	27"	3" / open 3" / open	175 4 oz	115 sq.ft. Jandy CL460	C-7468
7"	29-1/8"	3" / open 3" / open	110 4 oz	75 sq. ft. Swimquip	C-7677

# 7000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
7"	29-3/8"	/ injection molded knob handle / injection molded cone adapter	108 4 oz	75 sq. ft. Baker-Hydro HM-75	C-7606
7"	29-3/8"	/ injection molded knob handle / injection molded cone adapter	143 4 oz	100 sq. ft. Baker-Hydro UM-100	C-7407
7"	29-3/8"	3" / open 3" / open	110 4 oz	75 sq. ft. American, Premier	C-7475
7"	29-3/8"	3" / open 3" / open	142 4 oz	100 sq. ft. American, Premier	C-7499
7"	29-3/8"	3" / open 3" / open	110 6 oz	75 sq. ft. American, Premier	C-7675
<b>Note: The C-7675 has been discontinued by Unicel. Use C-7475 or C-7499.</b>					
7"	29-7/16"	3" / open w/ molded gasket 3" / open w/ molded gasket	108 4 oz	75 sq.ft. Hayward CX750RE	C-7676
7"	29-7/16"	3" / open w/ molded gasket 3" / open w/ molded gasket	145 4 oz	100 sq.ft. Hayward CX1000RE	C-7698
7"	30-7/16"	2-5/8" / open 2-5/8" / open	150 4 oz	125 sq. ft. Pac-Fab Seahorse-500	C-7493
7"	32-1/16"	3" / open 3" / open	163 4 oz	125 sq. ft. Clean & Clear Plus, Waterway Crystal Water	C-7472
7"	32-13/16"	3" / open w/ molded gasket 3" / open w/ molded gasket	169 4 oz	131 sq.ft. Hayward CX1280RE	C-7494
7"	32-13/16"	3" / open w/ molded gasket 3" / open w/ molded gasket	176 4 oz	137 sq.ft. Hayward CX1380RE	C-7490
7"	32-13/16"	3" / open w/ molded gasket 3" / open w/ molded gasket	159 4 oz	125 sq. ft. Hayward CX1260RE	C-7495
<b>Note: The C-7495 has been discontinued by Unicel. Use C-7494 or C-7490.</b>					
7"	33"	3" / open 3" / open	180 4 oz	145 sq.ft. Jandy CL580	C-7482
7"	39-1/4"	3" / open 3" / open	154 4 oz	145 sq.ft. Clean & Clear Plus	C-7486
<b>Note: Four 90 sq.ft. cartridges required.</b>					
7"	39-3/8"	/ injection molded knob handle / injection molded cone adapter	110 4 oz	100 sq. ft. Baker-Hydro HM-100	C-7607
7"	39-3/8"	/ injection molded knob handle / injection molded cone adapter	162 4 oz	150 sq. ft. Baker-Hydro UM-150	C-7408
<b>Note: Length reflects the total of 2 cartridges each 19-5/8" long.</b>					
7-1/8"	5-7/8"	/ closed w/ Y stand-offs 2" / open w/ twist lock	207 3 oz	35 sq.ft. Dimension One Spas	C-7335
7-1/8"	10-1/2"	/ closed w/ Y stand-offs 2" / open w/ twist lock	215 3 oz	75 sq.ft. Dimension One Spas	C-7367
7-1/4"	9-7/8"	3-1/16" / open w/ step 3-1/16" / open w/ step	103 4 oz	25 sq. ft. Waterco	C-7427
7-1/4"	14-9/16"	2-15/16" / open w/ step 2-15/16" / open w/ step	189 3 oz	75 sq. ft. Advantage Mfg.	C-7301
7-1/4"	14-5/8"	3-1/16" / open w/ step 3-1/16" / open w/ step	136 4 oz	50 sq. ft. Waterco, Jandy CT-50	C-7448
<b>Note: The C-7448 has been discontinued by Unicel.</b>					
7-1/4"	14-3/4"	2-15/16" / open w/ step 2-15/16" / open w/ step	135 4 oz	50 sq. ft. Aquatemp	C-7618
7-1/4"	14-3/4"	2-15/16" / open w/ step 2-15/16" / open w/ step	175 3 oz	65 sq. ft. Aquatemp	C-7619
7-1/4"	19-5/8"	3-1/16" / open w/ step 3-1/16" / open w/ step	152 4 oz	75 sq. ft. Jandy CT-75, Waterco CC-75	C-7473
7-1/4"	19-5/8"	3-1/16" / open w/ step 3-1/16" / open w/ step	101 4 oz	50 sq. ft. Waterco	C-7457
<b>Note: The C-7457 has been discontinued by Unicel. Use C-7473.</b>					
7-1/4"	21-5/8"	2-15/16" / open w/ step 2-15/16" / open w/ step	169 3 oz	100 sq. ft. Advantage Mfg.	C-7302

# 7000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
7-1/4"	21-13/16"	2-15/16" / open w/ step 2-15/16" / open w/ step	135 4 oz 75 sq. ft.	Aquatemp	C-7620
7-1/4"	21-13/16"	2-15/16" / open w/ step 2-15/16" / open w/ step	189 3 oz 105 sq. ft.	Aquatemp	C-7621
<b>Note: The C-7621 has been discontinued by Unicel.</b>					
7-1/4"	28-13/16"	2-15/16" / open w/ step 2-15/16" / open w/ step	189 3 oz 150 sq. ft.	Advantage Mfg.	C-7303
7-1/4"	29"	2-15/16" / open w/ step 2-15/16" / open w/ step	135 4 oz 100 sq. ft.	Aquatemp	C-7622
7-1/4"	29"	2-15/16" / open w/ step 2-15/16" / open w/ step	182 3 oz 135 sq. ft.	Aquatemp	C-7623
7-1/4"	29-1/2"	3-1/16" / open w/ step 3-1/16" / open w/ step	133 4 oz 100 sq. ft.	Waterco, Jandy CT-100	C-7497
7-1/4"	29-1/2"	3-1/16" / open w/ step 3-1/16" / open w/ step	200 4 oz 150 sq. ft.	Waterco Trimline CC150	C-7454
<b>Note: The C-7454 has been discontinued by Unicel. Use C-7497.</b>					
7-1/4"	29-1/2"	3-1/16" / open w/ step 3-1/16" / open w/ step	100 4 oz 75 sq. ft.	Waterco	C-7478
<b>Note: The C-7478 has been discontinued by Unicel. Use C-7497.</b>					
7-1/2"	9-5/8"	/ 3-1/2" female thread/FPT 2-5/8" / open	232 4 oz	Harmsco SC/TC 55	C-7655
<b>Note: Harmsco original is 7-3/4" OD.</b>					
7-1/2"	14"	2-15/16" / open 2-15/16" / open	174 4 oz 65 sq. ft.	Martec/Sonfarrel	C-7416
<b>Note: The C-7416 has been discontinued by Unicel.</b>					
7-1/2"	14-3/4"	/ castle 2-1/16" / open	164 3 oz 65 sq. ft.	Sundance Spas	C-7465
<b>Note: 2-1/16" bottom id for 1-1/2" system. Unicel part replaces both 7-1/2" and 8" OD Sundance cartridges.</b>					
7-1/2"	14-3/4"	/ castle 2-5/8" / open	164 3 oz 65 sq. ft.	Sundance Spas	C-7466
<b>Note: 2-5/8" bottom id for 2" system. Unicel part replaces both 7-1/2" and 8" OD Sundance cartridges.</b>					
7-1/2"	14-13/16"	2-15/16" / open 2-15/16" / open	124 4 oz 50 sq. ft.	Rec. Warehouse	C-7417
7-1/2"	14-13/16"	2-15/16" / open 2-15/16" / open	163 4 oz 65 sq. ft.	Rec. Warehouse	C-7415
7-1/2"	15-3/16"	/ 3-1/2" female thread/FPT 2-5/8" / open	191 4 oz	Harmsco SC/TC 75	C-7674
<b>Note: Harmsco original is 7-3/4" OD.</b>					
7-1/2"	17-3/4"	/ castle 2-1/2" / open w/ beveled edge	154 3 oz 75 sq. ft.	Sundance Spas	C-7370
7-1/2"	19-1/2"	/ 3-1/2" female thread/FPT 2-5/8" / open	205 4 oz	Harmsco SC/TC 105	C-7685
<b>Note: Harmsco original is 7-3/4" OD.</b>					
7-1/2"	20-13/16"	2-15/16" / open 2-15/16" / open	177 4 oz 100 sq. ft.	Rec. Warehouse	C-7418
7-1/2"	21-7/8"	2-15/16" / open 2-15/16" / open	168 4 oz 100 sq. ft.	Martec, Sonfarrel	C-7419
7-1/2"	28-15/16"	2-15/16" / open 2-15/16" / open	189 4 oz 150 sq. ft.	Rec. Warehouse	C-7414
7-1/2"	28-15/16"	2-15/16" / open 2-15/16" / open	165 4 oz 130 sq. ft.	Rec. Warehouse	C-7413
<b>Note: The C-7413 has been discontinued by Unicel. Use C-7414.</b>					
7-1/2"	29-1/16"	/ 3-1/2" female thread/FPT 2-5/8" / open	200 4 oz	Harmsco SC/TC 155	C-7697
<b>Note: Harmsco original is 7-3/4" OD.</b>					
7-13/16"	22-13/16"	/ closed 4-1/16" / open	193 4 oz 110 sq. ft.	TC330 Jacuzzi, Cantar, Competition Tri-Clops Replacement (round)	C-7430
<b>Note: This product has no center core; Requires OEM supplied manifold change over kit to replace old pie-shaped cartridges.</b>					

## 7000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
7-13/16"	28-13/16"	/ closed 4-1/16" / open	203 4 oz	147 sq.ft. Jacuzzi, Cantar, Competition TC440 Tri-Clops Replacement (round)	C-7441
<i>Note: This product has no center core; Requires OEM supplied manifold change over kit to replace old pie-shaped cartridges.</i>					
7-13/16"	34-13/16"	/ closed 4-1/16" / open	204 4 oz	179 sq.ft. Jacuzzi, Cantar, Competition TC550 Tri-Clops Replacement (round)	C-7452
<i>Note: This product has no center core; Requires OEM supplied manifold change over kit to replace old pie-shaped cartridges.</i>					
7-7/8"	11-1/8"	3-1/16" / open 3-1/16" / open	152 4 oz	50 GPM Pac-Fab	C-7678
<i>Note: Use this cartridge with a C-7699 for a Mytilus MY-150.</i>					
7-7/8"	13-3/16"	/ semi-circular handle 3-1/16" / open	157 4 oz	80 sq. ft. Fox Wal-Pak	C-7463
7-7/8"	14"	3-1/16" / open 3-1/16" / open	146 4 oz	60 GPM Pac-Fab, 60 GPM Wet Institute	C-7660
7-7/8"	17-3/4"	/ semi-circular handle 3-1/16" / open	208 4 oz	110 sq. ft. Fox Wal-Pak	C-7464
<i>Note: The C-7464 has been discontinued by Unicel. Use C-7463.</i>					
7-7/8"	22-1/8"	3-1/16" / open 3-1/16" / open	122 4 oz	80 GPM Pac-Fab	C-7680
7-7/8"	22-1/8"	3-1/16" / open 3-1/16" / open	142 4 oz	100 GPM Pac-Fab, 105 GPM Wet Institute	C-7699
7-7/8"	26-1/8"	3-1/16" / open 3-1/16" / open	170 4 oz	133 sq. ft. Wet Institute	C-7688
7-7/8"	33-3/8"	3-1/16" / open 3-1/16" / open	148 4 oz	150 GPM Pac-Fab	C-7679

## 8000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
8"	5-3/4"	/ semi-circular handle / 2" SAE thread	244 3 oz	40 sq.ft. Bullfrog Spa	8CH-951
<i>Note: Also replaces Bullfrog 6" OAL filter element w/ shorter threaded end.</i>					
8"	6"	/ semi-circular handle / 2" SAE thread	250 3 oz	50 sq.ft. Bullfrog Spas	8CH-950
<i>Note: The 8CH-950 has been discontinued by Unicel. Use 8CH-951.</i>					
8"	6-3/4"	4" / open w/ raised ring 4" / open w/ raised ring	267 3 oz	40 sq.ft. Micro Filter	C-8341
8"	9"	2-1/16" / open / 2" male slip fitting	193 3 oz	50 sq. ft. Coleman/Maax Spas	C-8450
8"	9-1/4"	/ semi-circular handle / 2" male thread/MPT	222 3 oz	60 sq. ft. top load - Master Spas	8CH-66
8"	11-5/8"	/ semi-circular handle / 2" male thread/MPT	177 3 oz	60 sq. ft. Continental Spa	8CH-60
<i>Note: The 8CH-60 has been discontinued by Unicel. Use 8CH-66.</i>					
8"	12-3/4"	/ injection molded knob handle / 2" male thread/MPT	224 3 oz	85 sq.ft. Diamante Spas	8CH-852AM
<i>Note: Manufactured with antimicrobial filter media; Unicel part number formerly 8CH-852RA. The 8CH-852AM has been discontinued by Unicel. Use 8CH-66.</i>					
8"	13"	2-1/16" / open / 2" male slip fitting	197 3 oz	75 sq. ft. Coleman/Maax Spas	C-8475
8"	15-1/2"	/ semi-circular handle / 2" male thread/MPT	259 3 oz	95 sq.ft. Sundance Spas, Jacuzzi	8CH-102
8"	16-1/2"	/ semi-circular handle 3-5/8" / open w/ lip seal	259 3 oz	100 sq.ft. Caldera	C-8399
8"	16-1/2"	3-1/8" / open w/ molded gasket 3-1/8" / open w/ molded gasket	259 3 oz	100 sq.ft. Caldera	C-8300

# 8000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
8"	18"	/ injection molded knob handle / 2" male thread/MPT	224 3 oz	120 sq.ft. Diamante Spas	8CH-202AM
<b>Note: Manufactured with antimicrobial filter media: Unicel part number formerly 8CH-202RA.</b>					
8-7/16"	14"	/ closed w/ 2" SAE thread 2-1/2" / open w/ beveled edge	174 3 oz	80 sq.ft. Sundance Spas - MicroClean	C-8380
<b>Note: Replaces pleated element only.</b>					
8-7/16"	18"	/ closed w/ 3-step edge 2-1/2" / open w/ beveled edge	201 3 oz	125 sq.ft. Sundance Spas - Universal Length	C-8325
<b>Note: Length recorded is measured to first step. Replacement for 18" to 18-1/2" overall length.</b>					
8-7/16"	18-1/8"	/ castle 2-1/2" / open w/ beveled edge	200 3 oz	120 sq. ft. Sundance Spas	C-8320
<b>Note: The C-8320 been discontinued by Unicel. Use C-8325.</b>					
8-7/16"	19"	/ 1-1/2" male slip fitting 2-1/2" / open w/ beveled edge	199 3 oz	125 sq.ft. Sundance Spas	C-8327
<b>Note: Models dated after 2005 (does not contain core block/plug).</b>					
8-7/16"	19"	/ 1-1/2" male slip fitting 2-1/2" / open w/ beveled edge	199 3 oz	125 sq.ft. Sundance Spas	C-8326
<b>Note: Models dated before 2006 (contains a core block/plug).</b>					
8-1/2"	7-1/4"	/ v-groove semi-circular handle / 2" male thread/MPT	258 3 oz	50 sq.ft. Vita Spa	8CH-502
8-1/2"	7-1/4"	1-9/10" / open 2-3/8" / open w/ slots	258 3 oz	50 sq. ft. Vita Spa	C-8350
8-1/2"	10-1/2"	3" / open 3" / open	234 3 oz	65 sq. ft. Hot Springs Spas/Watkins Mfg.	C-8465
<b>Note: The original was 45 sq. ft. (162 pleats). This replacement has been upgraded to 65 sq. ft.</b>					
8-1/2"	10-3/4"	/ v-groove semi-circular handle 4-1/16" / open	140 3 oz	40 sq. ft. Hayward CX400RE skim filter	C-8340
8-1/2"	15-3/16"	2-3/16" / open 3-1/8" / open	186 3 oz	100 sq. ft. Rec. Warehouse, Jacuzzi Leisure	C-8310
8-1/2"	17-3/8"	4" / open w/ molded gasket 4" / open w/ molded gasket	153 4 oz	75 sq. ft. Hayward CX800RE	C-8600
8-1/2"	22-11/16"	2-3/16" / open 3-1/8" / open	189 3 oz	150 sq. ft. Rec. Warehouse, Jacuzzi Leisure	C-8315
<b>Note: The C-8315 has been discontinued by Unicel.</b>					
8-1/2"	23-5/16"	4" / open w/ molded gasket 4" / open w/ molded gasket	153 4 oz	100 sq. ft. Hayward CX1100RE	C-8610
8-11/16"	9-3/4"	4-3/16" / open 4-3/16" / open w/ 12 concentric slots	195 4 oz	37 sq. ft. Sta-Rite 35TX, 35TXR, 35GPM-TX	UHD-SR35
<b>Note: Product has blue top end cap and orange bottom end cap.</b>					
8-11/16"	9-3/4"	4-3/16" / open 4-3/16" / open w/ 12 concentric slots	195 3 oz	37 sq. ft. Sta-Rite 35TX, 35TXR, 35GPM-TX	SC3-SR35
<b>Note: Product has blue top end cap and orange bottom end cap. The SC3-SR35 has been discontinued by Unicel. Use UHD-SR35.</b>					
8-11/16"	13-5/16"	4-3/16" / open 4-3/16" / open w/ 12 concentric slots	195 4 oz	52 sq. ft. Sta-Rite 50TX, 50GPM-TX, 50TXR, T-50TX, T-50TXR, PTM50	UHD-SR50
8-11/16"	13-5/16"	4-3/16" / open 4-3/16" / open w/ 12 concentric slots	195 3 oz	52 sq. ft. Sta-Rite 50TX, 50GPM-TX, 50TXR, T-50TX, T-50TXR, PTM50	SC3-SR50
<b>Note: Product has blue top end cap and orange bottom end cap.</b>					
8-11/16"	18-3/16"	4-3/16" / open 4-3/16" / open w/ 12 concentric slots	195 4 oz	72 sq. ft. Sta-Rite 70TX, 70GPM-TX, 70TXR, T-70TX, T-70TXR, PTM70	UHD-SR70
8-11/16"	18-3/16"	4-3/16" / open 4-3/16" / open w/ 12 concentric slots	195 3 oz	72 sq. ft. Sta-Rite 70TX, 70GPM-TX, 70TXR, T-70TX, T-70TXR, PTM70	SC3-SR70
<b>Note: Product has blue top end cap and orange bottom end cap.</b>					

# 8000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
8-11/16"	25-11/16"	4-3/16" / open 4-3/16" / open w/ 12 concentric slots	195 4 oz	102 sq. ft. Sta-Rite 100TX, 100GPM-TX, 100TXR, T-100TX, T-100TXR, PTM100	UHD-SR100
8-11/16"	25-11/16"	4-3/16" / open 4-3/16" / open w/ 12 concentric slots	195 3 oz	102 sq. ft. Sta-Rite 100TX, 100GPM-TX, 100TXR, T-100TX, T-100TXR, PTM100	SC3-SR100
<b>Note: Product has blue top end cap and orange bottom end cap.</b>					
8-11/16"	31-1/4"	4-3/16" / open 4-3/16" / open w/ 12 concentric slots	216 4 oz	137 sq. ft. Sta-Rite 135TX, 135GPM-TX, 135TXR, PTM-135	UHD-SR137
8-11/16"	31-1/4"	4-3/16" / open 4-3/16" / open w/ 12 concentric slots	216 3 oz	137 sq. ft. Sta-Rite 135TX, 135GPM-TX, 135TXR, PTM-135	SC3-SR137
<b>Note: Product has blue top end cap and orange bottom end cap.</b>					
8-11/16"	34-1/2"	4-3/16" / open 4-3/16" / open w/ 12 concentric slots	195 4 oz	135 sq. ft. Sta-Rite T-135TX (Posi-Flo)	UHD-SR135
8-11/16"	34-1/2"	4-3/16" / open 4-3/16" / open w/ 12 concentric slots	195 3 oz	135 sq. ft. Sta-Rite T-135TX (Posi-Flo)	SC3-SR135
<b>Note: Product has blue top end cap and orange bottom end cap.</b>					
8-7/8"	19-1/2"	4" / open 4" / open	117 4 oz	75 sq. ft. Purex DM	C-8401
8-7/8"	19-1/2"	4" / open 4" / open	186 4 oz	120 sq. ft. Purex DM	C-8403
<b>Note: This product has no center core and white end caps.</b>					
8-7/8"	19-1/2"	4" / open 4" / open	140 4 oz	90 sq. ft. Purex DM	C-8402
<b>Note: This product has no center core and white end caps. The C-8402 has been discontinued by Unicel. Use C-8401 or C-8403.</b>					
8-7/8"	39"	4" / open 4" / open	139 4 oz	180 sq. ft. Purex DM	C-8405
<b>Note: This product has no center core and white end caps.</b>					
8-7/8"	39"	4" / open 4" / open	186 4 oz	240 sq. ft. Purex DM	C-8406
<b>Note: This product has no center core and white end caps. The C-8406 has been discontinued by Unicel. Use C-8405.</b>					
8-15/16"	10-1/4"	3-3/4" / open 3-3/4" / open	162 4 oz	50 sq.ft. Astral 2505 CE Terra	C-8449
8-15/16"	15"	3-3/4" / open 3-3/4" / open	165 4 oz	75 sq.ft. Astral 2507 CE Terra	C-8474
8-15/16"	17-3/8"	4" / open w/ molded gasket 4" / open w/ molded gasket	145 4 oz	75 sq. ft. Hayward CX760RE, Sta-Rite PXC-75, Waterway Pro Clean 75, Waterway Clearwater II 75	C-8411
8-15/16"	17-3/8"	4" / open w/ molded gasket 4" / open w/ molded gasket	174 4 oz	90 sq. ft. Hayward CX900RE, Sta-Rite PXC-95, Waterway Pro Clean 100, Waterway Clearwater II 100	C-8409
8-15/16"	17-3/8"	4" / open w/ molded gasket 4" / open w/ molded gasket	194 3 oz	100 sq.ft. Hayward XStream CC1000RE	C-8311
8-15/16"	19-5/8"	4" / open w/ molded gasket 4" / open w/ molded gasket	172 4 oz	100 sq.ft. Hayward C100S (alternative)	C-8408
8-15/16"	19-11/16"	3-3/4" / open 3-3/4" / open	168 4 oz	100 sq.ft. Astral 2510 CE Terra	C-8499

## 8000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
8-15/16"	23-5/16"	4" / open w/ molded gasket 4" / open w/ molded gasket	215 3 oz	150 sq.ft. Hayward XStream CC1500RE	C-8316
8-15/16"	23-5/16"	4" / open w/ molded gasket 4" / open w/ molded gasket	251 3 oz	175 sq.ft. Hayward XStream CC1750RE	C-8317
8-15/16"	23-5/16"	4" / open w/ molded gasket 4" / open w/ molded gasket	285 4 oz	200 sq.ft. Waterway Clearwater II 200	C-8419
8-15/16"	23-5/16"	4" / open w/ molded gasket 4" / open w/ molded gasket	143 4 oz	100 sq.ft. Jandy CS100	C-8410
<b>Note: OEM original has grey end caps.</b>					
8-15/16"	23-5/16"	4" / open w/ molded gasket 4" / open w/ molded gasket	251 4 oz	175 sq.ft, Waterway Clearwater II	C-8421
<b>Note: The C-8421 has been discontinued by Unicel. Use C-8414 or C-8419.</b>					
8-15/16"	23-5/16"	4" / open w/ molded gasket 4" / open w/ molded gasket	172 4 oz	120 sq. ft. Hayward CX1200RE, Waterway Pro Clean 125, Waterway Clearwater II 125	C-8412
8-15/16"	23-5/16"	4" / open w/ molded gasket 4" / open w/ molded gasket	215 4 oz	150 sq.ft. Waterway Clearwater II 150, Waterway Pro Clean 150, Jandy CS150, Hayward C150S (alternative)	C-8414
<b>Note: Verify OAL of Pro Clean 125 and 150 to identify the correct Unicel replacement.</b>					
8-15/16"	24-7/16"	3-3/4" / open 3-3/4" / open	202 4 oz	150 sq.ft. Astral 2515 CE Terra	C-8415
8-15/16"	28-3/16"	4" / open w/ molded gasket 4" / open w/ molded gasket	202 4 oz	175 sq. ft. Hayward C1750RE, Hayward C1900RE, Waterway Pro Clean 175	C-8417
8-15/16"	28-3/16"	4" / open w/ molded gasket 4" / open w/ molded gasket	236 4 oz	200 sq.ft. Hayward C1900RE, Waterway Pro Clean 200, Hayward C200S (alternative)	C-8420
8-15/16"	28-3/16"	4" / open w/ molded gasket 4" / open w/ molded gasket	148 4 oz	125 sq.ft. Sta-Rite PXC-125, Waterway Pro Clean 125	C-8413
8-15/16"	28-3/16"	4" / open w/ molded gasket 4" / open w/ molded gasket	177 4 oz	150 sq.ft. Sta-Rite PXC-150, Waterway Pro Clean 150	C-8416
<b>Note: Verify OAL of Pro Clean 125 and 150 to identify the correct Unicel replacement.</b>					
8-15/16"	29-7/16"	4" / open w/ molded gasket 4" / open w/ molded gasket	226 3 oz	200 sq.ft. Hayward CC2000	C-8319
8-15/16"	33-1/8"	4" / open w/ molded gasket 4" / open w/ molded gasket	250 4 oz	250 sq.ft. Jandy CS250	C-8425
8-15/16"	33-1/8"	4" / open w/ molded gasket 4" / open w/ molded gasket	200 4 oz	200 sq.ft. Jandy CS200	C-8418
<b>Note: OEM original has grey end caps.</b>					

## 9000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
9"	11-7/16"	3-15/16" / open w/ step 3-15/16" / open w/ step	212 4 oz	75 sq. ft. Aquatemp, Cooper CF 75 Performax	C-9601
9"	15"	3-15/16" / open w/ step 3-15/16" / open w/ step	226 4 oz	100 sq. ft. Aquatemp, Cooper CF 100 Performax	C-9602
<b>Note: The C-9602 has been discontinued by Unicel.</b>					
9"	22-5/8"	3-15/16" / open w/ step 3-15/16" / open w/ step	226 4 oz	150 sq. ft. Aquatemp, Cooper CF 150 Performax	C-9603
9-1/4"	8-1/4"	3" / open w/ molded gasket 3" / open w/ molded gasket	225 4 oz	135 sq.ft. Waterco Opal	C-9443
<b>Opal XL 270 is comprised of one C-9443 and one C-9444, plastic coupler needed and not provided.</b>					
9-1/4"	14-3/16"	3" / open w/ molded gasket 3" / open w/ molded gasket	142 4 oz	85 sq. ft. Hayward CX850RE	C-9485
9-1/4"	17"	3" / open w/ molded gasket 3" / open w/ molded gasket	225 4 oz	180 sq.ft. Waterco Opal 180	C-9444
<b>Opal XL 270 is comprised of one C-9443 and one C-9444, plastic coupler needed and not provided.</b>					
9-1/4"	19-5/8"	3" / open w/ molded gasket 3" / open w/ molded gasket	152 4 oz	120 sq. ft. Hayward CX1250RE, Muskin FE129 P/N 58040	C-9499

# 9000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
9-15/16"	10"	5-13/16" / open 6-1/16" / open	194 4 oz 50 sq. ft.	Jacuzzi CFR-50	C-9650
<b>Note: This product has no center core.</b>					
9-15/16"	13-5/16"	5-13/16" / open 6-1/16" / open	202 4 oz 75 sq. ft.	Waterway Clearwater, Rec. Warehouse	C-9401
<b>Note: This product has no center core.</b>					
9-15/16"	14-1/4"	5-13/16" / open 6-1/16" / open	193 4 oz 75 sq. ft.	Jacuzzi CFR-75	C-9475
<b>Note: This product has no center core.</b>					
9-15/16"	19-5/16"	5-13/16" / open 6-1/16" / open	192 4 oz 100 sq. ft.	Waterway Clearwater, Rec. Warehouse	C-9402
<b>Note: This product has no center core.</b>					
9-15/16"	19-7/8"	5-13/16" / open 6-1/16" / open	194 4 oz 100 sq. ft.	Jacuzzi CFR-100	C-9699
<b>Note: This product has no center core.</b>					
9-15/16"	23-5/16"	5-13/16" / open 6-1/16" / open	236 4 oz 150 sq. ft.	Waterway	C-9450AM
9-15/16"	23-5/16"	5-13/16" / open 6-1/16" / open	315 4 oz 200 sq. ft.	Waterway	C-9489AM
<b>Note: This product has no center core. Manufactured with antimicrobial filter media.</b>					
9-15/16"	24"	5-13/16" / open 6-1/16" / open	227 4 oz 150 sq. ft.	Jacuzzi CFR-150	C-9478
9-15/16"	24"	5-13/16" / open 6-1/16" / open	303 4 oz 200 sq. ft.	Jacuzzi CFR-200	C-9420
<b>Note: This product has no center core.</b>					
9-15/16"	25-5/16"	5-13/16" / open 6-1/16" / open	218 4 oz 150 sq. ft.	Waterway Clearwater, Rec. Warehouse	C-9403
<b>Note: This product has no center core.</b>					
9-15/16"	25-5/16"	5-13/16" / open 6-1/16" / open	294 4 oz 200 sq. ft.	Waterway Clearwater	C-9404
<b>Note: This product has no center core. The C-9404 has been discontinued by Unicel. Use C-9403.</b>					
10"	14-9/16"	/ bar handle 6" / open	200 4 oz 80 sq. ft.	Jacuzzi Brothers	C-9480
<b>Note: This product has no center core.</b>					
10"	20-1/16"	/ bar handle 6" / open	218 4 oz 120 sq. ft.	Jacuzzi Brothers	C-9481
<b>Note: This product has no center core.</b>					
10"	24-5/16"	/ bar handle 6" / open	240 4 oz 160 sq. ft.	Jacuzzi Brothers	C-9482
<b>Note: This product has no center core.</b>					
10"	29-13/16"	/ bar handle 6" / open	244 4 oz 200 sq. ft.	Jacuzzi Brothers	C-9483
<b>Note: This product has no center core.</b>					
10-1/16"	8-9/16"	6" / open 6" / open	217 4 oz 50 sq. ft.	Predator, Clean and Clear	C-9405
<b>Note: This product has no center core and orange end caps.</b>					
10-1/16"	16-1/8"	6" / open 6" / open	171 4 oz 75 sq. ft.	Predator, Clean and Clear, Cal Spas	C-9407
<b>Note: This product has no center core and orange end caps.</b>					
10-1/16"	16-1/8"	6" / open 6" / open	35 8 oz 15 sq. ft.	EasyClean EC60 (DE)	C-9960
<b>Note: This product has no center core, 4 bands and blue end caps.</b>					
10-1/16"	17-1/2"	3/8" / open 6" / open	106 4 oz 50 sq. ft.	Airwick, Heldor, Vak-Pak, Dyna-Pure	C-9950
<b>Note: This product has no center core.</b>					



# 9000 Series

OD	Length	Top End Cap: id/config Bot End Cap: id/config	Pleat Count Media	Description	UNICEL P/N
10-1/16"	19-5/8"	3/8" / open 6" / open	190 6 oz 100 sq. ft.	Airwick, Heldor, Vak-Pak, Dyna-Pure	C-9999
<i>Note: This product has no center core.</i>					
10-1/16"	19-5/8"	3/8" / open 6" / open	133 6 oz 70 sq. ft.	Airwick, Heldor, Vak-Pak, Dyna-Pure	C-9970
<i>Note: This product has no center core. The C-9970 has been discontinued by Unicel. Use C-9999.</i>					
10-1/16"	23-5/8"	6" / open 6" / open	194 4 oz 125 sq.ft.	Predator, Clean and Clear	C-9412
<i>Note: The C-9412 has been discontinued by Unicel. Use C-9410.</i>					
10-1/16"	23-5/8"	6" / open 6" / open	294 4 oz	Aquastar Pipeline Filter PF27000	C-9430
<i>Note: This product has no center core and light blue end caps. Original is 11-1/2" OD and has orange end caps.</i>					
10-1/16"	23-5/8"	6" / open 6" / open	155 4 oz 100 sq. ft.	Predator, Clean and Clear, Posi-Clear	C-9410
<i>Note: This product has no center core and orange end caps.</i>					
10-1/16"	31-1/8"	6" / open 6" / open	204 4 oz 175 sq.ft.	Predator, Clean and Clear	C-9417
10-1/16"	31-1/8"	6" / open 6" / open	35 8 oz 30 sq.ft.	EasyClean EC90 (DE)	C-9990
<i>Note: This product has no center core, 4 bands and blue end caps.</i>					
10-1/16"	31-1/8"	6" / open 6" / open	175 4 oz 150 sq. ft.	Predator, Clean and Clear, Posi-Clear	C-9415
<i>Note: This product has no center core, 4 bands and orange end caps.</i>					
10-1/16"	31-1/8"	6" / open 6" / open	234 4 oz 200 sq. ft.	Predator, Clean and Clear, Posi-Clear	C-9419
<i>Note: This product has no center core, 5 bands and orange end caps.</i>					
10-1/16"	31-1/4"	6" / open 6" / open	265 4 oz	Aquastar Pipeline Filter PF35000	C-9431
<i>Note: This product has no center core and light blue end caps. Original is 11-1/2" OD and has orange end caps.</i>					
10-5/16"	19-5/8"	4" / open w/ molded gasket 4" / open w/ molded gasket	131 4 oz 100 sq.ft.	Hayward C100S	C-9440
10-5/16"	23-5/16"	4" / open w/ molded gasket 4" / open w/ molded gasket	165 4 oz 150 sq.ft.	Hayward C150S	C-9441
10-5/16"	28-3/16"	4" / open w/ molded gasket 4" / open w/ molded gasket	181 4 oz 200 sq.ft.	Hayward C200S	C-9442
10-5/8"	28"	5-15/16" / open w/ step 5-15/16" / open w/ step	254 4 oz 200 sq.ft.	Jandy CJ 200	C-9421
10-5/8"	34"	5-15/16" / open w/ step 5-15/16" / open w/ step	260 4 oz 250 sq.ft.	Jandy CJ 250	C-9422
11"	17-15/16"	6" / open w/ step 6" / open w/ step	234 4 oz 125 sq.ft.	Aquapro Apex, 17.94" OAL	C-9492
11"	25-3/16"	6" / open w/ step 6" / open w/ step	133 4 oz 100 sq.ft.	Aquapro Apex, 25.19" OAL	C-9494
11"	25-3/16"	6" / open w/ step 6" / open w/ step	198 4 oz 150 sq.ft.	Aquapro Apex, 25.19" OAL	C-9495
11"	25-3/16"	6" / open w/ step 6" / open w/ step	265 4 oz 200 sq.ft.	Aquapro Apex, 25.19" OAL	C-9496
12-1/16"	8-1/2"	3-1/16" / open 3-1/16" / open	313 4 oz 100 sq. ft.	Jandy Pro Edge	C-9490
12-1/16"	17"	3-1/16" / open 3-1/16" / open	308 4 oz 200 sq. ft.	Jandy Pro Edge	C-9498
<i>Note: The C-9498 has been discontinued by Unicel.</i>					

# OEM Cross Reference

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>@Home Hot Tubs</b>							
<i>see also Dimension One Spas</i>							
	75	7-1/8"	10-1/2"	open w/ twist lock	1561-00	C-7367	3 oz
<i>Note: Models dated after 2000.</i>							
<b>Aber Hot Tubs (Canada)</b>							
	50				03FIL1500		
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread	03FIL1400	6CH-940	3 oz
	35	4-15/16"	9-1/4"		03FIL1300	C-4335	3 oz
	50	4-15/16"	13-5/16"		03FIL1600	C-4950	3 oz
<b>Accent Spas</b>							
	10	4-1/4"	4"			C-4310	3 oz
	25	4-15/16"	13-5/16"			C-4326	3 oz
	40	4-15/16"	11-1/4"			C-4339	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Acryx-Maax Spas (Canada)</b>							
	25	4-15/16"	13-5/16"			C-4326	3 oz
	37	4-15/16"	13-5/16"			C-4637	4 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
	95	4-15/16"	23-5/8"			C-4995	3 oz
<b>Addison Spas</b>							
	50	4-5/8"	14-3/4"	w/ 1-1/2" male thread/MPT		4CH-50	3 oz
<b>Adirondack Spas</b>							
<i>see Saratoga Spas</i>							
<b>Advanced Spa Design</b>							
	25	4-5/8"	9-3/4"	w/ 1-1/2" male thread/MPT		4CH-24	3 oz
	50	4-5/8"	14-3/4"	w/ 1-1/2" male thread/MPT		4CH-50	3 oz
	50	6"	9-1/8"	w/ 1-1/2" male thread/MPT		6CH-47	3 oz
	50	6"	13-7/16"	w/ 1-1/2" male thread/MPT		6CH-50	3 oz
	22	5-3/16"	11-7/8"			C-5621	3 oz
<i>Note: Old design</i>							
	75	6"	14-3/4"			C-6475	3 oz
<i>Note: The C-6475 has been discontinued by Unicel. Use 6CH-50 if PAD adapter is MPT; must remove threaded PAD adapter from skim well.</i>							
<b>Advantage Mfg.</b>							
	25	4-15/16"	14-7/8"		ELE-25 (top load)	C-4301	3 oz
	50	4-15/16"	14-7/8"			C-4305	3 oz
	25	4-15/16"	14-9/16"		ELE-25-1 (top load)	C-4308	3 oz
	32	4-15/16"	11-7/8"			C-4332	3 oz
	50	4-15/16"	17-3/8"		ELE-50 (top load)	C-4349	3 oz
	75	7-1/4"	14-9/16"	open w/ step	ELE-75	C-7301	3 oz
	100	7-1/4"	21-5/8"	open w/ step	ELE-100	C-7302	3 oz
	150	7-1/4"	28-13/16"	open w/ step	ELE-150	C-7303	3 oz
<b>Advantage Spa</b>							
<i>see also Advantage Mfg.</i>							
	50	4-15/16"	17-3/8"		ELE-50	C-4349	3 oz
<b>After Hours Spas</b>							
<i>see Hydro Spa</i>							
<b>Alcove</b>							
	19	4-5/8"	8"	w/ 1-1/2" male thread/MPT		4CH-21	3 oz
	8	3-1/4"	9-3/4"			C-3608	4 oz
<i>Note: The C-3608 has been discontinued by Unicel.</i>							
<b>Alps Spas</b>							
	25	4-15/16"	13-5/16"			C-4625	4 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>American Classic Spas</b>							
	50	4-5/8"	14-3/4"	w/ 1-1/2" male thread/MPT		4CH-50	3 oz

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>American Products</b>							
<i>see Pentair Pool Prod - American Products Replacements</i>							
<b>American Spas</b>							
	25	6"	7"	w/ 1-1/2" male thread/MPT		6CH-26	3 oz
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Amish Country</b>							
	35	5-3/16"	11-15/16"			C-5423	3 oz
<i>Note: New design; Product has a closed top.</i>							
	60	5-3/16"	19-5/8"			C-5434	3 oz
<i>Note: New design; Product has a closed top.</i>							
	25	5-3/16"	11-7/8"			C-5626	4 oz
<i>Note: Old design.</i>							
	40	5-3/16"	19-5/8"			C-5637	4 oz
<i>Note: Old design.</i>							
<b>Apollo Spas</b>							
	100	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
<i>Note: Two 50 sq.ft. cartridges required (used side-by-side).</i>							
	25	4-5/8"	11-7/8"			C-4325	3 oz
	25	4-15/16"	13-5/16"			C-4326	3 oz
	35	4-15/16"	4-5/8"			C-4401	4 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
	25	5-11/16"	10-3/8"			C-5601	3 oz
<i>Note: Product has a closed top.</i>							
<b>Aqua Leisure</b>							
Simple Set SA-3766	3	4-1/4"	3-3/4"		Size 1	C-4313	3 oz
	5	4-1/4"	8"		Size 2	C-4607	4 oz
<b>Aqua Mystic</b>							
	25	4-15/16"	13-5/16"			C-4326	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Aqua Spa</b>							
<i>see also Master Spas</i>							
	20	4-5/8"	9-3/4"	open w/ slots		C-4402	4 oz
	25	6"	9-3/4"	open w/ slots		C-6601	4 oz
<i>Note: The C-6601 has been discontinued by Unicel. Use 6CH-35 (35 sq.ft.) or 6CH-47 (47 sq.ft.) if PAD adapter is MPT, or 6CH-940 if PAD adapter is SAE; must remove threaded PAD adapter from skim well.</i>							
<b>Aqua Tech Spas</b>							
	50	4-5/8"	14-3/4"	w/ 1-1/2" male thread/MPT		4CH-50	3 oz
	35	4-15/16"	4-5/8"			C-4401	4 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Aquapro Systems</b>							
Apex DE Series/Apex DE 24	24					62551-001	
Apex DE Series/Apex DE 36	36					62552-001	
Apex Series/Apex 95 (short)	95					62554-001	
Apex Series/Apex 150 (short)	150					62556-001	
Apex Series/Apex 250	250					62558-001	
Apex DE Series/Apex DE 36 (short)	36					62559-001	
Apex DE Series/Apex DE 48	48					62560-001	
Apex DE Series/Apex DE 60	60					62561-001	
Apex Series/Apex 125 (short)	125	11"	17-15/16"	open w/ step		62555-001	C-9492 4 oz
Apex Series/Apex 100	100	11"	25-3/16"	open w/ step		62553-001	C-9494 4 oz
Apex Series/Apex 150	150	11"	25-3/16"	open w/ step		62556-002	C-9495 4 oz
Apex Series/Apex 200	200	11"	25-3/16"	open w/ step		62557-001	C-9496 4 oz
<b>Aquasports</b>							
	25	5-7/8"	6"	w/ male slip fitting w/ molded o-ring		C-5325	3 oz
	25	5-7/8"	6"	w/ male slip fitting w/ MPT		C-5326	3 oz
<i>Note: The C-5326 has been discontinued by Unicel.</i>							

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Aquasports</b>							
	50	5-7/8"	12-3/4"	w/ male slip fitting w/ MPT		C-5349	3 oz
<i>Note: The C-5349 has been discontinued by Unicel.</i>							
	50	5-7/8"	12-3/4"	w/ male slip fitting w/ molded o-ring		C-5350	3 oz
	75	5-7/8"	19-1/4"	w/ male slip fitting w/ molded o-ring		C-5375	3 oz
	75	5-7/8"	19-1/4"	w/ male slip fitting w/ MPT		C-5376	3 oz
	100	5-7/8"	25-3/4"	w/ male slip fitting w/ MPT		C-5398	3 oz
	100	5-7/8"	25-3/4"	w/ male slip fitting w/ molded o-ring		C-5399	3 oz
	50	7"	9-13/16"			C-7352	3 oz
<i>Note: The C-7352 has been discontinued by Unicel. Use C-7425.</i>							
	75	7"	14-1/8"			C-7377	3 oz
<i>Note: The C-7377 has been discontinued by Unicel. Use C-7469.</i>							
	100	7"	19-3/8"			C-7399	3 oz
<i>Note: The C-7399 his been discontinued by Unicel. Use C-7652.</i>							
<b>Aquastar</b>							
Pipeline PF27000	190	10-1/16"	23-5/8"			C-9430	4 oz
Pipeline PF35000	226	10-1/16"	31-1/4"			C-9431	4 oz
<b>Aquatemp</b>							
3225	225				84-92311 & 84-92313		
<i>Note: Use C-9601 and C-9603 as replacement.</i>							
3175	175				84-92311 & 84-92312		
<i>Note: Use C-9601 as replacement.</i>							
1050	50	6-1/16"	12-1/16"		84-92028	C-6405	3 oz
550							
650							
<i>Note: The C-6405 has been discontinued by Unicel.</i>							
1075	75	6-1/16"	18"		84-92029	C-6408	3 oz
675							
575							
2050	50	7-1/4"	14-3/4"	open w/ step	84-92286	C-7618	4 oz
2065	65	7-1/4"	14-3/4"	open w/ step	84-92288	C-7619	3 oz
2075	75	7-1/4"	21-13/16"	open w/ step	84-92287	C-7620	4 oz
2105	105	7-1/4"	21-13/16"	open w/ step	84-92290	C-7621	3 oz
<i>Note: The C-7621 has been discontinued by Unicel.</i>							
2100	100	7-1/4"	29"	open w/ step	84-92289	C-7622	4 oz
2135	135	7-1/4"	29"	open w/ step	84-92291	C-7623	3 oz
3075	75	9"	11-7/16"	open w/ step	84-92311	C-9601	4 oz
3100	100	9"	15"	open w/ step	84-92312	C-9602	4 oz
<i>Note: The C-9602 has been discontinued by Unicel.</i>							
3150	150	9"	22-5/8"	open w/ step	84-92313	C-9603	4 oz
<b>Aquaterra Spas</b>							
	50	5-5/16"	9"	w/ 1-1/2" male thread/MPT	303279	5CH-37	3 oz
<i>Note: Original has closed top w/ string handle.</i>							
<b>Aquatic Industries</b>							
<i>see Safari Spas</i>							
<b>Aquiform-Infinity Spas</b>							
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Arcadia Spas</b>							
	45	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Arctic Spas</b>							
<i>see Blue Falls Mfg. Ltd. (Canada)</i>							
<b>Aries Spas</b>							
	25	4-15/16"	13-5/16"			C-4625	4 oz
<b>Arizona Pacific</b>							
<i>see Diamond Back Spas</i>							

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Artesian Spas</b>							
	25	6"	7"	w/ 1-1/2" male thread/MPT		6CH-26	3 oz
Resort Line Spas	35	6"	8"	w/ 2" male thread/MPT	06-0014-12	6CH-352	3 oz
	50	6-3/4"	8"	w/ 2" male thread/MPT		6CH-502	3 oz
	35	7"	8"	w/ 2" male thread/MPT		7CH-322	3 oz
<i>Note: Original is 7-7/8" OD and 7-5/8" overall length.</i>							
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Associated Leisure Products</b>							
<i>see Alps Spas</i>							
<b>Astral</b>							
2515 CE Terra	150	8-15/16"	24-7/16"		18220RO100	C-8415	4 oz
2505 CE Terra	50	8-15/16"	10-1/4"		18218RO100	C-8449	4 oz
2507 CE Terra	75	8-15/16"	15"		18219RO100	C-8474	4 oz
2510 CE Terra	100	8-15/16"	19-11/16"		18112RO100	C-8499	4 oz
<b>Atera Spas (Four Seasons Home Resort Products)</b>							
	19	4-5/8"	8"	w/ 1-1/2" male thread/MPT		4CH-21	3 oz
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
<b>Atlantic Pool Products (Canada)</b>							
<i>see Jacuzzi Brothers</i>							
<b>Baja Spas</b>							
	50	4-15/16"	13-5/16"			C-4950	3 oz
	100	4-15/16"	26-11/16"			C-4999	3 oz
<b>Baker-Hydro</b>							
Mini-Mite	25	4-15/16"	11-7/8"		17-B1151	C-4332	3 oz
Ultra-Mite	35	7"	9-13/16"	w/ injection molded cone	17-B1164	C-7404	4 oz
Ultra-Mite	50	7"	14-3/4"	w/ injection molded cone	17-B1165	C-7405	4 oz
Ultra-Mite	75	7"	19-5/8"	w/ injection molded cone	17-B1166	C-7406	4 oz
Ultra-Mite	100	7"	29-3/8"	w/ injection molded cone	17-B1167	C-7407	4 oz
Ultra-Mite	150	7"	39-3/8"	w/ injection molded cone	17-B1168	C-7408	4 oz
<i>Note: Length reflects the total of 2 cartridges each 19-5/8" long.</i>							
Hydro-Mite	13	7"	5"	w/ injection molded cone	17-B1163	C-7603	4 oz
Hydro-Mite	25	7"	9-13/16"	w/ injection molded cone	17-B2054	C-7604	4 oz
<i>Note: The C-7604 has been discontinued by Unicel. Use C-7404.</i>							
Hydro-Mite	50	7"	19-5/8"	w/ injection molded cone	17-B2055	C-7605	4 oz
Hydro-Mite	75	7"	29-3/8"	w/ injection molded cone	17-B2056	C-7606	4 oz
Hydro-Mite	100	7"	39-3/8"	w/ injection molded cone	17-B2071	C-7607	4 oz
<i>Note: Length reflects the total of 2 cartridges each 19-5/8" long.</i>							
<b>Barefoot Spas</b>							
<i>see Hawkeye Spas</i>							
<b>Beachcomber</b>							
	25	4-15/16"	13-5/16"		3005845	C-4326	3 oz
	35	4-15/16"	4-5/8"		3005820	C-4401	4 oz
	50	4-15/16"	6-5/8"		3005825	C-4405	4 oz
	50	4-15/16"	13-5/16"		3005815	C-4950	3 oz
<b>Belize Spas</b>							
	100	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
<i>Note: Two 50 sq.ft. cartridges required (used side-by-side).</i>							
	35	4-15/16"	9-1/4"			C-4335	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Best Way</b>							
	2	3-1/8"	3-11/16"			C-3305	3 oz
<b>Blue Falls Mfg. Ltd. (Canada)</b>							
	10	4-1/4"	4"			C-4310	3 oz
	25	4-15/16"	13-5/16"			C-4326	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Blue Pacific Spas</b>							
	30	4-5/8"	11-7/8"	w/ 1-1/2" male thread/MPT		4CH-30	4 oz

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Blue Pacific Spas</b>							
	50	6"	13-7/16"	w/ 1-1/2" male thread/MPT		6CH-50	3 oz
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
	25	4-15/16"	13-5/16"			C-4625	4 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Blue Ridge Spas</b>							
<i>see also Gatsby Spas, Lowes</i>							
	25	4-5/8"	9-3/4"	w/ 1-1/2" male thread/MPT		4CH-24	3 oz
<b>Bullfrog Spas</b>							
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
	50	8"	6"	w/ 2" SAE thread	10-1035	8CH-950	3 oz
<i>Note: The 8CH-950 has been discontinued by Unicel. Use 8CH-951.</i>							
	50	8"	5-3/4"	w/ 2" SAE thread	10-2870	8CH-951	3 oz
<i>Note: Filtration area of original cartridge is 35 sq.ft. Also replaces Bullfrog 6" OAL filter element w/ shorter threaded end.</i>							
	35	4-15/16"	9-1/4"			C-4335	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Cal Spas</b>							
	13	4-5/8"	4-5/8"	w/ 1-1/2" male thread/MPT	FIL11100305	4CH-19	3 oz
<i>Note: Verify thread diameter.</i>							
	25	4-5/8"	8"	w/ 2" male thread/MPT	FIL11100303	4CH-252	3 oz
<i>Note: Cal Spa original has 4-3/4" OD.</i>							
	50	5-3/16"	12-1/2"	w/ 2" male thread/MPT		5CH-502	3 oz
					FIL11100202		
	75	5-3/16"	16-1/8"	w/ 2" male thread/MPT		5CH-752	3 oz
	75	6-3/4"	15-1/2"	w/ 2" SAE thread	FIL11700016	6CH-975	3 oz
	50	4-15/16"	14-7/8"			C-4305	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
	100	4-15/16"	23-5/8"			C-4995	3 oz
	75	5-5/16"	14-13/16"			C-5374	3 oz
	50	7"	19-5/8"	open w/ molded gasket		C-7656	4 oz
	75	7"	29-1/8"			C-7677	4 oz
	75	8-1/2"	17-3/8"	open w/ molded gasket		C-8600	4 oz
	100	8-1/2"	23-5/16"	open w/ molded gasket		C-8610	4 oz
	75	10-1/16"	16-1/8"			C-9407	4 oz
<i>Note: For use with Swim Spa remote equipment.</i>							
<b>Caldera Spas</b>							
	35	4-15/16"	9-1/4"		74148	C-4335	3 oz
	50	4-15/16"	13-5/16"		302005	C-4950	3 oz
					73533		
					76076		
	50	7"	10-3/4"		1019401	C-7350	3 oz
					73532		
	75	7"	14-3/4"		1019301	C-7375	3 oz
	100						
	75				73531		
	50	7"	10-3/4"	w/ 2" male slip fitting	033016	C-7451	3 oz
<i>Note: C-7350 can also be used as a replacement.</i>							
	75	7"	14-3/4"	w/ 2" male slip fitting	033017	C-7479	3 oz
	100						
<i>Note: C-7375 can also be used as a replacement.</i>							
	100	8"	16-1/2"	open w/ molded gasket	74817	C-8300	3 oz
	100	8"	16-1/2"	w/ open w/ lip seal	1039607	C-8399	3 oz
					73722		
	65	8-1/2"	10-1/2"		76136	C-8465	3 oz
<b>California Cooperage</b>							
<i>see Coleman Spas</i>							
<b>Canspa Mfg. (Canada)</b>							
	100	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Canspa Mfg. (Canada)</b>							
<i>Note: Two 50 sq.ft. cartridges required (side-by-side).</i>							
	35	4-15/16"	4-5/8"			C-4401	4 oz
	50	4-15/16"	6-5/8"			C-4405	4 oz
<b>Cantar</b>							
<i>see Jacuzzi Brothers</i>							
<b>Caribbean Spas</b>							
<i>see Catalina Spas</i>							
<b>Catalina Spas</b>							
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
	35	4-15/16"	4-5/8"			C-4401	4 oz
	50	4-15/16"	6-5/8"			C-4405	4 oz
<b>Charisma Spas</b>							
	30	4-5/8"	11-7/8"	w/ 1-1/2" male thread/MPT		4CH-30	4 oz
	50	6"	13-7/16"	w/ 1-1/2" male thread/MPT		6CH-50	3 oz
	45	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
	10	4-1/4"	4"			C-4310	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Clarity Spas</b>							
<i>see Maax Spas of AZ, Master Spas</i>							
<b>Clearwater Spas</b>							
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
	35	4-15/16"	9-1/4"			C-4335	3 oz
	35	4-15/16"	4-5/8"			C-4401	4 oz
	50	4-15/16"	6-5/8"			C-4405	4 oz
	50	5-11/16"	10-3/8"			C-5300	3 oz
	65	5-5/16"	14-13/16"			C-5374	3 oz
<b>Clipper Spas</b>							
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Coast Mountain Spas (Canada)</b>							
	25	4-15/16"	13-5/16"			C-4326	3 oz
	35	4-15/16"	9-1/4"			C-4335	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Coast Spas (Canada)</b>							
	50	4-15/16"	13-5/16"			C-4950	3 oz
	95	4-15/16"	23-5/8"			C-4995	3 oz
	100	4-15/16"	26-11/16"			C-4999	3 oz
	175	5-5/16"	30-1/8"			C-5351	3 oz
	100	5-5/16"	21-5/16"			C-5396	3 oz
<b>Coleco</b>							
DR-7	5	4-1/4"	8"			C-4607	4 oz
F-120							
F-108	5	4-3/4"	8"			C-4609	4 oz
F-110							
CR-8							
<i>Note: This product can also be replaced with C-4608 (no core).</i>							
DR-11	8	4-3/4"	11"			C-4611	4 oz
F-112							
CF-11							
F-350							
F-750	12	4-3/4"	16"			C-4616	4 oz
F-775							
F-850							
F-875							
DR-16							
F-225	13	4-3/4"	18"			C-4618	4 oz
F-335							

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Coleco</b>							
F-345 DR-18	13	4-3/4"	18"			C-4618	4 oz
F-355 F-360 F-455 F-460 DR-17	23	6-1/2"	17"			C-6617	4 oz
<i>Note: The C-6617 has been discontinued by Unicel.</i>							
F-475 F-480 F-375 F-380 DR-22	30	6-1/2"	22"			C-6622	4 oz
<b>Coleman Spas</b>							
<i>Note: 3301-xxxx part number format used thru 2001; 100xxx part number used since 2002.</i>							
<i>Note: Coleman Spa original has 4-3/4" OD.</i>							
	25	4-5/8"	8"	w/ 2" male thread/MPT	FIL11100303	4CH-252	3 oz
	32	7"	8"	w/ 1-1/2" male thread/MPT	100432 3301-1018	7CH-32	3 oz
	32	7"	8"	w/ 2" male thread/MPT	100520 3301-2109	7CH-322	3 oz
	40	7"	9-3/4"	w/ 1-1/2" male thread/MPT	100433 3301-1019	7CH-40	3 oz
	40	7"	9-3/4"	w/ 2" male thread/MPT	100521 3301-2110	7CH-402	3 oz
	50	7"	14-3/4"	w/ 1-1/2" male thread/MPT	100434 3301-1020	7CH-50	3 oz
	50	7"	14-3/4"	w/ 2" male thread/MPT	100522 3301-2111	7CH-502	3 oz
	25	4-15/16"	13-5/16"		100586 3301-2242	C-4326	3 oz
	40	4-15/16"	11-1/4"		100585 3301-2241	C-4339	3 oz
	50	4-15/16"	13-5/16"		100533 3301-2145	C-4950	3 oz
	50	8"	9"	w/ 2" male slip fitting	100593 3301-2261	C-8450	3 oz
<i>Note: Model dated after 1992.</i>							
	75	8"	13"	w/ 2" male slip fitting	100594 3301-2262	C-8475	3 oz
<i>Note: Model dated after 1992.</i>							
<b>Columbia Spas</b>							
	35	4-15/16"	9-1/4"			C-4335	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Comfort Line Spas</b>							
	12	4-5/8"	4-5/8"			C-4302	3 oz
<b>Competition Pool Products</b>							
<i>see Jacuzzi Brothers</i>							
<b>Conger Bros.</b>							
<i>see Santanna</i>							
<b>Crystal Waters Spas (Canada)</b>							
	50	6"	9-1/8"	w/ 1-1/2" male thread/MPT		6CH-47	3 oz
	35	4-15/16"	9-1/4"			C-4335	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
	75	6-9/16"	13-5/16"			C-6375	3 oz
	120	8-7/16"	18-1/8"	open w/ beveled edge		C-8320	3 oz
<i>Note: The C-8320 has been discontinued by Unicel. Use C-8325.</i>							
<b>CTA Spas</b>							
	25	4-5/8"	9-3/4"	w/ 1-1/2" male thread/MPT		4CH-24	3 oz
<b>Custom Molded Products</b>							



	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Custom Molded Products</b>							
Single Port Front Access Skim	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread	25252	6CH-940	3 oz
Double Port Front Access Skim	100	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread	25252	6CH-940	3 oz
<b>Note: Two 50 sq.ft. cartridges required (used side-by-side).</b>							
Single Port Front Access Skim	100	6"	8-1/4"	w/ 1-3/4" male slip fitting	25253 & 25254	6CH-941	3 oz
<b>Note: 25253 (6CH-941) and 25254 (6CH-942) required (stacked).</b>							
Double Port Front Access Skim	200	6"	8-1/4"	w/ 1-3/4" male slip fitting	25253 & 25254	6CH-941	3 oz
<b>Note: Two 25253 (6CH-941) and two 25254 (6CH-942) required.</b>							
Single Port Front Access Skim	100	6"	8-1/4"	w/ 1-1/2" SAE thread	25253 & 25254	6CH-942	3 oz
<b>Note: 25253 (6CH-941) and 25254 (6CH-942) required (stacked).</b>							
Double Port Front Access Skim	200	6"	8-1/4"	w/ 1-1/2" SAE thread	25253 & 25254	6CH-942	3 oz
<b>Note: Two 25253 (6CH-941) and two 25254 (6CH-942) required.</b>							
Front Access Skimmer	10	4-1/4"	4"		25249	C-4310	3 oz
Top Mount Skim	25	4-15/16"	13-5/16"		25392	C-4326	3 oz
EZ Twist Top Mount Skim							
Top Load Pressure							
Top Mount Skim	35	4-15/16"	9-1/4"		25393	C-4335	3 oz
EZ Twist Top Mount Skim							
Top Load Pressure							
Top Mount Skim	50	4-15/16"	13-5/16"		25391	C-4950	3 oz
Top Load Pressure							
EZ Twist Top Mount Skim					25393		
Top Mount Skim	75	4-15/16"	20-1/8"		25390	C-4975	3 oz
EZ Twist Top Mount Skim							
Top Load Pressure							
<b>Dakota Spas</b>							
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
	45	4-15/16"	12-1/4"			C-4311	3 oz
<b>Note: The C-4311 has been discontinued by Unicel.</b>							
	25	4-15/16"	13-5/16"			C-4326	3 oz
	75	4-15/16"	20-1/8"			C-4975	3 oz
<b>Del Sol Spas</b>							
Hermosa	50	5-3/16"	10-3/4"	w/ 2" male thread/MPT	6540-723	5CH-402	3 oz
Redondo							
<b>Note: OEM original is 11" OAL and 5-1/2" OD.</b>							
<b>Diamante Spas</b>							
<i>see US Tooling &amp; Spa</i>							
<b>Diamond Back Spas</b>							
	35	6"	9-7/8"	w/ 1-1/2" male thread/MPT		6CH-35	3 oz
	50	6"	13-7/16"	w/ 1-1/2" male thread/MPT		6CH-50	3 oz
	35	4-15/16"	4-5/8"			C-4401	4 oz
	50	4-15/16"	6-5/8"			C-4405	4 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Dimension One Spas</b>							
<i>see also @Home Hot Tubs</i>							
	25	4-5/8"	11-7/8"	w/ 1-1/2" male thread/MPT	1561-14	4CH-30	4 oz
	50	4-5/8"	14-3/4"	w/ 1-1/2" male thread/MPT	1561-05	4CH-50	3 oz
	65	4-5/8"	19-5/8"	w/ 1-1/2" male thread/MPT	1561-06	4CH-65	3 oz
	80	4-5/8"	19-5/8"	w/ 1-1/2" male thread/MPT	1561-07	4CH-65	3 oz
<b>Note: Original was 23-3/4" overall length.</b>							
	40	4-5/8"	15"	w/ 1-1/4" SAE thread	1561-13	4CH-940	3 oz
	25	4-5/8"	12"	w/ 1-1/4" SAE thread	1561-04	4CH-950	3 oz
	75	7"	10-1/2"	w/ 2" male thread/MPT	1561-10	7CH-552	3 oz
	75	7"	14-3/4"	w/ 2" male thread/MPT	1561-02	7CH-752	3 oz
	75	7"	10-1/2"	w/ 1-1/2" SAE thread	1561-12	7CH-975	3 oz
	40	4-15/16"	11-5/8"		1561-03	C-4340	3 oz
<b>Note: Product discontinued by Dimension One Spas.</b>							
	25	5-1/2"	11-7/8"			C-5402	4 oz

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Dimension One Spas</b>							
<i>Note: Ozone cartridge. The C-5402 has been discontinued by Unicel.</i>							
	40	5-1/2"	17"		1561-09	C-5404	4 oz
<i>Note: Ozone cartridge.</i>							
SpaBerry	35	7-1/8"	5-7/8"	open w/ twist lock		C-7335	3 oz
	75	7-1/8"	10-1/2"	open w/ twist lock	1561-00	C-7367	3 oz
<i>Note: Models dated after 2000.</i>							
	50	10-1/16"	8-9/16"		1561-26	C-9405	4 oz
<i>Note: Used in 16 sq.ft. swim spa.</i>							
<b>Discovery Spas</b>							
	60	8"	11-5/8"	w/ 2" male thread/MPT		8CH-60	3 oz
<i>Note: The 8CH-60 has been discontinued by Unicel. Use 8CH-66.</i>							
	50	4-5/8"	23-3/4"			C-4350	3 oz
<i>Note: The C-4350 has been discontinued by Unicel.</i>							
	35	4-15/16"	4-5/8"			C-4401	4 oz
	50	4-15/16"	6-5/8"			C-4405	4 oz
	30	4-15/16"	10-3/8"			C-4431	3 oz
<i>Note: Product has a closed top. The C-4431 has been discontinued by Unicel.</i>							
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>DM Industries</b>							
<i>see Vita Spas</i>							
<b>Dolphin Spas</b>							
	13	4-5/8"	4-5/8"	w/ 1-1/2" male thread/MPT		4CH-19	3 oz
	30	4-5/8"	11-7/8"	w/ 1-1/2" male thread/MPT		4CH-30	4 oz
	50	4-15/16"	14-7/8"			C-4305	3 oz
<b>Doughboy</b>							
60 sq. ft. (original)	60	6-15/16"	22-3/8"		312-1003	C-6659	4 oz
<i>Note: The C-6659 has been discontinued by Unicel.</i>							
20 sq. ft. Skim-Line	20	7"	6-1/2"		2396-020	C-7401	4 oz
40 sq. ft. Skim-Line	40	7"	9-1/8"		2396-040	C-7402	4 oz
<i>Note: The C-7402 has been discontinued by Unicel.</i>							
60 sq. ft. Skim-Line	60	7"	17-5/8"		2396-060	C-7403	4 oz
<i>Note: The C-7403 has been discontinued by Unicel.</i>							
90 sq. ft. Skim-Line	90	7"	26-1/4"		2396-090	C-7409	4 oz
<i>Note: The C-7409 has been discontinued by Unicel.</i>							
<b>Down East Spas</b>							
<i>see Master Spas</i>							
<b>Dream Maker Spas</b>							
	19	4-5/8"	8"	w/ 1-1/2" male thread/MPT		4CH-21	3 oz
<i>Note: Remove "pad adaptor" (if present) from skimmer before threading MPT directly into suction fitting; 2000 to present w/LED lights</i>							
	25	4-5/8"	9-3/4"	w/ 1-1/2" male thread/MPT		4CH-24	3 oz
<i>Note: Remove "pad adaptor" (if present) from skimmer before threading MPT directly into suction fitting.</i>							
	23	4-5/8"	8"	w/ 1-1/2" male thread/MPT		4CH-25	3 oz
<b>Dynasty Spas</b>							
	50	4-5/8"	14-3/4"	w/ 1-1/2" male thread/MPT		4CH-50	3 oz
	50	4-15/16"	13-1/2"	w/ 2" female SAE thread		4CH-949	3 oz
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
	40	4-15/16"	11-1/4"			C-4339	3 oz
	35	4-15/16"	4-5/8"			C-4401	4 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
	50	5-5/16"	10-1/8"			C-5345	3 oz
<b>Echo Series</b>							
<i>see Gatsby Spas</i>							
<b>Elite Spas by Maax</b>							
	50	5-5/8"	8"	w/ 1-1/2" male thread/MPT		5CH-35	3 oz
<b>Emerald Spas</b>							
	15	2-7/8"	17-1/16"			C-2302	3 oz
	9	2-7/8"	17-1/16"			C-2303	3 oz

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Emerald Spas</b>							
	25	4-5/8"	11-7/8"			C-4325	3 oz
	25	4-15/16"	13-5/16"			C-4326	3 oz
	32	4-15/16"	11-7/8"			C-4332	3 oz
	35	4-15/16"	9-1/4"			C-4335	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
	75	4-15/16"	20-1/8"			C-4975	3 oz
	25	5"	13-5/16"			C-5625	4 oz
<b>Endless Pools</b>							
	60	7-7/8"	14"			C-7660	4 oz
	50	10-1/16"	8-9/16"			C-9405	4 oz
<b>Esther Williams</b>							
	50	6"	13-7/16"	w/ 1-1/2" male thread/MPT		6CH-50	3 oz
	35	4-15/16"	4-5/8"			C-4401	4 oz
	25	4-15/16"	13-5/16"			C-4625	4 oz
<b>Everyday Hot Tubs</b>							
<i>see Marquis Spas</i>							
<b>Florida Whirlpool</b>							
	30	4-5/8"	11-7/8"	w/ 1-1/2" male thread/MPT		4CH-30	4 oz
	50	4-5/8"	14-3/4"	w/ 1-1/2" male thread/MPT		4CH-50	3 oz
	50	5-11/16"	10-3/8"			C-5300	3 oz
<b>Fountain Valley Spas</b>							
	45	4-15/16"	17-3/4"			C-4346	4 oz
<i>Note: The C-4346 has been discontinued by Unicel.</i>							
	45	6-7/8"	13-3/4"			C-6445	4 oz
<i>Note: The C-6645 has been discontinued by Unicel.</i>							
<b>Four Seasons</b>							
	25	6"	9-3/4"	open w/ slots		C-6601	4 oz
<i>Note: The C-6601 has been discontinued by Unicel. Use 6CH-35 (35 sq.ft.) or 6CH-47 (47 sq.ft.) if PAD adapter is MPT, or 6CH-940 if PAD adapter is SAE; must remove threaded PAD adapter from skim well.</i>							
	35	6"	14-3/4"	open w/ slots		C-6603	4 oz
	50	6"	19-5/8"	open w/ slots		C-6605	4 oz
<i>Note: The C-6605 has been discontinued by Unicel.</i>							
<b>Four Winds Spa</b>							
	50	4-15/16"	13-1/2"	w/ 2" female SAE thread		4CH-949	3 oz
	75	7"	14-3/4"	w/ 2" male thread/MPT		7CH-752	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Fox Wal-Pak</b>							
	80	7-7/8"	13-3/16"		F3-0880-2	C-7463	4 oz
<i>Note: Upgraded from 60 sq. ft. to 80 sq. ft. in 1998.</i>							
	110	7-7/8"	17-3/4"		F3-0897	C-7464	4 oz
<i>Note: The C-7464 has been discontinued by Unicel. Use C-7463.</i>							
<b>Freedom Spas</b>							
Franklin, Statesman, Revere	30	4-5/8"	11-7/8"	w/ 1-1/2" male thread/MPT		4CH-30	4 oz
Statesman, Lexington, Enterprise, Aristocrat, Franklin	45	6"	12-3/8"	w/ 1-1/2" male thread/MPT		6CH-45	3 oz
Liberty	35	4-15/16"	4-5/8"			C-4401	4 oz
	50	4-15/16"	6-5/8"			C-4405	4 oz
<i>Note: Model dated after 1993.</i>							
Concord, Patriot, Ambassador, Executive	37	4-15/16"	13-5/16"			C-4637	4 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<i>Note: Model dated after 1993.</i>							
<b>Freeflow Spas</b>							
TLX RLX	25	4-15/16"	6-5/8"	w/ 1-1/2" male thread/MPT		4CH-22	3 oz
CLX	25	4-15/16"	6-5/8"	w/ 1-1/2" male thread/MPT		4CH-23	3 oz
Legend Passport	45	5-5/16"	10"	w/ 1-1/2" male thread/MPT		5CH-45	3 oz

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Ft. Wayne Spas</b>							
<i>see Master Spas</i>							
<b>Garden Leisure</b>							
	50	4-15/16"	13-1/2"	w/ 2" female SAE thread		4CH-949	3 oz
	45	5-5/16"	10-1/8"			C-5345	3 oz
<b>Gatsby Spas</b>							
	25	4-5/8"	9-3/4"	w/ 1-1/2" male thread/MPT		4CH-24	3 oz
	47	6"	9-1/8"	w/ 1-1/2" male thread/MPT		6CH-47	3 oz
	25	4-5/8"	9-3/4"			C-4324	3 oz
<i>Note: The C-4324 has been discontinued by Unicel. Use 4CH-24 if PAD adapter is MPT; must remove threaded PAD adapter from skim well.</i>							
	50	4-15/16"	13-5/16"			C-4950	3 oz
	25	5-11/16"	10-3/8"			C-5601	3 oz
<b>General Foam Plastics</b>							
	5	4-1/4"	8"			C-4306	3 oz
	7	4-3/4"	8"			C-4307	3 oz
	10	4-3/4"	8"			C-4309	3 oz
<b>Gerico Spas</b>							
	45	6-15/16"	17-5/8"			C-6645	4 oz
<b>Goldkey</b>							
skim filter	50	7"	14-3/4"			C-7400	4 oz
<i>Note: The C-7400 has been discontinued by Unicel. Use 7CH-50 if PAD adapter is 1-1/2" MPT or 7CH-502 if PAD adapter is 2" MPT; must remove threaded PAD adapter from skim well.</i>							
<b>GPM Industries</b>							
<i>see Great Lakes Home &amp; Resort</i>							
<b>Great Lakes Home &amp; Resort</b>							
	25	4-15/16"	13-5/16"			C-4326	3 oz
	35	4-15/16"	9-1/4"			C-4335	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Great Lakes Spas</b>							
<i>see Great Lakes Home &amp; Resort</i>							
<b>Great Northern Engineering</b>							
<i>see OpuSpas, Rubadub Tub</i>							
<b>Grecian Spas</b>							
<i>see Discovery Spas</i>							
<b>Gulf Coast Spas</b>							
	25	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-925	3 oz
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
	35	4-15/16"	9-1/4"			C-4335	3 oz
<b>H2O Spas</b>							
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
<i>Note: Two 50 sq.ft. cartridges required (used side-by-side).</i>							
	50	4-15/16"	13-5/16"			C-4950	3 oz
	100	6-9/16"	17-13/16"			C-6310	3 oz
<b>Harmsco</b>							
Betterfilter	6	2-3/4"	9-3/4"		Media Max	C-2306	3 oz
<i>Note: T-380 can be used in all Harmsco cluster filters.</i>							
Filter Model BF55	55	7-1/2"	9-5/8"		ST/TC 55	C-7655	4 oz
<i>Note: Original is 7-3/4" OD.</i>							
Filter Model BF75	75	7-1/2"	15-3/16"		ST/TC 75	C-7674	4 oz
<i>Note: Original is 7-3/4" OD.</i>							
Filter Model BF105	105	7-1/2"	19-1/2"		ST/TC 105	C-7685	4 oz
<i>Note: Original is 7-3/4" OD.</i>							
Filter Model BF155	155	7-1/2"	29-1/16"		ST/TC 155	C-7697	4 oz
<i>Note: Original is 7-3/4" OD.</i>							
Betterfilter	6	2-3/4"	9-3/4"		OTC/6-4 ST/6	T-380	4 oz

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Harmsco</b>							
<i>Note: T-380 can be used in all Harmsco cluster filters.</i>							
<b>Haughs</b>							
	25	4-15/16"	13-5/16"			C-4625	4 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Haven Spas</b>							
	100	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
<i>Note: Two 50 sq.ft. cartridges required (used side-by-side).</i>							
	200	6"	8-1/4"	w/ 1-3/4" male slip fitting		6CH-941	3 oz
<i>Note: Two 6CH-941 and two 6CH-942 required.</i>							
	200	6"	8-1/4"	w/ 1-1/2" SAE thread		6CH-942	3 oz
<i>Note: Two 6CH-941 and two 6CH-942 required.</i>							
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Hawkeye Spas</b>							
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
	35	4-15/16"	9-1/4"			C-4335	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Hayward Pool Products</b>							
ReGenX 45	45						
ReGenX 70	70						
MicroStar-Clear (in-line)	12	4-5/8"	11-7/8"		C120RE	C-4312	3 oz
<i>Note: Product discontinued by Hayward. The C-4312 has been discontinued by Unicel. Use C-4325.</i>							
MicroStar-Clear C200 (in-line)	20	4-5/8"	11-7/8"		CX200RE	C-4320	3 oz
<i>Note: Original is 4-3/4" OD and 11-13/16" overall length.</i>							
MicroStar-Clear C225 (in-line)	25	4-5/8"	11-7/8"		CX225RE	C-4325	3 oz
<i>Note: Original is 4-3/4" OD and 11-13/16" overall length.</i>							
DEP100	25	6-1/4"	32-3/4"	open w/ molded gasket	DE250E	C-6900	
DEP60	15	6-1/4"	19-5/8"	open w/ molded gasket	DE150E	C-6950	
DEP80	20	6-1/4"	25-1/2"	open w/ molded gasket	DE200E	C-6970	
Easy Clear C400	40	7"	14-3/16"	open w/ molded gasket	CX410RE	C-7442	4 oz
Super-Star-Clear C2000	200	7"	14-3/16"	open w/ molded gasket	CX470RE	C-7447	4 oz
SwimClear C2020							
<i>Note: Four 50 sq.ft. cartridges required; use Unicel C-7447-4 to replace full set. Can be upgraded to Unicel C-7458. Product discontinued by Hayward.</i>							
Easy Clear C550	55	7"	19-5/8"	open w/ molded gasket	CX550RE	C-7455	4 oz
<i>Note: The C-7455 has been discontinued by Unicel. Use C-7656.</i>							
SwimClear C2030	56	7"	17-3/8"	open w/ molded gasket	CX481XRE	C-7456	4 oz
<i>Note: Four 56 sq.ft. cartridges required; use Unicel C-7456-4 to replace full set.</i>							
SwimClear C2025	225	7"	14-3/16"	open w/ molded gasket	CX480XRE	C-7458	4 oz
<i>Note: Four 56 sq.ft. cartridges required; use Unicel C-7458-4 to replace full set. Can also be replaced w/ Unicel C-7447.</i>							
Super-Star-Clear C3000S (stainless steel)	300	7"	19-5/8"	open w/ molded gasket	CX570XRE	C-7477	4 oz
SwimClear C3020							
Super-Star-Clear C3000							
<i>Note: Four 75 sq.ft. cartridges required; the C-7477 has been discontinued by Unicel. Use C-7483. Product discontinued by Hayward.</i>							
SwimClear C3025	325	7"	19-5/8"	open w/ molded gasket	CX580XRE	C-7483	4 oz
SwimClear C3030							
<i>Note: Four 81 sq.ft. cartridges required; use Unicel C-7483-4 to replace full set.</i>							
HCF C7000	700	7"	19-3/8"	open w/ molded gasket	CX590RE	C-7484	4 oz
SwimClear C7000							
SwimClear C7020							
<i>Note: Eight 87 sq.ft. cartridges required; use two Unicel C-7484-4 to replace full set.</i>							
SwimClear C7030	700	7"	19-1/8"	open w/ molded gasket	CX591XRE	C-7485	4 oz
HCF 7030C (commercial)							
HCF C7030							
<i>Note: Eight 87 sq.ft. cartridges required; use two Unicel C-7485-4 to replace full set.</i>							
Super-Star-Clear C4000S (stainless steel)	400	7"	25-1/2"	open w/ molded gasket	CX870XRE	C-7487	4 oz
Super-Star-Clear C4000							

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Hayward Pool Products</b>							
SwimClear C4020	400	7"	25-1/2"	open w/ molded gasket	CX870XRE	C-7487	4 oz
<i>Note: Four 100 sq.ft. cartridges required. The C-7487 has been discontinued by Unicel. Use C-7488 or C-7489. Product discontinued by Hayward.</i>							
SwimClear C4025	425	7"	25-1/2"	open w/ molded gasket	CX880XRE	C-7488	4 oz
SwimClear C4030							
<i>Note: Four 106 sq.ft. cartridges required; use Unicel C-7488-4 to replace full set. Can be upgraded to Unicel C-7489.</i>							
Super-Star-Clear C4500	450	7"	25-1/2"	open w/ molded gasket	CX875RE	C-7489	4 oz
SwimClear C4520							
<i>Note: Four 112 sq.ft. cartridges required; use Unicel C-7489-4 to replace full set. Can be replaced with Unicel C-7488.</i>							
Super-Star-Clear C5500	550	7"	32-13/16"	open w/ molded gasket	CX1380RE	C-7490	4 oz
SwimClear C5520							
<i>Note: Four 137 sq.ft. cartridges required; use Unicel C-7490-4 to replace full set. Can be replaced with Unicel C-7494.</i>							
SwimClear C5025	525	7"	32-13/16"	open w/ molded gasket	CX1280XRE	C-7494	4 oz
SwimClear C5030							
<i>Note: Four 131 sq.ft. cartridges required; use Unicel C-7494-4 to replace full set. Can be upgraded to Unicel C-7490.</i>							
SwimClear C5020	500	7"	32-13/16"	open w/ molded gasket	CX1260RE	C-7495	4 oz
Super-Star-Clear C5000							
<i>Note: Four 125 sq.ft. cartridges required. The C-7495 has been discontinued by Unicel. Use Unicel C-7494 or C-7490. Product discontinued by Hayward.</i>							
Star-Clear C250	25	7"	9-13/16"	open w/ molded gasket	CX250RE	C-7626	4 oz
Star-Clear C500	50	7"	19-5/8"	open w/ molded gasket	CX500RE	C-7656	4 oz
Star-Clear C750	75	7"	29-7/16"	open w/ molded gasket	CX750RE	C-7676	4 oz
Star-Clear C1000	100	7"	29-7/16"	open w/ molded gasket	CX1000RE	C-7698	4 oz
XStream CC1000	100	8-15/16"	17-3/8"	open w/ molded gasket	CCX1000RE	C-8311	3 oz
XStream CC1500	150	8-15/16"	23-5/16"	open w/ molded gasket	CCX1500RE	C-8316	3 oz
XStream CC1750	175	8-15/16"	23-5/16"	open w/ molded gasket	CCX1750RE	C-8317	3 oz
XStream CC2000	200	8-15/16"	29-7/16"	open w/ molded gasket	CCX2000RE	C-8319	3 oz
skim filter	40	8-1/2"	10-3/4"		CX400RE	C-8340	3 oz
SwimClear Single Element C100S	100	8-15/16"	19-5/8"	open w/ molded gasket	CS100E	C-8408	4 oz
					CX100XRE		
<i>Note: Hayward original is 10-5/16" OD; C-8408 is an alternative with 8-15/16"OD.</i>							
Star-Clear Plus C900	90	8-15/16"	17-3/8"	open w/ molded gasket	CX900RE	C-8409	4 oz
StarClear Plus	75	8-15/16"	17-3/8"	open w/ molded gasket	CX760RE	C-8411	4 oz
Star-Clear Plus C1200	120	8-15/16"	23-5/16"	open w/ molded gasket	CX1200RE	C-8412	4 oz
Star-Clear Plus C1502	150	8-15/16"	23-5/16"	open w/ molded gasket	CX1520RE	C-8414	4 oz
SwimClear Single Element C150S	150	8-15/16"	23-5/16"	open w/ molded gasket	CS150E	C-8414	4 oz
					CX150XRE		
<i>Note: Hayward original is 10-5/16" OD; C-8414 is an alternative with 8-15/16"OD but core support must be knocked out before installation for use in Hayward C150S.</i>							
Star-Clear Plus C1750	175	8-15/16"	28-3/16"	open w/ molded gasket	CX1750RE	C-8417	4 oz
SwimClear Single Element C200S	200	8-15/16"	28-3/16"	open w/ molded gasket	CS200E	C-8420	4 oz
Star Clear Plus C1900	190				CX1900RE		
SwimClear Single Element C200S	200				CX200XRE		
Star-Clear Plus C2002					CX2020RE		
<i>Note: Hayward original is 10-5/16" OD; C-8420 is an alternative with 8-15/16"OD but core support must be knocked out before installation for use in Hayward C200S.</i>							
Star-Clear II C800	75	8-1/2"	17-3/8"	open w/ molded gasket	CX800RE	C-8600	4 oz
Star-Clear II C1500	150						
<i>Note: Two 75 sq.ft. cartridges required for Star Clear II C1500.</i>							
Star-Clear II C1100	100	8-1/2"	23-5/16"	open w/ molded gasket	CX1100RE	C-8610	4 oz
SwimClear Single Element C100S	100	10-5/16"	19-5/8"	open w/ molded gasket	CS100E	C-9440	4 oz
					CX100XRE		
SwimClear Single Element C150S	150	10-5/16"	23-5/16"	open w/ molded gasket	CS150E	C-9441	4 oz
					CX150XRE		
SwimClear Single Element C200S	200	10-5/16"	28-3/16"	open w/ molded gasket	CS200E	C-9442	4 oz
					CX200XRE		
ASL Full-Flo C850	85	9-1/4"	14-3/16"	open w/ molded gasket	CX850RE	C-9485	4 oz
ASL Full-Flo C1250	120	9-1/4"	19-5/8"	open w/ molded gasket	CX1250RE	C-9499	4 oz
ASL Full-Flo C1500	150				CX1500RE		
<b>Heartland Spas</b>							
	25	4-5/8"	9-3/4"	w/ 1-1/2" male thread/MPT		4CH-24	3 oz

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Heldor Spas</b>							
	25	4-15/16"	13-5/16"			C-4625	4 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Hide Away Hot Tubs</b>							
<i>see Marquis Spas</i>							
<b>Hollibaugh Spas</b>							
	10	4-1/4"	4"			C-4310	3 oz
	25	7"	9-13/16"	open w/ molded gasket		C-7626	4 oz
	50	7"	19-5/8"	open w/ molded gasket		C-7656	4 oz
	75	7"	29-7/16"	open w/ molded gasket		C-7676	4 oz
<b>Honey Tubs</b>							
	25	4-15/16"	14-9/16"			C-4308	3 oz
	25	4-15/16"	13-5/16"			C-4326	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Hot Spot</b>							
<i>see also Hot Springs Spas</i>							
	25	4-15/16"	13-5/16"		33521	C-4326	3 oz
<b>Hot Springs Spas</b>							
	35	4-5/8"	16"	w/ 1-1/2" male thread/MPT	31382	4CH-35	3 oz
<i>Note: Part number formerly 31116.</i>							
	38	5-5/16"	9"	w/ 1-1/2" male thread/MPT	303279	5CH-37	3 oz
	25	4-15/16"	13-5/16"		33521	C-4326	3 oz
	30	5-1/8"	10-1/4"		31233	C-5431	3 oz
	30	6"	10-1/2"		31489	C-6330	3 oz
					71825		
					71826		
Limelight	50	6"	14"		1642301-1	C-6350	3 oz
					78161		
Limelight	75	6"	14"		1642301-1	C-6355	3 oz
					78161		
	30	6"	10-1/2"		31489	C-6430	4 oz
					71825		
					71826		
<i>Note: Model dated after 1990.</i>							
	33	6"	9"		31250	C-6433	3 oz
<i>Note: The C-6433 has been discontinued by Unicel.</i>							
	45	6-3/8"	11-7/8"		31115	C-6600	3 oz
	65	8-1/2"	10-1/2"		31114	C-8465	3 oz
					71827		
					71828		
<b>Hydro Pool Industries</b>							
	35	4-15/16"	9-1/4"			C-4335	3 oz
	25	4-15/16"	13-5/16"			C-4625	4 oz
	75	4-15/16"	20-1/8"			C-4975	3 oz
<b>Hydro Spa</b>							
	25	4-5/8"	9-3/4"	w/ 1-1/2" male thread/MPT		4CH-24	3 oz
	47	6"	9-1/8"	w/ 1-1/2" male thread/MPT		6CH-47	3 oz
	35	4-15/16"	9-1/4"			C-4335	3 oz
	35	4-15/16"	4-5/8"			C-4401	4 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Icon Spas</b>							
	25	4-5/8"	9-3/4"	w/ 1-1/2" male thread/MPT		4CH-24	3 oz
	5	2-3/4"	6"			C-2304	3 oz
	4				136629		
	10	4-1/4"	4"		146949	C-4310	3 oz
Weslo Spa Model # 207	15	4-1/4"	7-1/8"		16219	C-4315	3 oz
<i>Note: The C-4315 has been discontinued by Unicel.</i>							
Weslo Spa Model # 410	25	4-1/4"	12"		176380	C-4329	3 oz
<i>Note: The C-4329 has been discontinued by Unicel.</i>							

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Icon Spas</b>							
Image Spa Model # 631	50	4-1/4"	23-3/4"	open w/ molded o-ring	179192	C-4351	3 oz
Image Spa Model # 616							
Image Spa Model # 615							
Weslo Spa Model # 628							
Image Spa Model # 739	60	4-1/4"	23-3/4"		163736	C-4360	3 oz
Image Spa Model # 639							
	50	4-15/16"	13-5/16"			C-4950	3 oz
<i>Note: Used in most 2003 to present Image and Weslo spa models.</i>							
	65	5-5/16"	14-13/16"			C-5374	3 oz
<b>Image Spas</b>							
<i>see Icon Spas</i>							
<b>Imperial Spas</b>							
	25	4-5/8"	9-3/4"	w/ 1-1/2" male thread/MPT		4CH-24	3 oz
<b>Infinity Spas - TN</b>							
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
	35	4-15/16"	9-1/4"			C-4335	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Infinity Spas by Maax</b>							
<i>see Acryx-Maax Spas (Canada)</i>							
<b>Intex</b> <i>Note: Cartridges listed are used in Easy Set, Wet Set and Sand-n-Sun product lines.</i>							
Skim filter model #M1	2	3-1/8"	3-11/16"		58602 TYPE E	C-3302	3 oz
<i>Note: This product has no center core.</i>							
Krystal Clear Model 601/602	3	3-1/2"	4"		11983 29007 TYPE H	C-3304	3 oz
Sand-n-Sun (Pump SA-3766)	3	4-1/4"	3-3/4"		TYPE D WM-3779	C-4313	3 oz
<i>Note: OEM has two Size "D" filter cartridges; Verify OAL to identify the correct Unicel replacement.</i>							
PureSpa	4	4-1/4"	2-15/16"		11692 29001 TYPE S1	C-4317	3 oz
Krystal Clear Model 108R	5	4-1/4"	8"		58600	C-4607	4 oz
Krystal Clear Model 12							
Intex 58631							
Intex 58623							
Krystal Clear Model 108R					59900		
Krystal Clear Model 12							
Intex 58631							
Intex 58623							
Krystal Clear Model 108R					F18		
Krystal Clear Model 12							
Intex 58631							
Intex 58623							
The Wet Set Model 02/03R					TYPE A or C		
The Wet Set Model 12R/22R							
Model 51/52	15	5-3/4"	10"		59905	C-5315	3 oz
Model 520R/530R							
Model 51/52					TYPE B		
Model 520R/ 530R							
<i>Note: Cartridge may be used in filter model 520/530 with adapter supplied by Intex.</i>							
Krystal Clear Model 520	30	5-3/4"	12"		58601	C-5330	3 oz
Krystal Clear Model 530							
Intex 58621							
Krystal Clear Model 520					59901		
Krystal Clear Model 530							
Intex 58621							
Krystal Clear Model 520					5F17		
Krystal Clear Model 530							
Intex 58621							



	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Intex</b>	<i>Note: Cartridges listed are used in Easy Set, Wet Set and Sand-n-Sun product lines.</i>						
The Wet Set Model 520/530	30	5-3/4"	12"		TYPE D	C-5330	3 oz
<i>Note: OEM has two Size "D" filter cartridges; Verify OAL to identify the correct Unicel replacement</i>							
<b>Islander Spas</b>							
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
	25	4-15/16"	13-5/16"			C-4326	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>J.E.M. Spas</b>							
	25	6"	7"	w/ 1-1/2" male thread/MPT		6CH-26	3 oz
	25	4-15/16"	13-5/16"			C-4625	4 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
	95	4-15/16"	23-5/8"			C-4995	3 oz
<b>Jacuzzi Brothers</b>							
TC300 (Tri-Clops)	300				42-3640-10-R		
<i>Note: Pie-shaped design discontinued by OEM; See TC330 (Unicel part number C-7430).</i>							
TC450 (Tri-Clops)	450				42-3640-15-R		
<i>Note: Pie-shaped design discontinued by OEM; See TC440 (Unicel part number C-7441).</i>							
TC600 (Tri-Clops)	600				42-3640-20-R		
<i>Note: Pie-shaped design discontinued by OEM; See TC550 (Unicel part number C-7452).</i>							
SF25 (skim filter)	25	5-11/16"	10-3/8"		43-2954-01-R	C-5601	3 oz
CFT-15 (in-line)	15	5"	13-5/16"		42-2782-00	C-5615	4 oz
<i>Note: Product discontinued by Jacuzzi. The C-5615 has been discontinued by Unicel. Use C-5625.</i>							
CFR-25 (in-line)	25	5"	13-5/16"		42-2891-08-R	C-5625	4 oz
CFT-25 (in line)							
<i>Note: Jacuzzi part number formerly 42-2763-03.</i>							
CFR-37 (in-line)	37	5"	13-5/16"		42-3533-00-R	C-5635	4 oz
CF-25 (Crystal Flow)	25	6-7/8"	11-7/8"		23-2377-04	C-6625	6 oz
<i>Note: Product discontinued by Jacuzzi.</i>							
CF-40 (Crystal Flow)	40	6-15/16"	19-3/8"		23-2214-01	C-6640	6 oz
<i>Note: Product discontinued by Jacuzzi.</i>							
CF-60 (Crystal Flow)	60	6-15/16"	29-3/8"		23-2297-01	C-6660	6 oz
<i>Note: Product discontinued by Jacuzzi.</i>							
CE Filter	40	7"	13-11/16"	open w/ step	42-3724-09	C-7304	3 oz
CE Filter	60	7"	17-11/16"	open w/ step	42-3725-08	C-7306	3 oz
TC330 (Tri-Clops)	330	7-13/16"	22-13/16"		42379923	C-7430	4 oz
<i>Note: Three 110 sq.ft. cartridges required; Replaces pie-shaped cartridges; Requires OEM supplied manifold change over kit.</i>							
TC440 (Tri-Clops)	440	7-13/16"	28-13/16"		42379924	C-7441	4 oz
<i>Note: Three 147 sq.ft. cartridges required; Replaces pie-shaped cartridges; Requires OEM supplied manifold change over kit.</i>							
TC550 (Tri-Clops)	550	7-13/16"	34-13/16"		42379925	C-7452	4 oz
<i>Note: Three 179 sq.ft. cartridges required; Replaces pie-shaped cartridges; Requires OEM supplied manifold change over kit.</i>							
CFR-200	200	9-15/16"	24"		42-3540-01-R	C-9420	4 oz
<i>Note: OEM 4 oz. product has black end caps and 3 oz. product has slate blue end caps.</i>							
CFR-75	75	9-15/16"	14-1/4"		42-3509-00-R	C-9475	4 oz
<i>Note: OEM 4 oz. product has black end caps and 3 oz. product has slate blue end caps.</i>							
CFR-150	150	9-15/16"	24"		42-3508-01-R	C-9478	4 oz
					42-3537-06-R		
<i>Note: OEM 4 oz. product has black end caps and 3 oz. product has slate blue end caps.</i>							
SHER 80 (Sherlock)	80	10"	14-9/16"		42-3674-09-R	C-9480	4 oz
SHER 120 (Sherlock)	120	10"	20-1/16"		42-3675-08-R	C-9481	4 oz
SHER 160 (Sherlock)	160	10"	24-5/16"		42-3667-07-R	C-9482	4 oz
SHER 200 (Sherlock)	200	10"	29-13/16"		42-3668-08-R	C-9483	4 oz
CFR 50	50	9-15/16"	10"		42-2940-09-R	C-9650	4 oz
CFR 50BY							
CFT 50							
CFR 50					42353409		
CFT 50							
CFR 50BY							
<i>Note: OEM 4 oz. product has black end caps and 3 oz. product has slate blue end caps. Jacuzzi part number for this product formerly 42-2369-01 and 42-2887-04-R.</i>							
CFT 100	100	9-15/16"	19-7/8"		42-2941-08-R	C-9699	4 oz
CFT 100BY							

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Jacuzzi Brothers</b>							
CFR 100BY	100	9-15/16"	19-7/8"		42-2941-08-R	C-9699	4 oz
CFR 100							
<i>Note: OEM 4 oz. product has black end caps and 3 oz. product has slate blue end caps. Jacuzzi part number for this product formerly 42-2370-08, 42-2888-03-R, and 42-3536-07-R.</i>							
<b>Jacuzzi Leisure Prod. (Canada)</b>							
D-8 skim filter	5	4-1/4"	8"		1370046	C-4304	3 oz
C-11 cartridge filter	9	4-1/4"	10-7/8"		1370012	C-4603	4 oz
<i>The C-4603 has been discontinued by Unicel.</i>							
C-22 cartridge filter	15	4-1/4"	17-7/8"		1370031	C-4604	4 oz
	100	8-1/2"	15-3/16"			C-8310	3 oz
	150	8-1/2"	22-11/16"			C-8315	3 oz
<i>Note: The C-8315 has been discontinued by Unicel.</i>							
<b>Jacuzzi Premium</b>							
	35	4-5/8"	12-1/2"	w/ 2" SAE thread	2540-387	4CH-934	3 oz
Del Sol Redondo	50	5-3/16"	10-3/4"	w/ 2" male thread/MPT	6540-723	5CH-402	3 oz
Del Sol Hermosa							
	45	6"	9-1/8"	w/ 1-1/2" male thread/MPT		6CH-47	3 oz
J460 Series	45	6"	13-1/2"	w/ 2" SAE thread	6540-498	6CH-945	3 oz
J400 Series	60	6"	17-1/2"	w/ 2" SAE thread	2000-286 20086-001	6CH-959	3 oz
<i>Note: Unicel 6CH-959 also replaces Jacuzzi Premium 2540-383.</i>							
J400 Series	75	6-3/4"	15-1/2"	w/ 2" SAE thread	6540-164	6CH-960	3 oz
	60				6540-476 6541-383		
J300 Series							
J400 Series	75	6-3/4"	15-1/2"	w/ 2" SAE thread	6540-164	6CH-961	3 oz
	60				6540-476 6541-383		
J300 Series							
<i>Note: Unicel replacement requires injection molded semi-circular handle (not furnished).</i>							
J200 Series	25	4-15/16"	13-5/16"		373045	C-4326	3 oz
J200 Series	50	4-15/16"	13-5/16"		373045	C-4950	3 oz
<b>Jacuzzi Spa Division/Jacuzzi Brands Spas</b>							
<i>see Blue Ridge Spas, Del Sol Spas, Gatsby Spas, Jacuzzi Premium, Jacuzzi Whirlpool Bath, Sundance Spas</i>							
<b>Jacuzzi Whirlpool Bath</b>							
Cambio	12	2-7/8"	19-1/2"		2945000	C-2612	4 oz
Aero, Alexa, Arrow Plus, Caressa, Corsica, Dectra, Lazer II, Lexus LC, Lexus Plus, Meridian II, Palio, Palio Plus, Polara, Quantum, Quantum Plus, Razza, Santina, Santina Plus, Solaris, Solaris Plus, Tirage, Tirage Plus, Vectra, Vectra II, Venterra, 380</ti	50	5-11/16"	10-3/8"			C-5300	3 oz
<i>Note: 50 sq.ft. cartridge is an upgrade for P/N 6199000 (C-5601).</i>							
Aero, Alexa, Arrow Plus, Caressa, Corsica, Dectra, Lazer II, Lexus LC, Lexus Plus, Meridian II, Palio, Palio Plus, Polara, Quantum, Quantum Plus, Razza, Santina, Santina Plus, Solaris, Solaris Plus, Tirage, Tirage Plus, Vectra, Vectra II, Venterra, 380</ti	25	5-11/16"	10-3/8"		6199000	C-5601	3 oz
Avanza, Celeste, Meridian, Sienna, Virage	25	5-3/4"	11-7/8"		2590000	C-5624	3 oz
Caressa (pre-1986), Espree, Espree II	25	5"	13-5/16"		5475000	C-5625	4 oz
Quanta	30	6-7/8"	14-7/8"		2730000	C-6300	4 oz
<i>Note: This product has no center core. The C-6300 has been discontinued by Unicel.</i>							
<b>Jandy</b>							
CT Series Cartridge Filter	50	7-1/4"	14-5/8"	open w/ step	A0103600	C-7448	4 oz
<i>Note: The C-7448 has been discontinued by Unicel.</i>							

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Jandy</b>							
CL340	85	7"	27"		A0557900	C-7459	4 oz
CV340					R0554500		
<i>Note: Four 85 sq.ft. cartridges required; use Unicel C-7459-4 to replace full set.</i>							
CL460	115	7"	27"		A0558000	C-7468	4 oz
CV460					R0554600		
<i>Note: Four 115 sq.ft. cartridges required; use Unicel C-7468-4 to replace full set.</i>							
CT Series Cartridge Filter	75	7-1/4"	19-5/8"	open w/ step	A0103500	C-7473	4 oz
CL580	145	7"	33"		A0104100	C-7482	4 oz
CV580					R0357900		
<i>Note: Four 145 sq.ft. cartridges required; use Unicel C-7482-4 to replace full set.</i>							
CT Series Cartridge Filter	100	7-1/4"	29-1/2"	open w/ step	A0103400	C-7497	4 oz
CS100	100	8-15/16"	23-5/16"	open w/ molded gasket	R0462200	C-8410	4 oz
CS150	150	8-15/16"	23-5/16"	open w/ molded gasket	R0462300	C-8414	4 oz
CS200	200	8-15/16"	33-1/8"	open w/ molded gasket	R0462400	C-8418	4 oz
CS250	250	8-15/16"	33-1/8"	open w/ molded gasket	R0462500	C-8425	4 oz
CJ200	200	10-5/8"	28"	open w/ step	A0558902	C-9421	4 oz
CJ250	250	10-5/8"	34"	open w/ step	A0558901	C-9422	4 oz
Pro Edge Cartridge Filter	100	12-1/16"	8-1/2"		R0342000	C-9490	4 oz
Pro Edge Cartridge Filter	200	12-1/16"	17"		R0341900	C-9498	4 oz
<i>Note: The C-9498 has been discontinued by Unicel.</i>							
<b>Jetta Spas</b>							
	60	6"	16-1/4"	w/ 1-1/2" male thread/MPT		6CH-60	3 oz
<b>Krystal Clear</b>							
<i>see Intex</i>							
<b>LA Spas</b>							
<i>see also Advanced Spa Design</i>							
	25	4-5/8"	9-3/4"	w/ 1-1/2" male thread/MPT		4CH-24	3 oz
	20	5-3/8"	7"	w/ 3" male thread/MPT		5CH-203	3 oz
<i>Note: Unicel replacement is a substitute for bag/sock filter.</i>							
	50	6"	9-1/8"	w/ 1-1/2" male thread/MPT		6CH-47	3 oz
	50	6"	13-7/16"	w/ 1-1/2" male thread/MPT		6CH-50	3 oz
<b>Legend Spas</b>							
	35	4-15/16"	4-5/8"			C-4401	4 oz
	50	4-15/16"	6-5/8"			C-4405	4 oz
<b>Leisure Bay Mfg.</b>							
<i>see Rec Warehouse</i>							
<b>Leisure Bay Spas</b>							
	13	4-5/8"	4-5/8"	w/ 1-1/2" male thread/MPT		4CH-19	3 oz
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
	10	4-1/4"	4"			C-4310	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
	75	4-15/16"	23-5/8"			C-4970	3 oz
<i>The C-4970 has been discontinued by Unicel. Use C-4995.</i>							
S2/G2 Spa	45	5-5/16"	10-1/8"			C-5345	3 oz
S2/G2 Spa	75	5-5/16"	14-13/16"			C-5374	3 oz
S2/G2 Spa	100	5-5/16"	17-13/16"			C-5397	3 oz
<b>Lifestyle Spas (Canada)</b>							
<i>see also Acryx-Maax Spas (Canada)</i>							
	40	7"	9-3/4"	w/ 1-1/2" male thread/MPT		7CH-40	3 oz
	35	4-15/16"	4-5/8"			C-4401	4 oz
	50	4-15/16"	6-5/8"			C-4405	4 oz
<b>Lomart</b>							
60-4318	16	4-3/4"	18"			C-4601	4 oz
<i>The C-4601 has been discontinued by Unicel.</i>							
60-4316	16	4-3/4"	18"			C-4601	4 oz
<i>The C-4601 has been discontinued by Unicel. Use C-4618.</i>							
60-4314	13	4-3/4"	18"			C-4618	4 oz

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Lowes</b>							
	25	4-5/8"	9-3/4"	w/ 1-1/2" male thread/MPT		4CH-24	3 oz
<b>Lumi-O</b>							
	25	4-5/8"	9-3/4"	w/ 1-1/2" male thread/MPT		4CH-24	3 oz
<b>Maax Spas of AZ</b>							
<i>see also Coleman Spas</i>							
Elegant, Intrigue, Joli	25	5-5/8"	6"	w/ 1-1/2" male thread/MPT	108868	5CH-25	3 oz
Elite Spas	35	5-5/8"	8"	w/ 1-1/2" male thread/MPT	104309	5CH-35	3 oz
	50	4-15/16"	13-5/16"		100533	C-4950	3 oz
	65	5-5/16"	14-13/16"		107092	C-5374	3 oz
	50	8"	9"	w/ 2" male slip fitting	100593	C-8450	3 oz
	75	8"	13"	w/ 2" male slip fitting	100594	C-8475	3 oz
<b>Majestic Industries</b>							
<i>see Artesian Spas, J.E.M. Spas</i>							
<b>Marathon Spas</b>							
	30	4-5/8"	11-7/8"	w/ 1-1/2" male thread/MPT		4CH-30	4 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Marquis Corp</b>							
<i>see Amish Country</i>							
<b>Marquis Spas</b>							
	35	5-3/16"	12-1/2"	w/ 2" male thread/MPT	20042 20092 370-0240 370-0242 370-0243 370-0683 370-0698	5CH-352	3 oz
	50	5-3/16"	12-1/2"	w/ 2" male thread/MPT	20041 20091 370-0237	5CH-502	3 oz
<i>Note: New design. Unicel part number was formally C-5303.</i>							
	50	5-3/16"	16"	w/ 2" male thread/MPT	20690 370-0699	5CH-512	3 oz
	90	5-3/16"	30"	w/ 2" male thread/MPT	20499 370-0694	5CH-902AM	4 oz
	50	4-15/16"	6-5/8"			C-4405	4 oz
<i>Note: System utilizes a single cartridge.</i>							
	50	5-3/16"	14-1/8"		20044 370-0236	C-5346	3 oz
	35	5-3/16"	11-15/16"		20045 370-0215	C-5423	3 oz
	60	5-3/16"	19-5/8"		20043 370-0216	C-5434	3 oz
	25	5-3/16"	11-7/8"			C-5626	4 oz
<i>Note: Old design.</i>							
	40	5-3/16"	19-5/8"			C-5637	4 oz
<i>Note: Old design.</i>							
<b>Martec</b>							
<i>see also Sonfarrel</i>							
	25	4-15/16"	14-7/8"		CL-2200	C-4301	3 oz
	30				CL-2800		
	45	4-15/16"	14-7/8"		CL-2807	C-4305	3 oz
	50				CL-2810		
	25	4-15/16"	11-7/8"		SC-2200	C-4332	3 oz
	35				SC-3500		
	130	7-1/2"	28-15/16"		244-0130	C-7413	4 oz
<i>Note: The C-7413 has been discontinued by Unicel. Use C-7414.</i>							
	65	7-1/2"	14-13/16"		244-065	C-7415	4 oz
	65	7-1/2"	14"		244-064	C-7416	4 oz
<i>Note: The C-7416 has been discontinued by Unicel.</i>							

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Martec</b>							
	100	7-1/2"	21-7/8"		244-0100	C-7419	4 oz
<b>Master Spas</b>							
	20	4-5/8"	6-3/4"	w/ 1-1/2" male thread/MPT		4CH-20	3 oz
Contractor Series 415	25	4-5/8"	8"	w/ 2" male thread/MPT	X268521	4CH-252	3 oz
Clarity Spas 415							
<i>Note: Master Spas original has 4-3/4" OD.</i>							
	35	4-15/16"	9-1/4"	w/ 2" female SAE thread		4CH-935	3 oz
<i>Note: Replacement for 5" OD Eco-Pur filtration systems; must verify OAL for correct Unicel replacement.</i>							
	50	4-15/16"	13-1/2"	w/ 2" female SAE thread		4CH-949	3 oz
	50	4-15/16"	13-1/2"	w/ 2" female SAE thread		4CH-949	3 oz
<i>Note: Replacement for 5" OD Eco-Pur filtration systems; must verify OAL for correct Unicel replacement.</i>							
	35	6"	8"	w/ 2" male thread/MPT	PMA-R1	6CH-352	3 oz
<i>Note: Replacement for 6" OD Eco-Pur filtration systems; must remove black stand pipe.</i>							
Twilight Series	40	6"	9-1/2"	w/ 2" male thread/MPT	PMA40L-F2M	6CH-402	3 oz
<i>Note: Replacement for 6" OD Eco-Pur filtration systems; must remove black stand pipe.</i>							
	45	6"	12-3/8"	w/ 1-1/2" male thread/MPT		6CH-45	3 oz
	45	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
<i>Note: For use in Master Spas swim spas.</i>							
	32	7"	8"	w/ 2" male thread/MPT		7CH-322	3 oz
<i>Note: Replacement for 7" or 8" OD Eco-Pur filtration systems; must remove black stand pipe for 8" OD.</i>							
	60	8"	9-1/4"	w/ 2" male thread/MPT		8CH-66	3 oz
	8	3-7/8"	7"			C-3310AM	3 oz
<i>Note: Manufactured with antimicrobial filter media; used in conjunction with Unicel C-7330 or C-8341 outer cartridge in Eco-Pur filtration systems.</i>							
	25	4-5/8"	9-3/4"			C-4324	3 oz
<i>The C-4324 has been discontinued by Unicel. Use 4CH-24 if PAD adapter is MPT; must remove threaded PAD adapter from skim well.</i>							
Micro Filter	30	7"	7-1/4"			C-7330	3 oz
<i>Note: Part of Eco-Pur filtration system, 2002 to 2005.</i>							
Micro Filter	40	8"	6-3/4"	w/ open w/ raised ring		C-8341	3 oz
<i>Note: Part of Eco-Pur filtration system, 2006 to present; two 40 sq.ft. cartridges required.</i>							
<b>Midwest Spas</b>							
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Millennium Spas</b>							
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
	40	4-15/16"	11-1/4"			C-4339	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Moonwater Spas</b>							
	25	4-15/16"	13-5/16"			C-4326	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Moose Mountain Spas (Canada)</b>							
	35	4-15/16"	9-1/4"			C-4335	3 oz
	50	4-15/16"	6-5/8"			C-4405	4 oz
<b>Morgan Spas</b>							
	37	4-15/16"	13-5/16"			C-4637	4 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
	35	5"	13-5/16"			C-5635	4 oz
<b>Mountain Meadows Spa</b>							
	25	4-5/8"	9-3/4"	w/ 1-1/2" male thread/MPT		4CH-24	3 oz
<b>Mountain Mist Spa</b>							
	25	4-5/8"	9-3/4"	w/ 1-1/2" male thread/MPT		4CH-24	3 oz
<b>Mountain Springs Spa</b>							
	25	4-5/8"	9-3/4"	w/ 1-1/2" male thread/MPT		4CH-24	3 oz
<b>Mountain Stream Spa</b>							
	25	4-5/8"	9-3/4"	w/ 1-1/2" male thread/MPT		4CH-24	3 oz
<b>Muskin</b>							
A2300	10	4-5/16"	8"			C-4600	4 oz

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Muskin</b>							
<i>Note: Closed top skim filter.</i>							
	6	4-5/16"	8"			C-4602	4 oz
<i>The C-4602 has been discontinued by Unicel. Use C-4605.</i>							
195-8712	6	4-5/16"	8"			C-4605	4 oz
A3818							
A3808							
A3810	10	6-1/4"	8"			C-6610	4 oz
FE-90							
A3816	16	6-1/4"	8"			C-6616	4 oz
FE-30							
FE-40							
195-8717							
<i>Note: The C-6616 has been discontinued by Unicel. Use C-6610 or C-6620.</i>							
A3821	20	6-1/4"	8"			C-6620	4 oz
FD-20							
FD-40							
FE-20							
FE-127	55	7"	19-5/8"	open w/ molded gasket	58039	C-7455	4 oz
<i>Note: The C-7455 has been discontinued by Unicel. Use C-7656.</i>							
FE-129	120	9-1/4"	19-5/8"	open w/ molded gasket	58040	C-9499	4 oz
<b>Nahani Spas by Maax</b>							
	75	4-15/16"	20-1/8"			C-4975	3 oz
<b>Nemco</b>							
	25	4-5/8"	9-3/4"	w/ 1-1/2" male thread/MPT		4CH-24	3 oz
	50	4-5/8"	14-3/4"	w/ 1-1/2" male thread/MPT		4CH-50	3 oz
	25	4-5/8"	11-5/8"			C-4403	4 oz
<i>Note: The C-4403 has been discontinued by Unicel.</i>							
	30	4-15/16"	10-3/8"			C-4429	3 oz
	50	5-7/8"	15-5/8"			C-5405	4 oz
<b>Niagara Whirlpool</b>							
<i>see Haughs</i>							
<b>Nordic Hot Tubs</b>							
	35	4-15/16"	9-1/4"	w/ 2" female SAE thread		4CH-935	3 oz
	28	4-15/16"	14-7/8"			C-4301	3 oz
<i>Note: Model dated before 7/99.</i>							
	25	4-15/16"	13-5/16"			C-4326	3 oz
<i>Note: Model dated after 7/99.</i>							
<b>Northwest Spas</b>							
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>OpuSpas</b>							
	30	4-5/8"	11-7/8"	w/ 1-1/2" male thread/MPT		4CH-30	4 oz
	50	4-5/8"	14-3/4"	w/ 1-1/2" male thread/MPT		4CH-50	3 oz
<b>Orca Bay Spas</b>							
	25	4-15/16"	13-5/16"		2501	C-4326	3 oz
	35	4-15/16"	9-1/4"		3501	C-4335	3 oz
	50	4-15/16"	13-5/16"		5001	C-4950	3 oz
<b>Pac Fab</b>							
<i>see Pentair Pool Prod - Pac Fab Replacements</i>							
<b>Pacific Spas by Aber (Canada)</b>							
<i>see also Aber Hot Tubs (Canada)</i>							
	47	6"	9-1/8"	w/ 1-1/2" male thread/MPT		6CH-47	3 oz
<b>Pageant Spas</b>							
	19	4-5/8"	8"	w/ 1-1/2" male thread/MPT		4CH-21	3 oz
	45	4-15/16"	14-7/8"			C-4305	3 oz
	45	4-15/16"	17-3/4"			C-4449	4 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
	60	6"	16-1/8"	open w/ slots		C-6602	4 oz

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Passion Spas</b>							
	50	4-15/16"	13-1/2"	w/ 2" female SAE thread		4CH-949	3 oz
	45	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
<b>PDC Spas</b>							
	10	4-1/4"	4"			C-4310	3 oz
	25	4-15/16"	13-5/16"			C-4326	3 oz
	35	4-15/16"	4-5/8"			C-4401	4 oz
	25	7"	9-13/16"	open w/ molded gasket		C-7626	4 oz
	50	7"	19-5/8"	open w/ molded gasket		C-7656	4 oz
<b>Pentair Pool Prod</b>							
Standard & High Sq.Ft. Module Filters	4	2-7/8"	9-3/4"		R173321	C-2604	6 oz
<i>Note: Product can also be replaced with T-380 (4 oz.). The C-2604 has been discontinued by Unicel. Use C-2606.</i>							
Standard & High Sq.Ft. Module Filters (MX Series)	6	2-7/8"	9-3/4"		R173220	C-2606	6 oz
<i>Note: Product can also be replaced with T-380 (4 oz.).</i>							
Standard & High Sq.Ft. Module Filters	8	2-7/8"	19-1/2"		R173325	C-2608	4 oz
Standard & High Sq.Ft. Module Filters (MX Series)	13	2-7/8"	19-1/2"		R173326	C-2612	4 oz
Standard & High Sq.Ft. Module Filters	13	2-7/8"	29-1/4"		R173327	C-2613	4 oz
Standard & High Sq.Ft. Module Filters (MX Series)	18	2-7/8"	29-1/4"		R173328	C-2618	4 oz
Dynamic Series I RDC-25	25	4-15/16"	13-5/16"		R173429	C-4326	3 oz
Dynamic Series I RDC-25S							
Dynamic Series II & III RTL/RCF-25							
Dynamic Series IV - DFM,DFML							
<i>Note: Product can also be replaced with C-4625 (4 oz.)</i>							
Dynamic Series IV - DFM,DFML	35	4-15/16"	9-1/4"		R173431	C-4335	3 oz
Dynamic Series IV - Model DSF	35	4-15/16"	4-5/8"		R173432	C-4401	4 oz
Dynamic Series IV - Model DSF	50	4-15/16"	6-5/8"		R173433	C-4405	4 oz
Dynamic Series IV - DFML-25C							
<i>Note: Only 1 unit of 2 unit cartridge set needed.</i>							
Dynamic Series I RDC-25	37	4-15/16"	13-5/16"		R173430	C-4637	4 oz
Dynamic Series I RDC-25S							
Dynamic Series IV - DFM,DFML							
Dynamic Series II & III RTL/RCF-25							
<i>Note: 37 sq.ft. cartridge is an upgrade for P/N R173429 (C-4326).</i>							
Dynamic Series IV - DFM,DFML	50	4-15/16"	13-5/16"		R173434	C-4950	3 oz
Dynamic Series II & III RTL/RCF-50							
Dynamic Series I RDC-50							
Dynamic Series I RDC-50S							
Dynamic Series V - DSC-75	75	4-15/16"	20-1/8"		R173435	C-4975	3 oz
Dynamic Series II & III RTL/RCF-75							
Dynamic Series II & III RTL/RCF-100	100	4-15/16"	26-11/16"		R173436	C-4999	3 oz
Dynamic Series V - DSC-100							
Quad DE 100	100	6-1/4"	32-3/4"	open w/ molded gasket	178656	C-6900	8 oz
<i>Note: Four 25 sq.ft. cartridges required; use Unicel C-6900-4 to replace full set.</i>							
Quad DE 60	60	6-1/4"	20-3/4"	open w/ molded gasket	178654	C-6960	8 oz
<i>Note: Four 15 sq.ft. cartridges required; use Unicel C-6960-4 to replace full set.</i>							
Quad DE 80	80	6-1/4"	26-3/4"	open w/ molded gasket	178655	C-6980	8 oz
<i>Note: Four 20 sq.ft. cartridges required; use Unicel C-6980-4 to replace full set.</i>							
Commander	25	7"	9-13/16"		R173201	C-7425	4 oz
Commander	100	7"	9-13/16"		R173208	C-7425	4 oz
<i>Note: One 25 sq.ft. C-7425 and one 75 sq.ft. C-7475 required for Unicel replacement.</i>							
Commander	35	7"	9-13/16"		R173209	C-7435	4 oz
Quantum CM	175	7"	11-13/16"		R173212	C-7437	4 oz
Quantum RPM							
Quantum Stainless Steel							

	Sq. Ft.	OD	Length	OEM P/N	UNICEL P/N	Media
<b>Pentair Pool Prod</b>						
<i>Note: Four 43.7 sq.ft. cartridges required.</i>						
CF-40	40	7"	11-1/8"	R173310	C-7440	4 oz
CFM Filter CF-40/120	120	7"	11-1/8"	R173310	C-7440	4 oz
CFW Filter CF-40/120						
<i>Note: Three 40 sq.ft. cartridges required.</i>						
Commander	50	7"	19-5/8"	R173203	C-7450	4 oz
Commander	75	7"	19-5/8"	R173210	C-7453	4 oz
Commander	150	7"	19-5/8"		C-7453	4 oz
<i>Note: Two 75 sq.ft. cartridges required.</i>						
CF-60	60	7"	19-5/8"	R173312	C-7460	4 oz
CFW Filter CF-60/180	180	7"	19-5/8"	R173312	C-7460	4 oz
CFM Filter CF-60/180						
<i>Note: Three 60 sq.ft. cartridges required.</i>						
CFW Filter CFW-67.5/405 (Tango Pools)	405	7"	16"	R173314	C-7467	4 oz
<i>Note: Six 67.5 sq.ft. cartridges required.</i>						
Clean & Clear Plus	240	7"	14-1/8"	R173572	C-7469	4 oz
<i>Note: Four 60 sq.ft. cartridges required.; use Unicel C-7469-4 to replace full set.</i>						
Clean & Clear Plus	320	7"	20"	R173573	C-7470	4 oz
<i>Note: Four 80 sq.ft. cartridges required: use Unicel C-7470-4 to replace full set.</i>						
Clean & Clear Plus	420	7"	26-1/16"	R173576	C-7471	4 oz
<i>Note: Four 105 sq.ft. cartridges required; use Unicel C-7471-4 to replace full set. Model dated after 11/98.</i>						
Clean & Clear Plus	520	7"	32-1/16"	R173578	C-7472	4 oz
<i>Note: Four 125 sq.ft. cartridges required; use Unicel C-7472-4 to replace full set. Model dated after 11/98.</i>						
Quantum Stainless Steel	350	7"	16-1/2"	R173218	C-7474	4 oz
Quantum RPM						
Quantum CM						
<i>Note: Four 87.5 sq.ft. cartridges required.</i>						
Commander	75	7"	29-3/8"	R173205	C-7475	4 oz
Clean & Clear Plus	360	7"	20"	R173574	C-7476	4 oz
<i>Note: Four 90 sq.ft. cartridges required.</i>						
Quantum RPM	360	7"	20"	R173211	C-7476	4 oz
<i>Note: Four 90 sq.ft. cartridges required. Model dated before 11/98.</i>						
CF-80	80	7"	19-5/8"	R173313	C-7480	4 oz
<i>Note: The C-7480 has been discontinued by Unicel. Use C-7460.</i>						
Clean & Clear Plus	580	7"	39-1/4"		C-7486	4 oz
<i>Note: Four 145 sq.ft. cartridges required.</i>						
Sea Horse 300 (Stainless Steel Tank)	300	7"	18-7/16"	R173316	C-7491	4 oz
Sea Horse FSH-300 (Fiberglass Tank)						
<i>Note: Four 75 sq.ft. cartridges required.</i>						
Sea Horse FSH-400 (Fiberglass Tank)	400	7"	24-3/4"	R173317	C-7492	4 oz
Sea Horse 400 (Stainless Steel Tank)						
<i>Note: Four 100 sq.ft. cartridges required.</i>						
Sea Horse 500 (Stainless Steel Tank)	500	7"	30-7/16"	R173318	C-7493	4 oz
Sea Horse FSH-500 (Fiberglass Tank)						
<i>Note: Four 125 sq.ft. cartridges required.</i>						
CFW Filter CF-105/315	315	7"	25-5/8"	R173315	C-7496	4 oz
CFM Filter CF-105/315						
<i>Note: Three 105 sq.ft. cartridges required.</i>						
Quantum RPM	500	7"	26"	R173219	C-7498	4 oz
Quantum CM						
<i>Note: Four 125 sq.ft. cartridges required.</i>						
Clean & Clear Plus	520	7"	26"	R173577	C-7498	4 oz
<i>Note: Four 125 sq.ft. cartridges required. Model dated before 11/98.</i>						
Commander	100	7"	29-3/8"		C-7499	4 oz
Commander	25	7"	9-13/16"	R173200	C-7625	6 oz



	Sq. Ft.	OD	Length	OEM P/N	UNICEL P/N	Media
<b>Pentair Pool Prod</b>						
<i>Note: The C-7625 has been discontinued by Unicel. Use C-7425.</i>						
Commander	50	7"	19-5/8"	R173409	C-7650	6 oz
<i>Note: The C-7650 has been discontinued by Unicel. Use C-7450.</i>						
Mitra 60 GPM MA-60/160 Mytilus-B 60 GPM MY 60 Mytilus 60 60 GPM MY 60	60	7-7/8"	14"	R173298	C-7660	4 oz
Mytilus-B 140 GPM MY 140	140	7-7/8"	14"	172810	C-7660	4 oz
<i>Note: Two 60 sq.ft. cartridges required.</i>						
Commander	75	7"	29-3/8"	R173204	C-7675	6 oz
<i>Note: The C-7675 has been discontinued by Unicel. Use C-7475 or C-7499.</i>						
Mytilus FMY 50	50	7-7/8"	11-1/8"	R173297	C-7678	4 oz
Mitra 80 GPM MA-80 Mytilus-B 80 GPM MY 80 Mytilus FMY 80 Mytilus 80 80 GPM MY 80	80	7-7/8"	22-1/8"	R173299	C-7680	4 oz
Mytilus 100 100 GPM MY 100 Mitra 100 GPM MA-100/160 Mytilus-B 100 GPM MY 100 Mytilus FMY 100	100	7-7/8"	22-1/8"	R173300	C-7699	4 oz
DM-75 Filter	75	8-7/8"	19-1/2"	R173579	C-8401	4 oz
<i>Note: Product has white end caps.</i>						
DM-90 Filter	90	8-7/8"	19-1/2"	R173580	C-8402	4 oz
<i>Note: Product has white end caps. The C-8402 has been discontinued by Unicel. Use C-8401 or C-8403.</i>						
DM-120 Filter	120	8-7/8"	19-1/2"	R173581	C-8403	4 oz
<i>Note: Product has white end caps.</i>						
DM-180 Filter	180	8-7/8"	39"	R173582	C-8405	4 oz
<i>Note: Product has white end caps.</i>						
DM-240 Filter	240	8-7/8"	39"	R173583	C-8406	4 oz
<i>Note: Product has white end caps. The C-8406 has been discontinued by Unicel. Use C-8405.</i>						
Predator-50 Clean & Clear CC50	50	10-1/16"	8-9/16"	R173213	C-9405	4 oz
<i>Note: Product has orange end caps.</i>						
Clean & Clear CC75 Predator-75	75	10-1/16"	16-1/8"	R173214	C-9407	4 oz
<i>Note: Product has orange end caps.</i>						
Predator-100 Clean & Clear CC100 Clean & Clear CCRP100	100	10-1/16"	23-5/8"	R173215	C-9410	4 oz
<i>Note: Product has orange end caps.</i>						
Clean & Clear CC125 Predator-125	125	10-1/16"	23-5/8"	173200	C-9412	4 oz
<i>Note: Product has orange end caps. The C-9412 has been discontinued by Unicel. Use C-9410.</i>						
Clean & Clear CC150 Predator-150 Clean & Clear CCRP150	150	10-1/16"	31-1/8"	R173216	C-9415	4 oz
<i>Note: Product has orange end caps.</i>						
Clean & Clear CC175 Predator-175	175	10-1/16"	31-1/8"	173201	C-9417	4 oz
<i>Note: Product has orange end caps.</i>						
Clean & Clear CC200 Predator-200 Clean & Clear CCRP200	200	10-1/16"	31-1/8"	R173217	C-9419	4 oz
<i>Note: Product has orange end caps.</i>						
EasyClean EC60	15	10-1/16"	16-1/8"	196039	C-9960	
<i>Note: Product has blue end caps.</i>						
EasyClean EC90	30	10-1/16"	31-1/8"	196040	C-9990	
<i>Note: Product has blue end caps.</i>						
<b>Pentair Pool Prod - American Products Replacements</b>						
Caribe 133/184/368	368	2-7/8"	9-3/4"	57011400	C-2308	3 oz
<i>Note: Forty-six 8 sq.ft. cartridges required.</i>						
Caribe 133/184/368	133	2-7/8"	9-3/4"	57011400	C-2308	3 oz

	Sq. Ft.	OD	Length	OEM P/N	UNICEL P/N	Media
<b>Pentair Pool Prod - American Products Replacements</b>						
<i>Note: Seventeen 8 sq.ft. cartridges required.</i>						
Caribe 133/184/368	184	2-7/8"	9-3/4"	57011400	C-2308	3 oz
<i>Note: Twenty-three 8 sq.ft. cartridges required.</i>						
Caribe 52/104	104	2-7/8"	9-3/4"	57000500	C-2606	6 oz
<i>Note: Eighteen 5.8 sq.ft. cartridges required. Product can also be replaced with T-380 (4 oz.).</i>						
Commander II (in-line)	20	4-5/8"	11-7/8"	57010200	C-4320	3 oz
<i>Note: Original is 4-11/16" OD.</i>						
Commander II (in-line)	25	4-5/8"	11-7/8"	57010500	C-4325	3 oz
<i>Note: Original is 4-11/16" OD.</i>						
Commander	25	7"	9-13/16"	57005700	C-7425	4 oz
Commander	35	7"	9-13/16"	57014200	C-7435	4 oz
Quantum Stainless Steel	175	7"	11-13/16"	56627400	C-7437	4 oz
Quantum CM						
Quantum RPM						
<i>Note: Four 43.7 sq.ft. cartridges required.</i>						
Commander	50	7"	19-5/8"	57005800	C-7450	4 oz
Commander	75	7"	19-5/8"	57014300	C-7453	4 oz
Commander	150	7"	19-5/8"	57014300	C-7453	4 oz
<i>Note: Two 75 sq.ft. cartridges required.</i>						
Quantum-240	240	7"	14-1/8"	178569	C-7469	4 oz
<i>Note: Four 60 sq.ft. cartridges required.</i>						
Quantum Stainless Steel	350	7"	16-1/2"	56627800	C-7474	4 oz
Quantum RPM						
Quantum CM						
<i>Note: Four 87.5 sq.ft. cartridges required.</i>						
Commander	75	7"	29-3/8"	57007400	C-7475	4 oz
Quantum RPM	360	7"	20"	56628300	C-7476	4 oz
<i>Note: Four 90 sq.ft. cartridges required. Model dated before 11/98.</i>						
Quantum RPM	500	7"	26"	56627900	C-7498	4 oz
Quantum CM						
<i>Note: Four 125 sq.ft. cartridges required.</i>						
Commander	100	7"	29-3/8"	57014400	C-7499	4 oz
Predator-50	50	10-1/16"	8-9/16"	59054000	C-9405	4 oz
<i>Note: Product has orange end caps.</i>						
Predator-75	75	10-1/16"	16-1/8"	59054100	C-9407	4 oz
<i>Note: Product has orange end caps.</i>						
Predator-100	100	10-1/16"	23-5/8"	59054200	C-9410	4 oz
<i>Note: Product has orange end caps.</i>						
Predator-150	150	10-1/16"	31-1/8"	59054300	C-9415	4 oz
<i>Note: Product has orange end caps.</i>						
Predator-200	200	10-1/16"	31-1/8"	59054400	C-9419	4 oz
<i>Note: Product has orange end caps.</i>						
<b>Pentair Pool Prod - Pac Fab Replacements</b>						
	6	2-7/8"	9-3/4"	174819 174865	C-2606	6 oz
<i>Note: Product can also be replaced with T-380 (4 oz.).</i>						
Mytilus MY-30/50	30	5-5/16"	13-9/16"	174821	C-5623	4 oz
Mytilus MY-30/50	50	5-5/16"	13-9/16"	174821	C-5623	4 oz
<i>Note: Two 23 sq.ft. cartridges required. The C-5623 has been discontinued by Unicel.</i>						
Clean & Clear Plus	240	7"	14-1/8"	178569	C-7469	4 oz
<i>Note: Four 60 sq.ft. cartridges required.</i>						
Clean & Clear Plus	320	7"	20"	178580	C-7470	4 oz
<i>Note: Four 80 sq.ft. cartridges required.</i>						
Clean & Clear Plus	420	7"	26-1/16"	178584	C-7471	4 oz
<i>Note: Four 105 sq.ft. cartridges required. Model dated after 11/98.</i>						
Clean & Clear Plus	520	7"	32-1/16"	178585	C-7472	4 oz
<i>Note: Four 125 sq.ft. cartridges required. Model dated after 11/98.</i>						
Clean & Clear Plus	360	7"	20"	566283	C-7476	4 oz
<i>Note: Four 90 sq.ft. cartridges required.</i>						
Sea Horse 300 (Stainless Steel Tank)	300	7"	18-7/16"	1722840	C-7491	4 oz

	Sq. Ft.	OD	Length	OEM P/N	UNICEL P/N	Media
<b>Pentair Pool Prod - Pac Fab Replacements</b>						
Sea Horse FSH-300 (Fiberglass Tank)	300	7"	18-7/16"	172877	C-7491	4 oz
<i>Note: Four 75 sq.ft. cartridges required.</i>						
Sea Horse 400 (Stainless Steel Tank)	400	7"	24-3/4"	1722841	C-7492	4 oz
Sea Horse FSH-400 (Fiberglass Tank)				172878		
<i>Note: Four 100 sq.ft. cartridges required.</i>						
Sea Horse 500 (Stainless Steel Tank)	500	7"	30-7/16"	1722849	C-7493	4 oz
Sea Horse FSH-500 (Fiberglass Tank)				172887		
<i>Note: Four 125 sq.ft. cartridges required.</i>						
Clean & Clear Plus	520	7"	26"	566279	C-7498	4 oz
<i>Note: Four 125 sq.ft. cartridges required. Model dated before 11/98.</i>						
Mytilus 60 GPM MY 60	60	7-7/8"	14"	17-2810	C-7660	4 oz
Mitra 60 GPM MA-60/160				17-4983		
Mytilus B 60 GPM MA-60/160						
Mitra MA-60/160	160	7-7/8"	14"	17-4983 & 17-4985	C-7660	4 oz
<i>Note: Replace with one C-7660 and one C-7699.</i>						
Mytilus B 140 GPM MY 140	140	7-7/8"	14"	17-2810	C-7660	4 oz
<i>Note: Two 60 sq.ft. cartridges required.</i>						
Mytilus FMY 50	50	7-7/8"	11-1/8"	17-4981	C-7678	4 oz
Mytilus FMY 150	150	7-7/8"	33-3/8"	17-4980	C-7679	4 oz
<i>Note: Product can also be replaced with one C-7699 and one C-7678.</i>						
Mytilus 80 GPM MY 80	80	7-7/8"	22-1/8"	17-2811	C-7680	4 oz
Mitra 80 GPM MA-80				17-4984		
Mytilus B 80 GPM MA-80						
Mytilus FMY 80						
Mytilus B 100 GPM MA-100/160	100	7-7/8"	22-1/8"	17-2812	C-7699	4 oz
Mytilus FMY 100				17-4985		
Mytilus 100 GPM MY 100						
Mitra 100 GPM MA-100/160						
Clean and Clear 50	50	10-1/16"	8-9/16"	59054000	C-9405	4 oz
<i>Note: Product has orange end caps.</i>						
Clean and Clear 75	75	10-1/16"	16-1/8"	59054100	C-9407	4 oz
<i>Note: Product has orange end caps.</i>						
Clean and Clear 100	100	10-1/16"	23-5/8"	59054200	C-9410	4 oz
<i>Note: Product has orange end caps.</i>						
Clean and Clear 150	150	10-1/16"	31-1/8"	59054300	C-9415	4 oz
<i>Note: Product has orange end caps.</i>						
Clean and Clear 200	200	10-1/16"	31-1/8"	59054400	C-9419	4 oz
<i>Note: Product has orange end caps.</i>						
<b>Pentair Pool Prod - Purex Replacements</b>						
CF-40	40	7"	11-1/8"	07-0658	C-7440	4 oz
CFM Filter CF-40/120	120	7"	11-1/8"	07-0658	C-7440	4 oz
CFW Filter CF-40/120						
<i>Note: Three 40 sq.ft. cartridges required.</i>						
CF-60	60	7"	19-5/8"	07-0657	C-7460	4 oz
CFM Filter CF-60/180	180	7"	19-5/8"	07-0657	C-7460	4 oz
CFW Filter CF-60/180						
<i>Note: Three 60 sq.ft. cartridges required.</i>						
CFW Filter CFW-67.5/405 (Tango Pools)	405	7"	16"	07-4930	C-7467	4 oz
<i>Note: Six 67.5 sq.ft. cartridges required.</i>						
CF-80	80	7"	19-5/8"	07-0656	C-7480	4 oz
<i>Note: The C-7480 has been discontinued by Unicel. Use C-7460.</i>						
CFW Filter	240	7"	19-5/8"	07-0656	C-7480	4 oz
CFM Filter						
<i>Note: Three 80 sq.ft. cartridges required. The C-7480 has been discontinued by Unicel. Use C-7460.</i>						
CFW Filter	280	7"	19"	175690	C-7481	4 oz
CFM Filter						

	Sq. Ft.	OD	Length	OEM P/N	UNICEL P/N	Media
<b>Pentair Pool Prod - Purex Replacements</b>						
<i>Note: Three 93.5 sq.ft. cartridges required.</i>						
CFM Filter CF-105/315	315	7"	25-5/8"	07-0231	C-7496	4 oz
CFW Filter CF-105/315						
<i>Note: Three 105 sq.ft. cartridges required.</i>						
CF-25	25	7"	11-1/8"	P-05239	C-7610	6 oz
CF-33	33	7"	14"	P-05237	C-7633	6 oz
CF-100	100	7"	14"	P-05237	C-7633	6 oz
<i>Note: Three 33 sq.ft. cartridges required.</i>						
CF-66	66	7"	14"	P-05237	C-7633	6 oz
<i>Note: Two 33 sq.ft. cartridges required.</i>						
CF-50	50	7"	19-5/8"	07-0654	C-7651	6 oz
<i>Note: The C-7651 has been discontinued by Unicel. Use C-7460.</i>						
CF-150	150	7"	19-5/8"	07-0654	C-7651	6 oz
<i>Note: Three 50 sq.ft. cartridges required. The C-7651 has been discontinued by Unicel. Use C-7460.</i>						
DM-75 Filter	75	8-7/8"	19-1/2"	175689	C-8401	4 oz
<i>Note: Product has white end caps.</i>						
DM-90 Filter	90	8-7/8"	19-1/2"	175652	C-8402	4 oz
<i>Note: Product has white end caps. The C-8402 has been discontinued by Unicel. Use C-8401 or C-8403.</i>						
DM-120 Filter	120	8-7/8"	19-1/2"	175653	C-8403	4 oz
<i>Note: Product has white end caps.</i>						
DM-180 Filter	180	8-7/8"	39"	178571	C-8405	4 oz
<i>Note: Product has white end caps.</i>						
DM-240 Filter	240	8-7/8"	39"	178572	C-8406	4 oz
<i>Note: Product has white end caps. The C-8406 has been discontinued by Unicel. Use C-8405.</i>						
<b>Pentair Pool Prod - Rainbow Plastics</b>						
Hi Flow cartridge	15	2-7/8"	17-1/16"	17-0051	C-2302	3 oz
Chloro cartridge	9	2-7/8"	17-1/16"	17-0052	C-2303	3 oz
	8	2-7/8"	9-3/4"	17-2055	C-2308	3 oz
Lifeguard CL-9	4	2-7/8"	9-3/4"	17-2006	C-2604	6 oz
<i>Note: Product can also be replaced with T-380 (4 oz.). The C-2604 has been discontinued by Unicel. Use C-2606.</i>						
Lifeguard CL-9X	6	2-7/8"	9-3/4"	17-2048	C-2606	6 oz
<i>Note: Product can also be replaced with T-380 (4 oz.).</i>						
Lifeguard CL-19	8	2-7/8"	19-1/2"	17-2021	C-2608	4 oz
Lifeguard CL-19X	13	2-7/8"	19-1/2"	17-2047	C-2612	4 oz
Lifeguard CL-29	13	2-7/8"	29-1/4"	17-2010	C-2613	4 oz
Lifeguard CL-29X	18	2-7/8"	29-1/4"	17-2046	C-2618	4 oz
Lifeguard 12.5	13	2-7/8"	14-11/16"	17-2056	C-2912	3 oz
<i>Note: The C-2912 has been discontinued. Use C-2607.</i>						
Leaf Trap cartridge	25	4-15/16"	13-5/16"	17-2653	C-4321	3 oz
Dynamic Series I - Model RDC	25	4-15/16"	13-5/16"	17-2327	C-4326	3 oz
Dynamic Series IV - DFM,DFML						
Dynamic Series II & III - RTL/RCF						
Dynamic Series IV - DFM,DFML	35	4-15/16"	9-1/4"	17-2482	C-4335	3 oz
Dynamic Series IV - Model DSF	35	4-15/16"	4-5/8"	17-2606	C-4401	4 oz
Dynamic Series IV - Model DSF	50	4-15/16"	6-5/8"	17-2464	C-4405	4 oz
Dynamic Series IV - DFML-25C						
<i>Note: Only 1 unit of 2 unit cartridge set needed.</i>						
Dynamic Series II & III - RTL/RCF	25	4-15/16"	13-5/16"	17-2325	C-4625	4 oz
Dynamic Series IV - DFM,DFML						
Dynamic Series 1 - Model RDC						
Dynamic Series IV - DFM,DFML	50	4-15/16"	13-5/16"	17-2380	C-4950	3 oz
Dynamic Series I - Model RDC						
Dynamic Series II & III - RTL/RCF						
Dynamic Series II & III - RTL/RCF	75	4-15/16"	20-1/8"	17-2632	C-4975	3 oz
Dynamic Series V - DSC-75						
Dynamic Series V - DSC-100	100	4-15/16"	26-11/16"	17-2633	C-4999	3 oz
Dynamic Series II & III - RTL/RCF						
	45	5-5/16"	10-1/8"	R173584	C-5345	3 oz
	75	5-5/16"	14-13/16"	R173600	C-5374	3 oz
	100	5-5/16"	17-13/16"	R173601	C-5397	3 oz

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Phoenix Spas</b>							
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
	100	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
<i>Note: Two 50 sq.ft. cartridges required (used side-by-side).</i>							
	200	6"	8-1/4"	w/ 1-3/4" male slip fitting		6CH-941	3 oz
<i>Note: Two 6CH-941 and two 6CH-942 required.</i>							
	200	6"	8-1/4"	w/ 1-1/2" SAE thread		6CH-942	3 oz
<i>Note: Two 6CH-941 and two 6CH-942 required.</i>							
	35	4-15/16"	9-1/4"			C-4335	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Porta Spa</b>							
	5	4-1/4"	8"			C-4607	4 oz
<b>Premier Springwater</b>							
Hercules	6	2-7/8"	9-3/4"		27-060	C-2606	6 oz
<i>Note: Product can also be replaced with T-380 (4 oz.).</i>							
Hercules 300	300	5-3/16"	23-1/4"		27-056	C-5371	3 oz
<i>Note: Four 75 sq.ft. cartridges required.</i>							
Maxi-Sweep	225	5-3/16"	23-1/4"		27-056	C-5371	3 oz
<i>Note: Three 75 sq.ft. cartridges required.</i>							
Hercules	25	5-3/16"	9"		27-072	C-5426	4 oz
Hercules	22	5-3/16"	11-7/8"		27-077	C-5622	6 oz
<i>Note: The C-5622 has been discontinued by Unicel. Use C-5626.</i>							
Hercules II	75	7"	19-5/8"		27-080	C-7453	4 oz
Hercules II	150	7"	19-5/8"		27-080	C-7453	4 oz
<i>Note: Two 75 sq.ft. cartridges required.</i>							
Hercules II	100	7"	29-3/8"		27-084	C-7499	4 oz
Hercules II	25	7"	9-13/16"		27-078	C-7625	6 oz
<i>Note: The C-7625 has been discontinued by Unicel. Use C-7425.</i>							
Hercules II	50	7"	19-5/8"		27-079	C-7650	6 oz
<i>Note: The C-7650 has been discontinued by Unicel. Use C-7450.</i>							
<b>Premium Leisure</b>							
	50	4-15/16"	13-1/2"	w/ 2" female SAE thread		4CH-949	3 oz
	47	6"	9-1/8"	w/ 1-1/2" male thread/MPT		6CH-47	3 oz
	35	4-15/16"	9-1/4"			C-4335	3 oz
<b>Purex</b>							
<i>see Pentair Pool Prod - Purex Replacements</i>							
<b>QCA</b>							
	25	4-15/16"	13-5/16"			C-4326	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
	95	4-15/16"	23-5/8"			C-4995	3 oz
	100	5-5/16"	17-13/16"			C-5397	3 oz
<b>Quantum Spas</b>							
	25	4-5/8"	9-3/4"			C-4324	3 oz
<i>Note: The C-4324 has been discontinued by Unicel. Use 4CH-24 if PAD adapter is MPT; must remove threaded PAD adapter from skim well.</i>							
<b>Rainbow Plastics</b>							
<i>see Pentair Pool Prod - Rainbow Plastics</i>							
<b>Rec Warehouse</b>							
	13	4-5/8"	4-5/8"	w/ 1-1/2" male thread/MPT	303575	4CH-19	3 oz
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread	378902	6CH-940	3 oz
	10	4-1/4"	4"		378900	C-4310	3 oz
	25	4-15/16"	13-5/16"		303909	C-4326	3 oz
					M-4326		
	35	4-15/16"	9-1/4"		303557	C-4335	3 oz
	35	4-15/16"	13-5/16"		111793	C-4637	4 oz
					M-4336		
	45	5-5/16"	10-1/8"		173584	C-5345	3 oz
	75	5-5/16"	14-13/16"		303433	C-5374	3 oz

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Rec Warehouse</b>							
	100	5-5/16"	17-13/16"		303434	C-5397	3 oz
	130	7-1/2"	28-15/16"		111776	C-7413	4 oz
<i>Note: The C-7413 has been discontinued by Unicel. Use C-7414.</i>							
	150	7-1/2"	28-15/16"		111792 M-7414	C-7414	4 oz
	65	7-1/2"	14-13/16"		111794	C-7415	4 oz
	50	7-1/2"	14-13/16"		111790 M-7412	C-7417	4 oz
	100	7-1/2"	20-13/16"		111791 M-7418	C-7418	4 oz
	100	8-1/2"	15-3/16"		111063	C-8310	3 oz
	150	8-1/2"	22-11/16"		111064	C-8315	3 oz
<i>Note: The C-8315 has been discontinued by Unicel.</i>							
	75	9-15/16"	13-5/16"		111831	C-9401	4 oz
	100	9-15/16"	19-5/16"		111832	C-9402	4 oz
	150	9-15/16"	25-5/16"		111833	C-9403	4 oz
<b>Rising Dragon</b>							
	35	4-15/16"	9-1/4"	w/ 2" female SAE thread		4CH-935	3 oz
	50	4-15/16"	13-1/2"	w/ 2" female SAE thread		4CH-949	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<i>Note: Also replaces depth filtration cartridge.</i>							
<b>River Valley Spas</b>							
	25	4-15/16"	13-5/16"			C-4326	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Rocky Mountain Spas</b>							
	45	5-5/16"	10-1/8"			C-5345	3 oz
<b>Rogers Spas</b>							
	25	5-3/16"	11-7/8"			C-5622	6 oz
<i>Note: The C-5622 has been discontinued by Unicel. Use C-5626.</i>							
<b>Romanesque</b>							
	25	5-3/16"	11-7/8"			C-5622	6 oz
<i>Note: The C-5622 has been discontinued by Unicel. Use C-5626.</i>							
	27	5-3/16"	14-3/4"			C-5627	6 oz
<i>Note: The C-5627 has been discontinued by Unicel.</i>							
<b>Royal Spas</b>							
	25	4-15/16"	13-5/16"			C-4326	3 oz
<b>Rubadub Tub</b>							
	25	4-15/16"	13-5/16"			C-4326	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Safari Spas</b>							
	25	4-15/16"	13-5/16"			C-4326	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
	25	5-11/16"	10-3/8"			C-5601	3 oz
<b>Santa Barbara Spas</b>							
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
	100	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
<i>Note: Two 50 sq.ft. cartridges required.</i>							
<b>Santanna</b>							
	25	4-15/16"	9-13/16"			C-4328	4 oz
<i>Note: Product has closed top.</i>							
	45	4-15/16"	14-7/8"			C-4345	3 oz
<i>Note: Product has closed top. The C-4345 has been discontinued by Unicel.</i>							
	45	4-15/16"	17-3/4"			C-4346	4 oz
<i>Note: Product has closed top. The C-4346 has been discontinued by Unicel.</i>							
	45	4-15/16"	14-7/8"			C-4347	3 oz
<i>Note: The C-4347 has been discontinued by Unicel. Use C-4305.</i>							
	25	4-15/16"	9-13/16"			C-4428	4 oz

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Santanna</b>							
	30	4-15/16"	11-7/8"			C-4430	4 oz
<i>Note: The C-4430 has been discontinued by Unicel. Use C-4332</i>							
	45	4-15/16"	17-3/4"			C-4449	4 oz
<b>Saratoga Spas</b>							
<i>see also Adirondack Spas</i>							
	13	4-5/8"	4-5/8"	w/ 1-1/2" male thread/MPT		4CH-19	3 oz
	20	4-5/8"	6-3/4"	w/ 1-1/2" male thread/MPT	20241-238	4CH-20	3 oz
	19	4-5/8"	8"	w/ 1-1/2" male thread/MPT	20245-238	4CH-21	3 oz
	25	4-5/8"	9-3/4"	w/ 1-1/2" male thread/MPT	20254-238	4CH-24	3 oz
	30	4-5/8"	11-7/8"	w/ 1-1/2" male thread/MPT	74407-98	4CH-30	4 oz
	20	4-5/8"	6-3/4"	w/ 1-1/4" SAE thread		4CH-920	3 oz
	25	4-5/8"	12"	w/ 1-1/4" SAE thread	74408-99	4CH-950	3 oz
	14	4-5/8"	6"	open w/ slots	74456	C-4314AM	3 oz
<i>Note: Requires existing tabbed tread adapter in skim well (not furnished).</i>							
	28	4-5/8"	11-5/8"	open w/ slots	74452	C-4327	3 oz
	28	4-5/8"	11-5/8"	open w/ slots	74452	C-4327AM	3 oz
<b>Savannah Spas</b>							
<i>see Acryx-Maax Spas (Canada)</i>							
<b>Seahorse Spas</b>							
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Sears</b>							
<i>see Muskin</i>							
<b>Seascape Spas</b>							
	30	4-5/8"	11-7/8"	w/ 1-1/2" male thread/MPT		4CH-30	4 oz
<b>Seasonmaster</b>							
<i>see Aquasports</i>							
<b>Sequoia Design</b>							
	25	4-15/16"	13-5/16"			C-4625	4 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Serenity Spas</b>							
<i>see Hydro Pool Industries</i>							
<b>Seven Seas</b>							
	50	5-11/16"	10-3/8"			C-5300	3 oz
<i>Note: Product has closed top.</i>							
	25	5-11/16"	10-3/8"			C-5601	3 oz
<i>Note: Product has closed top.</i>							
	25	5"	13-5/16"			C-5625	4 oz
<b>Sierra Spas</b>							
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Signature Spas</b>							
	25	4-15/16"	13-5/16"			C-4326	3 oz
	50	4-15/16"	6-5/8"			C-4405	4 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Simple Set</b>							
<i>see Aqua Leisure</i>							
<b>Softsider Spas</b>							
	12	4-5/8"	4-5/8"			C-4302	3 oz
	15	4-5/8"	6-3/4"			C-4303	3 oz
<i>Note: The C-4303 has been discontinued by Unicel. Use 4CH-20 if PAD adapter is MPT; must remove threaded PAD adapter from skim well.</i>							
	32	7"	8"			C-7432	4 oz
<i>Note: The C-7432 has been discontinued by Unicel. Use 7CH-32 if PAD adapter is 1-1/2" MPT or 7CH-322 if PAD adapter is 2" MPT; must remove threaded PAD adapter from skim well.</i>							
<b>Softub</b>							
	20	4-5/8"	6-3/4"	w/ 1-1/2" male thread/MPT		4CH-20	3 oz
	25	6"	5-1/2"	w/ 1-1/2" male thread/MPT	90-802	6CH-25	3 oz
<b>Sonfarrel</b>							
<i>see also Martec</i>							

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Sonfarrel</b>							
	25 30	4-15/16"	14-7/8"		220122 220128 220132	C-4301	3 oz
	45 50	4-15/16"	14-7/8"		220142 220145 220152 220175	C-4305	3 oz
	25	4-15/16"	14-9/16"			C-4308	3 oz
	25 35	4-15/16"	11-7/8"		220022 220032 220035 220042	C-4332	3 oz
	130	7-1/2"	28-15/16"		2301630	C-7413	4 oz
<i>Note: The C-7413 has been discontinued by Unicel. Use C-7414.</i>							
	150	7-1/2"	28-15/16"			C-7414	4 oz
	65	7-1/2"	14-13/16"		2310650	C-7415	4 oz
	100	7-1/2"	21-7/8"		2301750	C-7419	4 oz
	6	2-3/4"	9-3/4"		250006	T-380	4 oz
<b>Sonoma Spas</b>							
	10	4-1/4"	4"			C-4310	3 oz
	25	4-5/8"	11-7/8"			C-4325	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
	100	4-15/16"	26-11/16"			C-4999	3 oz
	25	5-1/2"	11-7/8"			C-5402	4 oz
<i>Note: The C-5402 has been discontinued by Unicel.</i>							
	40	5-1/2"	17"			C-5404	4 oz
	25	7"	9-13/16"	open w/ molded gasket		C-7626	4 oz
<b>South Pacific Spas</b>							
	40	5-3/16"	10-3/4"	w/ 2" male thread/MPT		5CH-402	3 oz
	25	4-15/16"	13-5/16"			C-4321	3 oz
<b>Southwest Spas</b>							
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Spa Crest</b>							
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Spa Manufacturers Inc.</b>							
	25	4-5/8"	9-3/4"			C-4324	3 oz
<i>Note: The C-4324 has been discontinued by Unicel. Use 4CH-24 if PAD adapter is MPT; must remove threaded PAD adapter from skim well.</i>							
	25	4-15/16"	13-5/16"			C-4326	3 oz
<b>Spa-In-A-Box</b>							
	4	2-3/4"	5-1/8"			C-2305	3 oz
<b>Spas Direct</b>							
	45	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Speck Pumps</b>							
AC2515	150	8-15/16"	24-7/16"		18220R0100	C-8415	4 oz
AC2507	75	8-15/16"	15"		18219R0100	C-8474	4 oz
AC2510	100	8-15/16"	19-11/16"		18112R0100	C-8499	4 oz
<b>Spillway Spas</b>							
<i>see Florida Whirlpool</i>							
<b>SplashTub</b>							
ST-230 ST-315	16	4-15/16"	5-1/2"			C-4316	3 oz
ST-230 ST-315	15	6-3/8"	5-1/8"	open w/ step		C-6324	3 oz
<i>Note: Used over suction cover.</i>							
<b>Sta-Rite</b>							
TX-15	0	4-1/2"	9-3/4"			C-4610	4 oz



	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Sta-Rite</b>							
PRC 50	50	7"	14-3/16"	open w/ molded gasket	25200-0150S	C-7447	4 oz
PRC 75	75	7"	19-5/8"	open w/ molded gasket	25200-0175S	C-7477	4 oz
<b>Note: The C-7477 has been discontinued by Unicel. Use C-7483.</b>							
Posi-Clean RCP25	25	7"	9-13/16"		24240-0016	C-7625	6 oz
Posi-Clean RCB25B					WC108-140SI		
Posi-Clean TXC25							
Posi-Clean TXC25B							
<b>Note: The C-7625 has been discontinued by Unicel. Use C-7425.</b>							
Posi-Clean FCP50	50	7"	19-3/8"		24241-0016	C-7652	4 oz
Posi-Clean TXC50					WC108-141SI		
Posi-Clean TXC50B							
Posi-Clean FCP50B							
Posi-Clean FCP100	100	7"	19-3/8"		24241-0016	C-7652	4 oz
Posi-Clean TXC100					WC108-141SI		
<b>Note: Two 50 sq.ft. cartridges required.</b>							
Posi-Clean FCP75	75	7"	29-1/8"		24240-0016 & 24241-0016	C-7677	4 oz
Posi-Clean TXC75							
<b>Note: Product can also be replaced with one C-7652 and one C-7425 (using original coupler).</b>							
Posi-Clear PXC-95	95	8-15/16"	17-3/8"	open w/ molded gasket	25230-0095S	C-8409	4 oz
Posi-Clear PXC-75	75	8-15/16"	17-3/8"	open w/ molded gasket	25230-0075S	C-8411	4 oz
Posi-Clear PXC-125	125	8-15/16"	28-3/16"	open w/ molded gasket	25230-0125S	C-8413	4 oz
Posi-Clear PXC-150	150	8-15/16"	28-3/16"	open w/ molded gasket	25230-0150S	C-8416	4 oz
Posi-Clear PXC RP 100	100	10-1/16"	23-5/8"		R173215	C-9410	4 oz
<b>Note: Product has orange end caps.</b>							
Posi-Clear PXC RP 150	150	10-1/16"	31-1/8"		R173216	C-9415	4 oz
<b>Note: Product has orange end caps.</b>							
Posi-Clear PXC RP 200	200	10-1/16"	31-1/8"		R173217	C-9419	4 oz
<b>Note: Product has orange end caps.</b>							
Swimquip 108	6	2-3/4"	9-3/4"		24101-19	T-380	4 oz
Swimquip 216							
Swimquip 72							
Posi-Flo 100GPM-TX	100	8-11/16"	25-11/16"	w/ open w/ 12 concentric slots	177009	UHD-SR100	4 oz
Posi-Flo 100TX							
Posi-Flo 100TXR							
Posi-Flo II PTM100							
Posi-Flo T-100TX							
Posi-Flo T-100TXR							
Posi-Flo T-100TX					WC108-58S2X		
Posi-Flo T-100TXR							
Posi-Flo II PTM100							
Posi-Flo 100GPM-TX							
Posi-Flo 100TX							
Posi-Flo 100TXR							
<b>Note: Unicel replacement has blue top end cap and orange bottom end cap.</b>							
Posi-Flo T-135TX	135	8-11/16"	34-1/2"	w/ open w/ 12 concentric slots	WC108-59S2X	UHD-SR135	4 oz
<b>Note: Product discontinued by Sta-Rite. Replacement fits stainless steel tank only. Unicel replacement has blue top end cap and orange bottom end cap.</b>							
Posi_flo 135GPM-TX	137	8-11/16"	31-1/4"	w/ open w/ 12 concentric slots	177010	UHD-SR137	4 oz
Posi-Flo 135TX							
Posi-Flo 135TXR							
Posi-Flo II PTM 135							
Posi-Flo II PTM135					WC108-70S2X		
Posi-Flo 135GPM-TX							
Posi-Flo 135TX							
Posi-Flo 135TXR							
<b>Note: Unicel replacement has blue top end cap and orange bottom end cap.</b>							
Posi-Flo 35GPM-TX	35	8-11/16"	9-3/4"	w/ open w/ 12 concentric slots	WC108-55S2X	UHD-SR35	4 oz
Posi-Flo 35TX							
Posi-Flo 35TXR							
<b>Note: Unicel replacement has blue top end cap and orange bottom end cap.</b>							
Posi-Flo 50GPM-TX	50	8-11/16"	13-5/16"	w/ open w/ 12 concentric slots	177007	UHD-SR50	4 oz

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Sta-Rite</b>							
Posi-Flo 50TX	50	8-11/16"	13-5/16"	w/ open w/ 12 concentric slots	177007	UHD-SR50	4 oz
Posi-Flo 50TXR							
Posi-Flo II PTM50							
Posi-Flo T-50TX							
Posi-Flo T-50TXR							
Posi-Flo T-50TX					WC108-56S2X		
Posi-Flo T-50TXR							
Posi-Flo 50GPM-TX							
Posi-Flo 50TX							
Posi-Flo 50TXR							
Posi-Flo II PTM50							
<i>Note: Unicel replacement has blue top end cap and orange bottom end cap.</i>							
Posi-Flo 70GPM-TX	70	8-11/16"	18-3/16"	w/ open w/ 12 concentric slots	177008	UHD-SR70	4 oz
Posi-Flo 70TX							
Posi-Flo 70TXR							
Posi-Flo II PTM70							
Posi-Flo T-70TX							
Posi-Flo T-70TXR							
Posi-Flo II PTM70							
Posi-Flo 70GPM-TX					WC108-57S2X		
Posi-Flo 70TX							
Posi-Flo 70TXR							
Posi-Flo T-70TX							
Posi-Flo T-70TXR							
<i>Note: Unicel replacement has blue top end cap and orange bottom end cap.</i>							
<b>Starlight Spas</b>							
<i>see US Tooling &amp; Spa</i>							
<b>Statewood Spas</b>							
<i>see Acryx-Maax Spas (Canada)</i>							
<b>Streamline Spas</b>							
	25	4-15/16"	13-5/16"			C-4326	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Strong Industries</b>							
	20	4-5/8"	7-1/4"	w/ injection molded 1-1/2" SAE thread		4CH-925	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Sun Coast Spas</b>							
	35	4-15/16"	9-1/4"			C-4335	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Sun Ray Spas (Canada)</b>							
	25	4-15/16"	13-5/16"			C-4326	3 oz
	35	4-15/16"	9-1/4"			C-4335	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Sun West Spas</b>							
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Sunbelt Spas</b>							
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
	100	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
<i>Note: Two 50 sq.ft. cartridges required (used side-by-side).</i>							
	100	6"	8-1/4"	w/ 1-3/4" male slip fitting		6CH-941	3 oz
<i>Note: 6CH-941 and 6CH-942 required (stacked).</i>							
	200	6"	8-1/4"	w/ 1-3/4" male slip fitting		6CH-941	3 oz
<i>Note: Two 6CH-941 and two 6CH-942 required.</i>							
	100	6"	8-1/4"	w/ 1-1/2" SAE thread		6CH-942	3 oz
<i>Note: 6CH-941 and 6CH-942 required (stacked).</i>							
	200	6"	8-1/4"	w/ 1-1/2" SAE thread		6CH-942	3 oz
<i>Note: Two 6CH-941 and two 6CH-942 required.</i>							
	50	4-15/16"	13-5/16"			C-4950	3 oz
	75	4-15/16"	23-5/8"			C-4970	3 oz

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Sunbelt Spas</b>							
<i>The C-4970 has been discontinued by Unicel. Use C-4995.</i>							
<b>Suncountry Spas</b>							
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Sundance Spas</b>							
	25	4-5/8"	11-7/8"	w/ 1-1/2" male thread/MPT	6540-484	4CH-30	4 oz
	40	4-5/8"	16"	w/ 1-1/2" male thread/MPT	6540-486	4CH-35	3 oz
Del Sol Redondo	50	5-3/16"	10-3/4"	w/ 2" male thread/MPT	6540-723	5CH-402	3 oz
Del Sol Hermosa	<i>Note: OEM original is 11" OAL and 5-1/2" OD.</i>						
	45	6"	9-1/8"	w/ 1-1/2" male thread/MPT	373043	6CH-47	3 oz
	90	7"	19"	w/ 1-1/2" male thread/MPT	6540-487	7CH-90	3 oz
	95	8"	15-1/2"	w/ 2" male thread/MPT	2540-381	8CH-102	3 oz
	50	4-15/16"	14-7/8"		6540-497	C-4305	3 oz
Tacoma 680	35	4-15/16"	9-1/4"		6000-136	C-4335	3 oz
	45	4-15/16"	4-5/8"		6000-134	C-4401	4 oz
<i>Note: Requires one C-4401 and one C-4405 for 45 sq.ft. total.</i>							
	40	4-5/8"	16-3/4"		6540-495	C-4440	4 oz
	50	4-15/16"	13-5/16"		6540-471	C-4950	3 oz
	75	7-1/2"	17-3/4"	open w/ beveled edge	6540-483	C-7370	3 oz
	65	7-1/2"	14-3/4"		6540-480	C-7465	3 oz
<i>Note: 2-1/16" bottom id for 1-1/2" system. Unicel part replaces both 7-1/2" and 8" OD Sundance cartridges.</i>							
	65	7-1/2"	14-3/4"		6540-481	C-7466	3 oz
<i>Note: 2-5/8" bottom id for 2" system. Unicel part replaces both 7-1/2" and 8" OD Sundance cartridges.</i>							
	120	8-7/16"	18-1/8"	open w/ beveled edge	6540-482	C-8320	3 oz
<i>Note: The C-8320 has been discontinued by Unicel. Use C-8325.</i>							
Universal Length	125	8-7/16"	18"	open w/ beveled edge	6540-490	C-8325	3 oz
<i>Note: Length recorded is measured to first step. Replacement for 18" to 18-1/2" overall length.</i>							
	125	8-7/16"	19"	open w/ beveled edge	6540-488	C-8326	3 oz
<i>Note: Models dated before 2006 (contains a core block/plug).</i>							
	125	8-7/16"	19"	open w/ beveled edge	6540-488	C-8327	3 oz
<i>Note: Models dated after 2005 (does not contain core block/plug); also replaces OEM P/N 6540-507</i>							
MicroClean	80	8-7/16"	14"	open w/ beveled edge	6540-501	C-8380	3 oz
<b>Sunrise Spas</b>							
	50	4-15/16"	13-1/2"	w/ 2" female SAE thread		4CH-949	3 oz
	25	6"	5-1/2"	w/ 1-1/2" male thread/MPT		6CH-25	3 oz
	50	6"	8-1/4"	w/ 1-1/2" male thread/MPT		6CH-49	3 oz
	25	6"	5-1/2"	w/ 1-1/2" SAE thread		6CH-924	3 oz
	45	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
	32	7"	8"	w/ 1-1/2" male thread/MPT		7CH-32	3 oz
	35	4-15/16"	9-1/4"			C-4335	3 oz
	50	4-15/16"	6-5/8"			C-4405	4 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Sunset Spas</b>							
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Superior Spas</b>							
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
	100	6"	8-1/4"	w/ 1-3/4" male slip fitting		6CH-941	3 oz
<i>Note: 6CH-941 and 6CH-942 required (stacked).</i>							
	100	6"	8-1/4"	w/ 1-1/2" SAE thread		6CH-942	3 oz
<i>Note: 6CH-941 and 6CH-942 required (stacked).</i>							
	10	4-1/4"	4"			C-4310	3 oz
Avalon	40	4-15/16"	11-1/4"			C-4339	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Swimquip</b>							
<i>see Sta-Rite</i>							
<b>T. Bahama Spas</b>							
<i>see Southwest Spas</i>							

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>The Wet Set</b>							
<i>see Intex</i>							
<b>Thermo Spas of Connecticut</b>							
	25	6"	7"	w/ 1-1/2" male thread/MPT		6CH-26	3 oz
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
	30	4-15/16"	14-7/8"			C-4301	3 oz
	10	4-1/4"	4"			C-4310	3 oz
	25	4-15/16"	13-5/16"			C-4326	3 oz
	35	4-15/16"	4-5/8"			C-4401	4 oz
	50	4-15/16"	6-5/8"			C-4405	4 oz
<b>Tiara Spas</b>							
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Tiger River</b>							
<i>see also Hot Springs Spas</i>							
	65	8-1/2"	10-1/2"		31114	C-8465	3 oz
<b>Tuff Spas</b>							
	40	5-3/16"	10-3/4"	w/ 2" male thread/MPT		5CH-402	3 oz
<i>Note: Models dated after 2008.</i>							
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Unicel</b>							
15 sq.ft. skim filter	15	4-5/8"	5-3/16"	w/ injection molded 1-1/2" SAE thread		4CH-15	3 oz
13 sq.ft. top load	13	4-5/8"	4-5/8"	w/ 1-1/2" male thread/MPT		4CH-19	3 oz
<i>Note: Replaces any cartridge that has an MPT fitting or a 1.9" id w/ disposable adapter.</i>							
20 sq.ft. top load	20	4-5/8"	6-3/4"	w/ 1-1/2" male thread/MPT		4CH-20	3 oz
<i>Note: Replaces any cartridge that has an MPT fitting or a 1.9" id w/ disposable adapter.</i>							
19 sq.ft. top load	19	4-5/8"	8"	w/ 1-1/2" male thread/MPT		4CH-21	3 oz
<i>Note: Replaces any cartridge that has an MPT fitting or a 1.9" id w/ disposable adapter.</i>							
25 sq.ft. top load	25	4-15/16"	6-5/8"	w/ 1-1/2" male thread/MPT		4CH-22	3 oz
<i>Note: Replacement for Freeflow Spas.</i>							
25 sq.ft. top load	25	4-15/16"	6-5/8"	w/ 1-1/2" male thread/MPT		4CH-23	3 oz
<i>Note: Product has a closed top; Replacement for Freeflow Spas.</i>							
25 sq.ft. top load	25	4-5/8"	9-3/4"	w/ 1-1/2" male thread/MPT		4CH-24	3 oz
<i>Note: Replaces any cartridge that has an MPT fitting or a 1.9" id w/ disposable adapter.</i>							
23 sq.ft. top load	23	4-5/8"	8"	w/ 1-1/2" male thread/MPT		4CH-25	3 oz
<i>Note: Replacement for Dream Maker Spas.</i>							
25 sq.ft. top load	25	4-5/8"	8"	w/ 2" male thread/MPT		4CH-252	3 oz
<i>Note: Replacement for Cal Spas, Coleman Spas, and Master Spas.</i>							
30 sq.ft. top load	30	4-5/8"	11-7/8"	w/ 1-1/2" male thread/MPT		4CH-30	4 oz
<i>Note: Replaces any cartridge that has an MPT fitting or a 1.9" id w/ disposable adapter.</i>							
35 sq.ft. top load	35	4-5/8"	16"	w/ 1-1/2" male thread/MPT		4CH-35	3 oz
<i>Note: Replaces any cartridge that has an MPT fitting or a 1.9" id w/ disposable adapter.</i>							
50 sq.ft. top load	50	4-5/8"	14-3/4"	w/ 1-1/2" male thread/MPT		4CH-50	3 oz
<i>Note: Replaces any cartridge that has an MPT fitting or a 1.9" id w/ disposable adapter.</i>							
65 sq.ft. top load	65	4-5/8"	19-5/8"	w/ 1-1/2" male thread/MPT		4CH-65	3 oz
<i>Note: Replaces any cartridge that has an MPT fitting or a 1.9" id w/ disposable adapter.</i>							
20 sq.ft. top load	20	4-5/8"	6-3/4"	w/ 1-1/4" SAE thread		4CH-920	3 oz
<i>Note: Replacement for Saratoga Spas.</i>							
20 sq.ft. top load	20	4-5/8"	7-1/4"	w/ injection molded 1-1/2" SAE thread		4CH-925	3 oz
<i>Note: Replacement for Strong Industries.</i>							
25 sq.ft. top load	25	4-15/16"	13-1/2"	w/ 2" female SAE thread		4CH-926	3 oz
<i>Note: Replacement for Rising Dragon, Waterway, Custom Molded Products.</i>							
35 sq.ft. top load	35	4-5/8"	12-1/2"	w/ 2" SAE thread		4CH-934	3 oz
<i>Note: Replacement for Jacuzzi Premium.</i>							
35 sq.ft. top load	35	4-15/16"	9-1/4"	w/ 2" female SAE thread		4CH-935	3 oz
<i>Note: Replacement for Rising Dragon, Waterway, Custom Molded Products.</i>							
40 sq.ft. top load	40	4-5/8"	15"	w/ 1-1/4" SAE thread		4CH-940	3 oz

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Unicel</b>							
<i>Note: Replacement for Dimension One Spas.</i>							
50 sq.ft. top load	50	4-15/16"	13-1/2"	w/ 2" female SAE thread		4CH-949	3 oz
<i>Note: Replacement for Rising Dragon, Waterway, Custom Molded Products.</i>							
25 sq.ft. top load	25	4-5/8"	12"	w/ 1-1/4" SAE thread		4CH-950	3 oz
<i>Note: Replacement for Dimension One Spas.</i>							
20 sq.ft. top load	20	5-3/8"	7"	w/ 3" male thread/MPT		5CH-203	3 oz
<i>Note: Substitute for LA Spas sock filter.</i>							
25 sq.ft. top load	25	5-5/8"	6"	w/ 1-1/2" male thread/MPT		5CH-25	3 oz
<i>Note: Replacement for Maax Spas.</i>							
35 sq.ft. top load	35	5-5/8"	8"	w/ 1-1/2" male thread/MPT		5CH-35	3 oz
<i>Note: Replacement for Elite Spas by Maax.</i>							
35 sq.ft. top load	35	5-3/16"	12-1/2"	w/ 2" male thread/MPT		5CH-352	3 oz
<i>Note: Replacement for Marquis Spas.</i>							
37.5 sq.ft. top load	38	5-5/16"	9"	w/ 1-1/2" male thread/MPT		5CH-37	3 oz
<i>Note: Replacement for Aquaterra Spa.</i>							
40 sq.ft. top load	40	5-3/16"	10-3/4"	w/ 2" male thread/MPT		5CH-402	3 oz
<i>Note: Replacement for Del Sol Spas.</i>							
45 sq.ft. top load	45	5-5/16"	10"	w/ 1-1/2" male thread/MPT		5CH-45	3 oz
<i>Note: Replacement for Freeflow Spas.</i>							
50 sq.ft. top load	50	5-3/16"	12-1/2"	w/ 2" male thread/MPT		5CH-502	3 oz
<i>Note: Replacement for Marquis Spas, Cal Spas. Unicel part number was formerly C-5303.</i>							
50 sq.ft. top load	50	5-3/16"	16"	w/ 2" male thread/MPT		5CH-512	3 oz
<i>Note: Replacement for Marquis Spas</i>							
75 sq.ft. top load/front access	75	5-3/16"	16-1/8"	w/ 2" male thread/MPT		5CH-752	3 oz
<i>Note: Replacement for Cal Spas.</i>							
90 sq.ft. top load	90	5-3/16"	30"	w/ 2" male thread/MPT		5CH-902AM	4 oz
<i>Note: Replacement for Marquis Spas</i>							
25 sq.ft. top load	25	6"	5-1/2"	w/ 1-1/2" male thread/MPT		6CH-25	3 oz
<i>Note: Replaces any 6" or 7" OD cartridge that has an MPT fitting or a 1.9" id w/ disposable adapter.</i>							
25 sq.ft. top load	25	6"	7"	w/ 1-1/2" male thread/MPT		6CH-26	3 oz
<i>Note: Replaces any 6" or 7" OD cartridge that has an MPT fitting or a 1.9" id w/ disposable adapter.</i>							
35 sq.ft. top load	35	6"	9-7/8"	w/ 1-1/2" male thread/MPT		6CH-35	3 oz
<i>Note: Replaces any 6" or 7" OD cartridge that has an MPT fitting or a 1.9" id w/ disposable adapter.</i>							
35 sq.ft. skim filter	35	6"	8"	w/ 2" male thread/MPT		6CH-352	3 oz
<i>Note: Replacement for Master Spas, Artesian Spas.</i>							
40 sq.ft. top load	40	6"	9-1/2"	w/ 2" male thread/MPT		6CH-402	3 oz
<i>Note: Replacement for Master Spas.</i>							
45 sq.ft. top load	45	6"	12-3/8"	w/ 1-1/2" male thread/MPT		6CH-45	3 oz
<i>Note: Replaces any 6" or 7" OD cartridge that has an MPT fitting or a 1.9" id w/ disposable adapter.</i>							
47 sq.ft. top load	47	6"	9-1/8"	w/ 1-1/2" male thread/MPT		6CH-47	3 oz
<i>Note: Replaces any 6" or 7" OD cartridge that has an MPT fitting or a 1.9" id w/ disposable adapter.</i>							
45 sq.ft. top load	45	6"	8-1/4"	w/ 1-1/2" male thread/MPT		6CH-49	3 oz
<i>Note: Replacement for Sunrise Spas.</i>							
50 sq.ft. top load	50	6"	13-7/16"	w/ 1-1/2" male thread/MPT		6CH-50	3 oz
<i>Note: Replaces any 6" or 7" OD cartridge that has an MPT fitting or a 1.9" id w/ disposable adapter.</i>							
50 sq.ft. top load	50	6-3/4"	8"	w/ 2" male thread/MPT		6CH-502	3 oz
<i>Note: Replacement for Artesian Spas.</i>							
60 sq.ft. top load	60	6"	16-1/4"	w/ 1-1/2" male thread/MPT		6CH-60	3 oz
<i>Note: Replaces any 6" or 7" OD cartridge that has an MPT fitting or a 1.9" id w/ disposable adapter.</i>							
75 sq.ft. top load	75	6"	19-3/4"	w/ 1-1/2" male thread/MPT		6CH-75	3 oz
<i>Note: Replaces any 6" or 7" OD cartridge that has an MPT fitting or a 1.9" id w/ disposable adapter.</i>							
25 sq.ft. top load	25	6"	5-1/2"	w/ 1-1/2" SAE thread		6CH-924	3 oz
<i>Note: Replacement for Sunrise Spas.</i>							
25 sq.ft. top load/front access	25	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-925	3 oz
45 sq.ft. top load/front access	45	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz
45 sq.ft. front access	45	6"	8-1/4"	w/ 1-3/4" male slip fitting		6CH-941	3 oz
45 sq.ft. front access	45	6"	8-1/4"	w/ 1-1/2" SAE thread		6CH-942	3 oz
45 sq.ft. top load	45	6"	13-1/2"	w/ 2" SAE thread		6CH-945	3 oz
<i>Note: Replacement for Jacuzzi Premium Spas.</i>							

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Unicel</b>							
60 sq.ft. top load/front access	60	6"	17-1/2"	w/ 2" SAE thread		6CH-959	3 oz
<i>Note: Replacement for Jacuzzi Premium Spas.</i>							
52 sq.ft. top load/front access	52	6-3/4"	15-1/2"	w/ 2" SAE thread		6CH-960	3 oz
<i>Note: Replacement for Jacuzzi Premium Spas.</i>							
60 sq.ft. top load/front access	60	6-3/4"	15-1/2"	w/ 2" SAE thread		6CH-961	3 oz
<i>Note: Replacement for Jacuzzi Premium; Unicel replacement requires injection molded semi-circular handle (not furnished).</i>							
75 sq.ft. top load	75	6-3/4"	15-1/2"	w/ 2" SAE thread		6CH-975	3 oz
<i>Notes: Replacement for Cal Spas and Waterway.</i>							
32 sq.ft. top load	32	7"	8"	w/ 1-1/2" male thread/MPT		7CH-32	3 oz
<i>Note: Replacement for Coleman Spas.</i>							
32 sq.ft. top load	32	7"	8"	w/ 2" male thread/MPT		7CH-322	3 oz
<i>Note: Replacement for Coleman Spas and Artesian Spas.</i>							
40 sq.ft. top load	40	7"	9-3/4"	w/ 1-1/2" male thread/MPT		7CH-40	3 oz
<i>Note: Replacement for Coleman Spas and Vita Spas.</i>							
40 sq.ft. top load	40	7"	9-3/4"	w/ 2" male thread/MPT		7CH-402	3 oz
<i>Note: Replacement for Coleman Spas.</i>							
50 sq.ft. top load	50	7"	14-3/4"	w/ 1-1/2" male thread/MPT		7CH-50	3 oz
<i>Note: Replacement for Coleman Spas and Vita Spas.</i>							
50 sq.ft. top load	50	7"	14-3/4"	w/ 2" male thread/MPT		7CH-502	3 oz
<i>Note: Replacement for Coleman Spas.</i>							
52 sq.ft. top load	52	7"	10-1/2"	w/ 2" male thread/MPT		7CH-552	3 oz
<i>Note: Replacement for Dimension One Spas.</i>							
75 sq.ft. top load	75	7"	14-3/4"	w/ 2" male thread/MPT		7CH-752	3 oz
<i>Note: Replacement for Dimension One Spas.</i>							
90 sq.ft. top load	90	7"	19"	w/ 1-1/2" male thread/MPT		7CH-90	3 oz
<i>Note: Replacement for Sundance Spas.</i>							
52 sq.ft. top load	52	7"	10-1/2"	w/ 1-1/2" SAE thread		7CH-975	3 oz
<i>Note: Replacement for Dimension One Spas.</i>							
95 sq.ft. top load	95	8"	15-1/2"	w/ 2" male thread/MPT		8CH-102	3 oz
<i>Note: Replacement for Sundance Spas, Jacuzzi.</i>							
120 sq.ft. top load	120	8"	18"	w/ 2" male thread/MPT		8CH-202AM	3 oz
<i>Note: Replacement for Diamante Spas; Manufactured with antimicrobial filter media.</i>							
50 sq.ft. top load/front access	50	8-1/2"	7-1/4"	w/ 2" male thread/MPT		8CH-502	3 oz
<i>Note: Replacement for Vita Spas.</i>							
60 sq.ft. top load	60	8"	11-5/8"	w/ 2" male thread/MPT		8CH-60	3 oz
<i>Note: The 8CH-60 has been discontinued by Unicel. Use 8CH-66.</i>							
60 sq.ft. top load	60	8"	9-1/4"	w/ 2" male thread/MPT		8CH-66	3 oz
<i>Note: Replacement for Master Spas.</i>							
85 sq.ft. top load	85	8"	12-3/4"	w/ 2" male thread/MPT		8CH-852AM	3 oz
<i>Note: Replacement for Diamante Spas; Manufactured with antimicrobial filter media. The 8CH-852AM has been discontinued by Unicel. Use 8CH-66.</i>							
45 sq.ft. top load	45	8"	6"	w/ 2" SAE thread		8CH-950	3 oz
<i>Note: Replacement for Bullfrog Spas. The 8CH-950 has been discontinued by Unicel. Use 8CH-951.</i>							
40 sq.ft. top load	40	8"	5-3/4"	w/ 2" SAE thread		8CH-951	3 oz
<i>Note: Replacement for Bullfrog Spas.</i>							
<b>US Spas</b>							
	25	4-15/16"	13-5/16"			C-4326	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>US Tooling &amp; Spa</b>							
<i>see also Diamante Spas</i>							
	120	8"	18"	w/ 2" male thread/MPT		8CH-202AM	3 oz
<i>Note: Manufactured with antimicrobial filter media; formerly Unicel P/N 8CH-202RA.</i>							
	85	8"	12-3/4"	w/ 2" male thread/MPT		8CH-852AM	3 oz
<i>Note: Manufactured with antimicrobial filter media. The 8CH-852AM has been discontinued by Unicel. Use 8CH-66.</i>							
	10	4-1/4"	4"			C-4310	3 oz
	50	4-15/16"	6-5/8"			C-4405	4 oz
	60	4-15/16"	13-5/16"			C-4950	3 oz
<b>Viking Spas</b>							
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread		6CH-940	3 oz


	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Viking Spas</b>							
	25	4-15/16"	13-5/16"			C-4326	3 oz
	32	4-15/16"	11-7/8"			C-4332	3 oz
<b>Vita Spas</b>							
	25	4-5/8"	6-3/4"	w/ 1-1/2" male thread/MPT	PVT 25	4CH-20	3 oz
<i>Note: Remove "pad adapter" from the skimmer before threading Unicel MPT directly into the suction fitting.</i>							
	25	4-5/8"	8"	w/ 1-1/2" male thread/MPT	PVT 25N	4CH-21	3 oz
<i>Note: Remove "pad adapter" from the skimmer before threading Unicel MPT directly into the suction fitting.</i>							
	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread	PWW 50	6CH-940	3 oz
	40	7"	9-3/4"	w/ 1-1/2" male thread/MPT	PVT 40	7CH-40	3 oz
<i>Note: Remove "pad adapter" from the skimmer before threading Unicel MPT directly into the suction fitting.</i>							
	50	7"	14-3/4"	w/ 1-1/2" male thread/MPT	PVT 50	7CH-50	3 oz
<i>Note: Remove "pad adapter" from the skimmer before threading Unicel MPT directly into the suction fitting.</i>							
	50	8-1/2"	7-1/4"	w/ 2" male thread/MPT	PVT 50WH	8CH-502	3 oz
<i>Note: Remove "pad adapter" from the skimmer (if present) before threading Unicel MPT directly into the suction fitting; For models dated 2006 to present and all prior year slotted bottom cartridges w/ pad adapter removed.</i>							
	15	4-5/8"	6-3/4"		PVT 25	C-4303	3 oz
<i>Note: The C-4303 has been discontinued by Unicel. Use 4CH-20 if PAD adapter is MPT; must remove threaded PAD adapter from skim well.</i>							
	50	4-15/16"	13-5/16"		PRB 50IN	C-4950	3 oz
	40	7"	9-3/4"		PVT 40	C-7439	4 oz
<i>Note: The C-7439 has been discontinued by Unicel. Use 7CH-40 if PAD adapter is 1-1/2" MPT or 7CH-402 if PAD adapter is 2" MPT; must remove threaded PAD adapter from skim well.</i>							
	50	7"	14-3/4"		PVT 50	C-7449	4 oz
<i>Note: The C-7449 has been discontinued by Unicel. Use 7CH-50 if PAD adapter is 1-1/2" MPT; must remove threaded PAD adapter from skim well.</i>							
	50	7"	19-5/8"			C-7450	4 oz
<i>Note: Product discontinued by Vita Spas.</i>							
	50	8-1/2"	7-1/4"	open w/ slots	PVT 50W	C-8350	3 oz
<i>Note: Unicel replacement requires injection molded knob handle (not furnished).</i>							
<b>Warm Springs Spa</b>							
	25	4-15/16"	13-5/16"			C-4625	4 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Waterco USA</b>							
Opal 270	270						
<i>Opal XL 270 is comprised of one C-9443 and one C-9444, plastic coupler needed and not provided</i>							
Trimline C-25	25	7-1/4"	9-7/8"	open w/ step	62040	C-7427	4 oz
Trimline CC-50	50	7-1/4"	14-5/8"	open w/ step	62048	C-7448	4 oz
<i>Note: The C-7448 has been discontinued by Unicel.</i>							
Trimline CC-150	150	7-1/4"	29-1/2"	open w/ step	62150	C-7454	4 oz
<i>Note: The C-7454 has been discontinued by Unicel. Use C-7497.</i>							
Trimline C-50	50	7-1/4"	19-5/8"	open w/ step	62042	C-7457	4 oz
Trimline C-100	100	7-1/4"	19-5/8"	open w/ step	62042	C-7457	4 oz
<i>Note: Two 50 sq.ft. cartridges required. The C-7457 has been discontinued by Unicel. Use C-7473.</i>							
Trimline CC-75	75	7-1/4"	19-5/8"	open w/ step	62049	C-7473	4 oz
Trimline C-75	75	7-1/4"	29-1/2"	open w/ step	62044	C-7478	4 oz
<i>Note: The C-7478 has been discontinued by Unicel. Use C-7497.</i>							
Trimline CC-100	100	7-1/4"	29-1/2"	open w/ step	62050	C-7497	4 oz
Opal 135	135	9-1/4"	8-1/4"	open w/ molded gasket	701041	C-9443	4 oz
Opal 180	180	9-1/4"	17"	open w/ molded gasket	701038	C-9444	4 oz
Full Flow	200	12-1/16"	8-1/2"		62281	C-9490	4 oz
Full Flow	200	12-1/16"	17"		62283	C-9498	4 oz
<i>Note: The C-9498 has been discontinued by Unicel.</i>							
<b>Waterpik</b>							
<i>see Jandy</i>							
<b>Waters Edge Spas</b>							
	35	7"	8"	w/ 1-1/2" male thread/MPT		7CH-32	3 oz
	25	4-15/16"	13-5/16"			C-4326	3 oz

	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Waterway Plastics</b>	<i>Note: Originals had teal color endcaps 2003 to 2006.</i>						
	15	4-5/8"	5-3/16"	w/ injection molded 1-1/2" SAE thread	817-0020	4CH-15	3 oz
Teleweir Skim Filter	25	4-15/16"	13-1/2"	w/ 2" female SAE thread	817-4025	4CH-926	3 oz
Teleweir Skim Filter	35	4-15/16"	9-1/4"	w/ 2" female SAE thread	817-4035	4CH-935	3 oz
Teleweir Skim Filter	50	4-15/16"	13-1/2"	w/ 2" female SAE thread	817-4050	4CH-949	3 oz
Front Access Skim Filter	50	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread	817-0050	6CH-940	3 oz
Front Access Skim Filter	100	6"	8-1/4"	w/ injection molded 1-1/2" SAE thread	817-0050	6CH-940	3 oz
<i>Note: Two 50 sq.ft. cartridges required (used side-by-side).</i>							
Front Access Skim Filter	100	6"	8-1/4"	w/ 1-3/4" male slip fitting	817-0011	6CH-941	3 oz
<i>Note: 817-0011 (6CH-941) and 817-0012 (6CH-942) required (stacked).</i>							
Front Access Skim Filter	200	6"	8-1/4"	w/ 1-3/4" male slip fitting	817-0011	6CH-941	3 oz
<i>Note: Two 817-0011 (6CH-941) and two 817-0012 (6CH-942) required.</i>							
Front Access Skim Filter	100	6"	8-1/4"	w/ 1-1/2" SAE thread	817-0012	6CH-942	3 oz
<i>Note: 817-0011 (6CH-941) and 817-0012 (6CH-942) required (stacked).</i>							
Front Access Skim Filter	200	6"	8-1/4"	w/ 1-1/2" SAE thread	817-0012	6CH-942	3 oz
<i>Note: Two 817-0011 (6CH-941) and two 817-0012 (6CH-942) required.</i>							
	75	6-3/4"	15-1/2"	w/ 2" SAE thread	817-4175	6CH-975	3 oz
Skim filter 10 sq.ft.	10	4-1/4"	4"		817-0010	C-4310	3 oz
Top load (in-line) 25 sq.ft.	25	4-15/16"	13-5/16"		817-2500	C-4326	3 oz
TWM Cartridge Filter Pack					M-4326		
Top load (in-line) 25 sq.ft.							
Top load (in-line) 35 sq.ft.	35	4-15/16"	9-1/4"		817-3501	C-4335	3 oz
Top load (in-line) 40 sq.ft.	40	4-15/16"	11-1/4"		817-0040	C-4339	3 oz
Skim filter	35	4-15/16"	4-5/8"		817-3510	C-4401	4 oz
Skim filter	50	4-15/16"	6-5/8"		817-5010	C-4405	4 oz
TWM Cartridge Filter Pack	50	4-15/16"	13-5/16"		817-5000	C-4950	3 oz
Top load (in-line) 50 sq.ft.							
Top load (in-line) 75 sq.ft.	75	4-15/16"	23-5/8"		817-7500	C-4970	3 oz
<i>Note: The C-4970 has been discontinued by Unicel. Use C-4995.</i>							
Top load (in-line) 95 sq.ft.	95	4-15/16"	23-5/8"		817-1000	C-4995	3 oz
45 sq.ft. top load	45	5-5/16"	10-1/8"		817-0014	C-5345	3 oz
Top load (in-line) 135 sq.ft.	135	5-5/16"	30-1/8"		817-0147	C-5351	3 oz
75 sq.ft. top load	75	5-5/16"	14-13/16"		817-0015	C-5374	3 oz
Top load (in-line) 100 sq.ft.	100	5-5/16"	21-5/16"		817-0098	C-5396	3 oz
100 sq.ft. top load	100	5-5/16"	17-13/16"		817-0016	C-5397	3 oz
Dyna-Flo XL	100	6-9/16"	17-13/16"		817-0019	C-6310	3 oz
Dyna-Flo XL	75	6-9/16"	13-5/16"		817-0018	C-6375	3 oz
Crystal Water 325 sq.ft.	325	7"	20"		817-0081	C-7470	4 oz
<i>Note: Four 80 sq.ft. cartridges required.</i>							
Crystal Water 425 sq.ft.	425	7"	26-1/16"		817-0106	C-7471	4 oz
<i>Note: Four 105 sq.ft. cartridges required.</i>							
Crystal Water 525 sq.ft.	525	7"	32-1/16"		817-0131	C-7472	4 oz
<i>Note: Four 125 sq.ft. cartridges required.</i>							
Crystal Water 600 sq.ft.	600	7"	32-1/16"		817-0143	C-7472	4 oz
<i>Note: Four 150 sq.ft. cartridges required.</i>							
Clearwater II 100	90	8-15/16"	17-3/8"	open w/ molded gasket		C-8409	4 oz
Pro Clean 100	100				817-0100P		
Clearwater II 75	75	8-15/16"	17-3/8"	open w/ molded gasket		C-8411	4 oz
Pro Clean 75					817-0075P		
Clearwater II 125	125	8-15/16"	23-5/16"	open w/ molded gasket	817-0125N	C-8412	4 oz
Pro Clean 125	125	8-15/16"	23-5/16"	open w/ molded gasket	817-0125N	C-8412	4 oz
<i>Note: Verify OAL of Pro Clean 125 and Pro Clean 150 to identify the correct Unicel replacement.</i>							
Pro Clean 125	125	8-15/16"	28-3/16"	open w/ molded gasket	817-0125P	C-8413	4 oz
<i>Note: Verify OAL of Pro Clean 125 and Pro Clean 150 to identify the correct Unicel replacement.</i>							
Clearwater II 150	150	8-15/16"	23-5/16"	open w/ molded gasket	817-0150N	C-8414	4 oz
Pro Clean 150	150	8-15/16"	23-5/16"	open w/ molded gasket	817-0150N	C-8414	4 oz
<i>Note: Verify OAL of Pro Clean 125 and Pro Clean 150 to identify the correct Unicel replacement.</i>							
Pro Clean 150	150	8-15/16"	28-3/16"	open w/ molded gasket	817-0150P	C-8416	4 oz
<i>Note: Verify OAL of Pro Clean 125 and Pro Clean 150 to identify the correct Unicel replacement.</i>							



	Sq. Ft.	OD	Length		OEM P/N	UNICEL P/N	Media
<b>Waterway Plastics</b>							
	<i>Note: Originals had teal color endcaps 2003 to 2006.</i>						
Pro Clean 175	175	8-15/16"	28-3/16"	open w/ molded gasket	817-0175P	C-8417	4 oz
Clearwater II 200	200	8-15/16"	23-5/16"	open w/ molded gasket	817-0200N	C-8419	4 oz
Pro Clean 200	200	8-15/16"	28-3/16"	open w/ molded gasket	817-0200P	C-8420	4 oz
Clearwater 75 sq.ft.	75	9-15/16"	13-5/16"		817-0075	C-9401	4 oz
Clearwater 100 sq.ft.	100	9-15/16"	19-5/16"		817-0100	C-9402	4 oz
Clearwater 150 sq.ft.	150	9-15/16"	25-5/16"		817-0150	C-9403	4 oz
Clearwater 200 sq.ft.	200	9-15/16"	25-5/16"		817-0200	C-9404	4 oz
	<i>Note: The C-9404 has been discontinued by Unicel. Use C-9403.</i>						
	150	9-15/16"	23-5/16"		817-1150M	C-9450AM	4 oz
	<i>Manufactured with antimicrobial filter media.</i>						
	200	9-15/16"	23-5/16"		817-1200M	C-9489AM	4 oz
	<i>Manufactured with antimicrobial filter media.</i>						
<b>Watkins Mfg.</b>							
	<i>see Aquaterra Spas, Caldera Spas, Hot Springs Spas, Tiger River</i>						
<b>Weslo Spas</b>							
	<i>see Icon Spas</i>						
<b>Wet Institute</b>							
Modufilter M-165	6	2-5/8"	14-11/16"		32050502	C-2601	6 oz
Modufilter M-330							
Modufilter M-66							
Modufilter M-330	6	2-7/8"	14-11/16"		32050201	C-2607	4 oz
Modufilter M-66							
Modufilter M-165							
Modufilter M-180	180	7-7/8"	14"		32050203	C-7660	4 oz
	<i>Note: Three 60 sq.ft. cartridges required.</i>						
Modufilter M-400	400	7-7/8"	26-1/8"		32050205	C-7688	4 oz
	<i>Note: Product discontinued by Wet Institute. Three 133 sq.ft. cartridges required.</i>						
Modufilter M-330	330	7-7/8"	22-1/8"		32050204	C-7699	4 oz
	<i>Note: Three 105 sq.ft. cartridges required.</i>						
<b>White Springs Spas</b>							
	25	4-5/8"	9-3/4"	w/ 1-1/2" male thread/MPT		4CH-24	3 oz
<b>Wild Water</b>							
	60	6"	16-1/4"	w/ 1-1/2" male thread/MPT		6CH-60	3 oz
	<i>Note: Remove fitting or coupler to fit cartridge.</i>						
<b>Wind River Spas</b>							
	35	4-15/16"	9-1/4"			C-4335	3 oz
	40	4-15/16"	11-1/4"			C-4339	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz
<b>Zone Spas</b>							
	25	4-15/16"	13-5/16"			C-4326	3 oz
	50	4-15/16"	13-5/16"			C-4950	3 oz

# AMERICAN-MADE PRODUCTS, WORLD-CLASS SERVICE.



UNICEL'S **GRID CLOTH** Is Constructed  
For Optimal Performance In Your  
D.E. Filter System!



**Higher Yarn Count +  
Finer Denier +  
Higher Permeability means...**

- Less Resistance to Water Flow
- Longer Cycle Runs Between Backwashes
- Better D.E. Powder Caking Properties

# Unicel®



**MADE IN THE USA**

[www.unicelfilters.com](http://www.unicelfilters.com)


D.E. GRID REPLACEMENTS FOR FILTER  
SYSTEMS MANUFACTURED BY:

<ul style="list-style-type: none"> <li>• PENTAIR (AMERICAN PRODUCTS, PAC FAB)</li> <li>• HAYWARD</li> <li>• JANDY</li> <li>• PREMIER SPRINGWATER</li> <li>• ASTRAL</li> <li>• WATERWAY</li> <li>• JACUZZI</li> </ul>	Size	UNICEL PART NO.	
		Single Grid	Set of 7 Full and 1 Partial Grid
	24 sq.ft.	FG-1002	FS-2002
	36 sq.ft.	FG-1003	FS-2003
	48 sq.ft.	FG-1004	FS-2004
	60 sq.ft.	FG-1005	FS-2005
	72 sq.ft.	FG-1006	FS-2006

<ul style="list-style-type: none"> <li>• PENTAIR (PUREX)</li> </ul>	Size	UNICEL PART NO.	
		Single Grid	Set of 8
	24 sq.ft.	FG-1224	FS-2224
	36 sq.ft.	FG-1236	FS-2236
	48 sq.ft.	FG-1248	FS-2248
	60 sq.ft.	FG-1260	FS-2260
	72 sq.ft.	FG-1272	FS-2272

# FG-1000


## Vertical DE Grids: Full



**FG-100x**



**PG-190x**



**FG-10xx, FG-12xx**

Sq. Ft.	Width	Length	Description	UNICEL P/N
24	11"	12"	American, Hayward, Pac-Fab, Sta-Rite, Astral	FG-1002
36	11"	18"	American, Hayward, Pac-Fab, Sta-Rite, Astral, Waterway, Jacuzzi	FG-1003
48	11"	24"	American, Hayward, Pac-Fab, Sta-Rite, Jandy, Astral, Waterway, Jacuzzi	FG-1004
60	11"	30"	American, Hayward, Pac-Fab, Sta-Rite, Jandy, Astral, Waterway, Jacuzzi	FG-1005
72	11"	36"	American, Hayward, Pac-Fab, Sta-Rite, Jacuzzi	FG-1006
24	11"	12"	American, Hayward, Pac-Fab - SET 7 full + 1 partial	FS-2002
36	11"	18"	American, Hayward, Pac-Fab - SET 7 full + 1 partial	FS-2003
48	11"	24"	American, Hayward, Pac-Fab - SET 7 full + 1 partial	FS-2004
60	11"	30"	American, Hayward, Pac-Fab - SET 7 full + 1 partial	FS-2005
72	11"	36"	American, Hayward, Pac-Fab - SET 7 full + 1 partial	FS-2006
<i>Note: Collar has open slot (2 notches). Length is measured from one end of the grid to the other (collar not included).</i>				
24	10-3/4"	13-5/16"	Premier Atlas (right)	PG-1960
24	10-3/4"	13-5/16"	Premier Atlas (left)	PG-1961
36	10-3/4"	19-3/8"	Premier Atlas (right)	PG-1962
36	10-3/4"	19-3/8"	Premier Atlas (left)	PG-1963
48	10-3/4"	25-3/8"	Premier Atlas (right)	PG-1964
48	10-3/4"	25-3/8"	Premier Atlas (left)	PG-1965
60	10-3/4"	31-5/16"	Premier Atlas (right)	PG-1966
60	10-3/4"	31-5/16"	Premier Atlas (left)	PG-1967
72	10-3/4"	37-5/16"	Premier Atlas (right)	PG-1968
72	10-3/4"	37-5/16"	Premier Atlas (left)	PG-1969
<i>Note: Collar has single notch and is covered with a white adapter. Length is measured from collar notch to opposite end of grid</i>				
24	10-3/4"	13-5/16"	Purex	FG-1224
36	10-3/4"	19-3/8"	Purex	FG-1236
48	10-3/4"	25-3/8"	Purex	FG-1248
60	10-3/4"	31-5/16"	Purex	FG-1260
72	10-3/4"	37-5/16"	Purex	FG-1272
24	10-3/4"	13-5/16"	Purex - SET of 8	FS-2224
36	10-3/4"	19-3/8"	Purex - SET of 8	FS-2236
48	10-3/4"	25-3/8"	Purex - SET of 8	FS-2248
60	10-3/4"	31-5/16"	Purex - SET of 8	FS-2260
72	10-3/4"	37-5/16"	Purex - SET of 8	FS-2272
<i>Note: Collar has single notch and is covered with a black adapter. Length is measured from collar notch to opposite end of grid</i>				
24	10-3/4"	13-1/2"	Swimrite, Premier Atlas	FG-1024
36	10-3/4"	19-5/8"	Swimrite, Premier Atlas	FG-1036
48	10-3/4"	25-5/8"	Swimrite, Premier Atlas	FG-1048
60	10-3/4"	31-3/4"	Swimrite, Premier Atlas	FG-1060
72	10-3/4"	37-3/4"	Swimrite, Premier Atlas	FG-1072
<i>Note: Collar has single notch and is covered with a white adapter. Length is measured from collar notch to opposite end of grid.</i>				

## PG-1900

### Vertical DE Grids: Partial/Small


Sq. Ft.	Width	Length	Description	UNICEL P/N
24	9-3/4"	12"	American, Pac-Fab, Hayward, Astral	PG-1902
36	9-3/4"	18"	American, Pac-Fab, Hayward, Astral, Waterway	PG-1903
48	9-3/4"	24"	American, Pac-Fab, Hayward, Jandy, Astral, Waterway	PG-1904
60	9-3/4"	30"	American, Pac-Fab, Hayward, Jandy, Astral, Waterway	PG-1905
72	9-3/4"	36"	American, Pac-Fab, Hayward	PG-1906

*Note: Collar has open slot (2 notches). Length is measured from one end of the grid to the other (collar not included).*

## FG-2000

### Rectangular DE Grids w/ Center Hub Port

Sq. Ft.	Width	Length	Description	UNICEL P/N
	9"	24"	Anthony Flowmaster	FG-2409
	12"	24"	Anthony Flowmaster	FG-2412
	13-1/2"	24"	Anthony Apollo/Flowmaster	FG-2413
	17-1/2"	24"	Anthony Apollo/Flowmaster	FG-2417




# FG-3000


## Rectangular DE Grids w/ Top Exit Port

Length	Width	Description	UNICEL P/N
		Sta-Rite System:3 Model S7D75 SD Series DE Filter SET	FS-3037
		Sta-Rite System:3 Model S8D110 SD Series DE Filter SET	FS-3053
18"	5"	Swimquip (center port)	FG-3005
18"	8-5/16"	Swimquip (center port)	FG-3008
18"	9-11/16"	Sta-Rite System 3 Model S7D75 (center port)	FG-3009
18"	11"	Sta-Rite System 3 Model S8D110, Swimquip (center port)	FG-3011
18"	11"	Swimquip (offset port)	FG-3911
18"	12-7/16"	Sta-Rite System 3 Model S7D75 (center port)	FG-3012
18"	12-7/16"	Sta-Rite System 3 Model S7D75 (offset port)	FG-3912
18"	13-3/4"	Swimquip (center port)	FG-3013
18"	13-3/4"	Sta-Rite System 3 Model S7D75 (offset port)	FG-3913
18"	15-3/16"	Sta-Rite System 3 Models S7D75 & S8D110 (center port)	FG-3015
18"	16-1/2"	Sta-Rite System 3 Models S7D75 & S8D110, Swimquip (center port)	FG-3016
18"	16-1/2"	Sta-Rite System 3 Model S8D110 (offset port)	FG-3916
18"	17-3/4"	Swimquip (offset port)	FG-3917
18"	19-5/16"	Sta-Rite System 3 Model S8D110, Swimquip (center port)	FG-3019
18"	19-5/16"	Swimquip (offset port)	FG-3919
18"	20-3/4"	Swimquip (center port)	FG-3020
18"	22"	Swimquip (center port)	FG-3022

**FS-3037** set is comprised of 11 grids: 1 FG-3912 and 2 each of FG-3913, FG-3009, FG-3012, FG-3015, and FG-3016;  
**FS-3053** set is comprised of 13 grids: 3 FG-3916 and 2 each of FG-3011, FG-3015, FG-3016 and 4 FG-3019.



**FG-24xx**






**FG-3xxx**

# S-Filter Disc

## DE Spin Grid: Filter Discs

OD	Description	UNICEL P/N
11-1/2"	11-1/2" OD x 2" hub	S-0110
11-1/2"	11-1/2" OD x 2-1/2" hub	S-0115
11-1/2"	11-1/2" Paddock <i>Note: This product is a S-0110 filter disc w/ S-2225 adapter.</i>	S-7111
11-1/2"	11-1/2" Landon <i>Note: This product is a S-0110 filter disc w/ S-2226 adapter.</i>	S-7112
13"	13" OD x 2-1/2" hub	S-0130
13"	13" OD Swimquip <i>Note: This product is a S-0130 filter disc w/ S-9262 adapter.</i>	S-7131
14-1/2"	14-1/2" OD x 2-1/2" hub	S-0140
14-1/2"	International w/ 2" hub <i>Note: This product has been discontinued by Unicel. Use S-0140 w/ S-1120 reducer.</i>	S-0147
14-1/2"	Sta-Rite Posi-Flo	S-0174
14-1/2"	14-1/2" Jacuzzi <i>Note: This product is a S-0140 filter disc w/ S-9277 adapter.</i>	S-7141
14-1/2"	Swimquip-Residential <i>Note: This product is a S-0140 filter disc w/ S-9262 adapter.</i>	S-7143
14-1/2"	Swimquip-Commercial <i>Note: This product is a S-0140 filter disc w/ S-9264 adapter.</i>	S-7144
14-1/2"	Marine (original)	S-7146
14-1/2"	Swimquip (new style) <i>Note: This product is a S-0140 filter disc w/ S-9253 adapter.</i>	S-7150
14-1/2"	Swimquip w/ 2-1/2" hub	S-7151
16"	16" OD x 2-1/2" hub	S-0160
16"	Pac-Fab <i>Note: This product is the same as S-0160.</i>	S-7160
17"	17" OD x 2-1/2" hub	S-0170
17"	Sta-Rite	S-0175
17"	Anthony <i>Note: This product is the same as S-0170.</i>	S-0176
17"	Marine (original)	S-7172
17"	Swimrite (old style) <i>Note: This product is a S-0170 filter disc w/ S-1120 reducer insert.</i>	S-7173
19"	19" OD x 2-1/2" hub	S-1900
19"	19" OD x 2" hub (Culligan) <i>Note: This product is discontinued; use S-1900 w/ S-1120 reducer insert.</i>	S-1920
19"	Pac-Fab (original)	S-2000




*Some items are scheduled for obsolescence once current stock is depleted. Please contact Unicel for availability.*

# S-Adapter

## DE Spin Grid: Adapters

Description	UNICEL P/N
1-3/4" i.d. x 2" OD Swim rite conversion adapter	S-1050
1-3/4" i.d. x 2" OD Jacuzzi conversion adapter	S-1051
Starbright conversion adapter (old style)	S-1052
Generic for filter discs w/ 2-1/2" i.d. hub & 2" spacer i.d.	S-1080
Reduces 2-1/2" i.d. hub to 2" i.d. hub	S-1120
Paddock (2 required)	S-2225
Landon (2 required)	S-2226
Starbright (old style)	S-9251
Note: Item discontinued by Unicel.	
Swimquip (new style)	S-9253
Swimquip-Residential	S-9262
Swimquip-Commercial	S-9264
Marine (old style)	S-9271
Pac-Fab w/ position pin (2 required)	S-9275
Jacuzzi	S-9277
Generic for filter discs w/ 2" i.d. hub & 1.7" spacer i.d.	S-9302




S-1050, S-1051, S-1052



S-1080



S-1120



S-2225



S-2226, S-9253, S-9302




S-9251



S-9262, S-9264, S-9271



S-9275



S-9277

**Some items are scheduled for obsolescence once current stock is depleted. Please contact Unicel for availability.**

# S-Spacer

## DE Spin Grid: Spacers

Description	UNICEL P/N
1/2" x 1-3/4" i.d. spacer for filter discs w/ 2" i.d.	S-1010
1" x 1-3/4" i.d. spacer for filter discs w/ 2" i.d.	S-1011
1/2" x 2" i.d. spacer for filter discs w/ 2-1/2" i.d.	S-1012
5/8" x 2" i.d. spacer for filter discs w/ 2-1/2" i.d.	S-1013
3/4" x 2" i.d. spacer for filter discs w/ 2-1/2" i.d.	S-1014
1" x 2" i.d. spacer for filter discs w/ 2-1/2" i.d.	S-1015
1" x 2-3/8" spacer w/ locking hub	S-1019
1-1/4" x 2-3/8" i.d. spacer for filter discs w/ 2-1/2" i.d.	S-1020
1/2" x 2" i.d. spacer for filter discs w/ 2-1/2" i.d.	S-1030
5/8" x 2" i.d. spacer for filter discs w/ 2-1/2" i.d.	S-1031
3/4" x 2" i.d. spacer for filter discs w/ 2-1/2" i.d.	S-1032
1" x 2" i.d. spacer for filter discs w/ 2-1/2" i.d.	S-1033
1/2" ring	S-9401
5/8" ring	S-9402
3/4" ring	S-9403
1" ring	S-9405
1" x 2.375" i.d. spacer for filter discs w/ 2-1/2" i.d.	S-9465
1.25" x 2.375" i.d. spacer for filter discs w/ 2-1/2" i.d.	S-9466

## SB-0000

### D.E. Separation Tank Bag

Description	UNICEL P/N
D.E. Separation Tank Bag, Double Ply, Pac Fab #40	SB-0040
D.E. Separation Tank Bag, Double Ply, Pac Fab #60	SB-0060
D.E. Separation Tank Bag, Double Ply, Pac Fab #80	SB-0080



S-1010, S-1011




"one sided"

S-1030, S-1031  
S-1032, S-1033



"two sided"

S-1012, S-1013  
S-1014, S-1015



S-1020



S-9465, S-9466



S-9401, S-9402,  
S-9403, S-9404

*Some items are scheduled for obsolescence once current stock is depleted. Please contact Unicel for availability.*



# DE Grid OEM Cross Reference

	Sq. Ft.	Length	Width	OEM P/N	Unicel P/N
<b>Vertical DE Grids: Full</b>					
<b>Astral</b>					
18044 Clarity DE	24	12"	11"		FG-1002
18045 Clarity DE	36	18"	11"		FG-1003
18046 Clarity DE	48	24"	11"		FG-1004
18047 Clarity DE	60	30"	11"		FG-1005
<b>Hayward Pool Products</b>					
Micro-Clear Pro-Grid	24	12"	11"	DEX2400DA (full grid)	FG-1002
Micro-Clear Pro-Grid	36	18"	11"	DEX3600DA (full grid)	FG-1003
Micro-Clear Pro-Grid	48	24"	11"	DEX4800DA (full grid)	FG-1004
Micro-Clear Pro-Grid	60	30"	11"	DEX6000DA (full grid)	FG-1005
Micro-Clear Pro-Grid	72	36"	11"	DEX7200DA (full grid)	FG-1006
<b>Jacuzzi</b>					
Earthworks EW 36	36	18"	11"	42-2970-03-R	FG-1003
Earthworks EW 48	48	24"	11"	42-2970-05-R	FG-1004
Earthworks EW 60	60	30"	11"	42-2970-07-R	FG-1005
Earthworks EW 72	72	36"	11"	42-2970-09-R	FG-1006
<i>Note: System requires 8 full grids; no partial grids needed.</i>					
<b>Jandy (Waterpik)</b>					
DEL/DEV 48	48	24"	11"	A0560200	FG-1004
DEL/DEV 60	60	30"	11"	R0359100 S0109200	FG-1005
<b>Pentair Pool Prod - American Products Replacements</b>					
5000 Series Titan CM Titan RPM Titan Stainless Steel	24	12"	11"	59001100 (full grid)	FG-1002
5000 Series Titan CM Titan RPM Titan Stainless Steel	36	18"	11"	59001800 (full grid)	FG-1003
5000 Series Titan CM Titan RPM Titan Stainless Steel	48	24"	11"	59002400 (full grid)	FG-1004
5000 Series Titan CM Titan RPM	60	30"	11"	59003000 (full grid)	FG-1005

	Sq. Ft.	Length	Width	OEM P/N	Unicel P/N
<b>Vertical DE Grids: Full</b>					
<b>Pentair Pool Prod - American Products Replacements</b>					
Titan Stainless Steel	60	30"	11"	59003000 (full grid)	FG-1005
5000 Series	72	36"	11"	59003600 (full grid)	FG-1006
Titan CM					
Titan RPM					
Titan Stainless Steel					
<b>Pentair Pool Prod - Pac Fab Replacements</b>					
FNS Plus	24	12"	11"	59001100 (full grid)	FG-1002
FNS 24 (Nautilus FNS Polymeric)				19-2186 (full grid)	
NS24 (Nautilus)					
NSP-24 (Nautilus Plus)					
FNS Plus	36	18"	11"	59001800 (full grid)	FG-1003
FNS 36 (Nautilus FNS Polymeric)				19-2187 (full grid)	
NS36 (Nautilus)					
NSP-36 (Nautilus Plus)					
FNS Plus	48	24"	11"	59002400 (full grid)	FG-1004
FNS 48 (Nautilus FNS Polymeric)				19-2188 (full grid)	
NS48 (Nautilus)					
NSP-48 (Nautilus Plus)					
FNS Plus	60	30"	11"	59003000 (full grid)	FG-1005
FNS 60 (Nautilus FNS Polymeric)				19-2189 (full grid)	
NS60 (Nautilus)					
NSP-60 (Nautilus Plus)					
NSP-72 (Nautilus Plus)	72	36"	11"	19-5058 (full grid)	FG-1006
NS72 (Nautilus)				59003600 (full grid)	
<b>Pentair Pool Prod - Purex Replacements</b>					
SM/SMBW 2024	24	13-5/16"	10-3/4"	07-4922	FG-1224
SM/SMBW 4024					
SM/SMBW 2036	36	19-3/8"	10-3/4"	07-4923	FG-1236
SM/SMBW 4036					
SM/SMBW 2048	48	25-3/8"	10-3/4"	07-4924	FG-1248
SM/SMBW 4048					
SM/SMBW 2060	60	31-5/16"	10-3/4"	07-4925	FG-1260
SM/SMBW 4060					
SM/SMBW 2072	72	37-5/16"	10-3/4"	07-4926	FG-1272
<b>Note: Do not substitute or mix Premier and Purex grids.</b>					
<b>Premier Springwater</b>					
Atlas PA-24	24	13-1/2"	10-3/4"	23-781	FG-1024
Swimrite PA-24					
Atlas PA-36	36	19-5/8"	10-3/4"	23-782	FG-1036
Swimrite PA-36					
Atlas PA-48	48	25-5/8"	10-3/4"	23-783	FG-1048
Swimrite PA-48					
Atlas PA-60	60	31-3/4"	10-3/4"	23-784	FG-1060

	Sq. Ft.	Length	Width	OEM P/N	Unicel P/N
<b>Vertical DE Grids: Full</b>					
<b>Premier Springwater</b>					
Swimrite PA-60	60	31-3/4"	10-3/4"	23-784	FG-1060
Atlas PA-72	72	37-3/4"	10-3/4"	23-785	FG-1072
Swimrite PA-72					
Atlas PA-240-RT	24	13-5/16"	10-3/4"	23-960	PG-1960
Atlas PA-240-LF	24	13-5/16"	10-3/4"	23-961	PG-1961
Atlas PA-360-RT	36	19-3/8"	10-3/4"	23-962	PG-1962
Atlas PA-360-LF	36	19-3/8"	10-3/4"	23-963	PG-1963
Atlas PA-480-RT	48	25-3/8"	10-3/4"	23-964	PG-1964
Atlas PA-480-LF	48	25-3/8"	10-3/4"	23-965	PG-1965
Atlas PA-600-RT	60	31-5/16"	10-3/4"	23-966	PG-1966
Atlas PA-600-LF	60	31-5/16"	10-3/4"	23-967	PG-1967
Atlas PA-720-RT	72	37-5/16"	10-3/4"	23-968	PG-1968
Atlas PA-720-LF	72	37-5/16"	10-3/4"	23-969	PG-1969
<i>Note: Do not substitute or mix Premier and Purex grids.</i>					
<b>Sta-Rite</b>					
	24	12"	11"	WC108-2A	FG-1002
	36	18"	11"	WC108-3A	FG-1003
	48	24"	11"	WC108-4A	FG-1004
	60	30"	11"	WC108-5A	FG-1005
	72	36"	11"	WC108-6A	FG-1006
<i>Note: System requires 8 full grids; no partial grids needed.</i>					
<b>Waterway Plastics</b>					
Crystal Water	36	18"	11"	818-3950	FG-1003
Crystal Water	48	24"	11"	818-3910	FG-1004
Crystal Water	60	30"	11"	818-3930	FG-1005
<b>Vertical DE Grids: Partial/Small</b>					
<b>Astral</b>					
18044 Clarity DE	24	12"	9-3/4"		PG-1902
18045 Clarity DE	36	18"	9-3/4"		PG-1903
18046 Clarity DE	48	24"	9-3/4"		PG-1904
18047 Clarity DE	60	30"	9-3/4"		PG-1905
<b>Hayward Pool Products</b>					
Micro-Clear	24	12"	9-3/4"	DEX2400DS (partial/small grid)	PG-1902
Pro-Grid					
Micro-Clear	36	18"	9-3/4"	DEX3600DS (partial/small grid)	PG-1903
Pro-Grid					
Micro-Clear	48	24"	9-3/4"	DEX4800DS (partial/small grid)	PG-1904
Pro-Grid					
Micro-Clear	60	30"	9-3/4"	DEX6000DS (partial/small grid)	PG-1905
Pro-Grid					
Micro-Clear	72	36"	9-3/4"	DEX7200DS (partial/small grid)	PG-1906

	Sq. Ft.	Length	Width	OEM P/N	Unicel P/N
<b>Vertical DE Grids: Partial/Small</b>					
<b>Hayward Pool Products</b>					
Pro-Grid	72	36"	9-3/4"	DEX7200DS (partial/small grid)	PG-1906
<b>Jandy (Waterpik)</b>					
DEL/DEV 48	48	24"	9-3/4"	A0560100	PG-1904
DEL/DEV 60	60	30"	9-3/4"	S0109300 R0359200	PG-1905
<b>Pentair Pool Prod - American Products Replacements</b>					
5000 Series	24	12"	9-3/4"	59001000 (partial/small grid)	PG-1902
Titan CM					
Titan RPM					
Titan Stainless Steel					
5000 Series	36	18"	9-3/4"	59001700 (partial/small grid)	PG-1903
Titan CM					
Titan RPM					
Titan Stainless Steel					
5000 Series	48	24"	9-3/4"	59002300 (partial/small grid)	PG-1904
Titan CM					
Titan RPM					
Titan Stainless Steel					
5000 Series	60	30"	9-3/4"	59002900 (partial/small grid)	PG-1905
Titan CM					
Titan RPM					
Titan Stainless Steel					
5000 Series	72	36"	9-3/4"	59003500 (partial/small grid)	PG-1906
Titan CM					
Titan RPM					
Titan Stainless Steel					
<b>Pentair Pool Prod - Pac Fab Replacements</b>					
FNS Plus	24	12"	9-3/4"	59001000 (partial/small grid)	PG-1902
FNS 24 (Nautilus FNS Polymeric)					
NS24 (Nautilus)					
NSP-24 (Nautilus Plus)					
FNS Plus	36	18"	9-3/4"	59001700 (partial/small grid)	PG-1903
FNS 36 (Nautilus FNS Polymeric)					
NS36 (Nautilus)					
NSP-36 (Nautilus Plus)					
FNS Plus	48	24"	9-3/4"	59002300 (partial/small grid)	PG-1904
FNS 48 (Nautilus FNS Polymeric)					
NS48 (Nautilus)					
NSP-48 (Nautilus Plus)					
FNS Plus	60	30"	9-3/4"	59002900 (partial/small grid)	PG-1905
FNS 60 (Nautilus FNS Polymeric)					
NS60 (Nautilus)					
NSP-60 (Nautilus Plus)					

	Sq. Ft.	Length	Width	OEM P/N	Unicel P/N
<b>Vertical DE Grids: Partial/Small</b>					
<b>Pentair Pool Prod - Pac Fab Replacements</b>					
NS72 (Nautilus)	72	36"	9-3/4"	59003500 (partial/small grid)	PG-1906
NSP-72 (Nautilus Plus)				19-5059 (partial/small grid)	
<b>Waterway Plastics</b>					
Crystal Water	36	18"	9-3/4"	818-3940	PG-1903
Crystal Water	48	24"	9-3/4"	818-3900	PG-1904
Crystal Water	60	30"	9-3/4"	818-3920	PG-1905
<b>Rectangular DE Grids w/ Center Hub Port</b>					
<b>Anthony</b>					
Apollo 4000,5000		24"	9"	25050	FG-2409
Flowmaster 4000,5000					
Apollo 4000,5000		24"	12"	25052	FG-2412
Flowmaster 4000,5000					
Apollo 4000,5000		24"	13-1/2"	017564	FG-2413
Flowmaster 4000,5000					
Apollo 4000,5000		24"	17-1/2"	017565	FG-2417
Flowmaster 4000,5000					
<b>Rectangular DE Grids w/ Top Exit Port</b>					
<b>Sta-Rite</b>					
Swimquip DE Filter		18"	5"	23900-0031	FG-3005
Swimquip DE Filter		18"	8-5/16"	23900-0141	FG-3008
System 3 Model S7D75 (2 per system)		18"	9-11/16"	23900-1173	FG-3009
Swimquip DE Filter		18"	11"	23900-0032	FG-3011
System 3 Model S8D110 (2 per system)					
System 3 Model S7D75 (2 per system)		18"	12-7/16"	23900-1175	FG-3012
Swimquip DE Filter		18"	13-3/4"	23900-0052	FG-3013
System 3 Model S7D75 (2 per system)		18"	15-3/16"	23900-1174	FG-3015
System 3 Model S8D110 (2 per system)					
Swimquip DE Filter		18"	16-1/2"	23900-0033	FG-3016
System 3 Model S7D75 (2 per system)					
System 3 Model S8D110 (1 per system)				23900-1171	
Swimquip DE Filter		18"	19-5/16"	23900-0144	FG-3019
System 3 Model S8D110 (4 per system)					
Swimquip DE Filter		18"	20-3/4"	23900-0143	FG-3020
Swimquip DE Filter		18"	22"	23900-0034	FG-3022
Swimquip DE Filter		18"	11"	23900-0048	FG-3911
System 3 Model S7D75 (1 per system)		18"	12-7/16"	23900-1171	FG-3912
System 3 Model S7D75 (2 per system)		18"	13-3/4"	23900-1170	FG-3913
System 3 Model S8D110 (3 per system)		18"	16-1/2"	23900-1172	FG-3916
Swimquip DE Filter		18"	17-3/4"	23900-0142	FG-3917
Swimquip DE Filter		18"	19-5/16"	23900-0145	FG-3919

# GLOSSARY OF FILTRATION TERMS

**Backwash:** The process of cleaning the filter medium or septum by reversing the flow of water through the filter.

**Blinding:** Filling in and clogging of a filter medium caused by entrapment of particles from a filtered liquid. When the medium becomes “blind,” an increase in differential pressure and reduction in flow results.

**Bridging:** Debris which arches, or bridges, the individual pleats in the filter cartridge or between two filter elements.

**Cartridge Filter:** A filter that utilizes a pleated, porous medium as a filtering material.

**Clarification:** The process by which the filter removes progressively smaller particles on each successive turn over, thus improving efficiency and extending the cycle life. Cartridge filters use the clarification process.

**Clarifier (also called coagulant or flocculent):** A chemical that coagulates and neutralizes suspended particles in water. There are two types of clarifiers: inorganic salts of aluminum or iron and water-soluble organic polyelectrolyte polymers.

**Coagulation:** The process by which very small, finely divided solid particles -- often colloidal in nature -- are agglomerated into larger particles.

**D.E.:** Abbreviation for diatomaceous earth, fossil-like skeletons of microscopic water plants called diatoms.

**Differential Pressure:** (1) The difference in pressure between two given points. (2) The combined pressure caused by the debris, filter cake, precoat and septum, expressed as  $\Delta P$  (“delta P”). (3) The effluent pressure minus the influent pressure.

**Effluent:** Fluid which has passed through a filter. Also called the filtrate.

**Feed:** The mixture of particles and fluid that is introduced into the filter. Terms used synonymously include “influent” and “incoming slurry.”

**Filter:** Verb: To pass fluid containing suspended particles through a filter medium whereby the particles are separated from the fluid. Noun: A “device” for carrying out the filtration process, consisting of the filter medium and suitable hardware for constraining and supporting it in the path of the fluid.

**Filter Aid:** Any material (usually diatomaceous earth) that enhances the separation of solids from liquids in the filtration process.

**Filter Cake:** The combined layers of solids, precoat, and debris removed in the filtration process and accumulated on the surface of the filter medium.

**Filter Cycle:** The operating time between cleaning or backwash cycles.

**Filter Medium:** The permeable material such as diatomaceous earth, sand, or polyester non-woven material used to separate suspended particles from liquid.

**Filtrate:** Fluid that has passed through a filter. Also called the effluent.

**Filtration:** The process by which particles are separated from a liquid by passing through a permeable material.

**Filtration Rate:** Flow in gallons per minute (GPM) through one square foot of filter medium. For residential pools, the filtration rate should be 2 GPM per square foot of D.E. filter surface area and 1 GPM per square foot of cartridge filter surface area. For most commercial pools, the filtration rate should be 1 GPM per square foot of D.E. filter surface area and .375 GPM per square foot of cartridge filter surface area. Flocculation: The process by which small dispersed particles combine together to form larger size particles which can be removed by the filter. The result of adding an electrolyte to the water.

**Influent:** Dirty or unfiltered water introduced to the filter. Also referred to as “feed” or “incoming slurry.”

**OEM:** Original Equipment Manufacturer or brand name.

**Micron Size:** Expressed as micrometer ( $\mu\text{m}$ ), a unit of measurement equal to 1/1,000,000 of a meter (.0000394”). 40 micron is considered the smallest size particle visible to the human eye. A red blood cell is 6-8 micrometers large; one grain of table salt is roughly 100 micrometers in size.

**Permeability:** Expressed in cubic feet per minute (CFM), the resistance to flow through a media. The lower the perm number, the greater the resistance. The permeability of a filter media is a quality control measure for cartridge and D.E. filter materials.

**Polymer:** High molecular weight organic compound whose structure can be represented by repeated small units. Synthetic polymers are formed by condensation polymerization of monomers. If two or more monomers are involved, a copolymer is formed.

**Porosity:** (1) The degree of open area between the fibers. (2) The void area which exists in the structure.

**Reemay:** A registered trademark of Reemay, Inc. Originally developed by DuPont, Reemay is made of continuous filament, 100% polyester fibers. The process by which these fibers are drawn, randomly laid and thermally bonded is known as “spunbonding.”

**Trilobal:** The three sided fiber formed by drawing polyester resin through a die or spinneret. The basic shape of Reemay fibers.

**Turbidity:** (1) the characteristic or property of a liquid that causes it to absorb or scatter light. (2) A measurement of water cloudiness or haziness caused by micro-organisms, algae, or suspended fine particles.

**Useful information:**

One cubic foot of water equals 7.48 gallons.

One cubic foot of water weights 62.2 pounds @ 70 degrees F.

One gallon of water weighs 8.32 pounds.

1 PPM = 1 pound per 120,000 gallons.

**To find:**

Circumference of a circle = diameter x 3.1416.

Diameter of a circle = circumference x .31931.

Area of a circle = diameter<sup>2</sup> x .7854.

Total gallons = cubic feet x 7.48.

Side of a square x 1.128 = diameter of equal circle.

**Temperature conversion:**

.566 x (degrees F - 32) = degrees C.

(1.8 x degrees C) + 32 = degrees F.

**How to Compute the Area  
(Square Footage) of a Cartridge**

- (1) Count the number of pleats and measure the pleat amplitude/height (in inches).
- (2) Measure the length of the cartridge (in inches) excluding the end caps or any handles or other extensions -- the “useable surface area.”
- (3) Multiply the number of pleats by 2, and multiply that number by the pleat amplitude. Multiply this total by the length of the useable surface area, and divide by 144.

For example, a cartridge with 75, .625” pleats and a 9-1/4” long useable surface area has an area of 6.02 square feet:

$$(75 \times 2 \times .625 \times 9.25) / 144 = 6.02 \text{ sq. ft.}$$

Unicel filter cartridges and grids are guaranteed against defects resulting from faulty workmanship or materials. The liabilities of Unicel are limited solely and exclusively to replacement and do not include any liability for incidental, consequential or other damages of any kind whatsoever, whether claim is based upon theories of contract, warranty, negligence or tort, and, without any limitations, do not include shipping charges, labor, installation, or any other losses or expenses incurred in operation or installation.

Unicel is a dba of Meissner Mfg. Co., Inc. Whereas Meissner Mfg. Co., Inc. is a private label manufacturer and produces both filter cartridges and grids for original equipment companies under their brand name, Unicel filter cartridges and grids are sold strictly as replacement for OEM equipment. Moreover, not all products listed in the Unicel Replacement Guide were originally manufactured under private label by Meissner Mfg. Co., Inc. In those instances, every effort has been made to make the Unicel replacement element equal or superior to the brand name product. While the majority of the Unicel line is built to OEM specifications, Unicel does not represent that their cartridges and grids are either manufactured or endorsed by the original equipment manufacturer.

The Unicel Replacement Guide is copyright© 1985-2024 by Meissner Mfg. Co., dba Unicel. All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without the prior written permission of Meissner Mfg. Co., Inc.



**Unicel®**  
**CLEARLY THE BEST**





## 2024-2025 UNICEL PRODUCTS

UNICEL Part No	UCC-12 (UPC-A)	Description	Qty per Case
<i>Changes highlighted.</i>			
<i>All part numbers that include "AM" are no longer eligible for shipping into Canada.</i>			
C-2302	678285120036	14.5 SQ.FT., HI FLOW REPL.	9
C-2303	678285120043	8.5 SQ.FT., CHLORO REPL.	9
C-2304	678285120050	3.7 SQ.FT., 6", 3 OZ. REPL.	4
C-2305	678285120197	3.5 SQ.FT. SPA-IN-A-BOX	9
C-2306	678285120067	6 SQ.FT., 9-3/4" RESIDENTIAL	100
C-2308	678285120074	8 SQ.FT., 9-3/4", 3 OZ. REPL.	100
C-2601	678285120081	6 SQ.FT., WET, NO CORE, REPL.	24
C-2604		USE C-2606	
C-2606	678285120104	6 SQ.FT., 9-3/4", 6 OZ. REPL.	100
C-2607	678285120111	6 SQ.FT. WET, WITH CORE, REPL.	20
C-2608	678285120128	8 SQ.FT. RAINBOW 19 REPL.	20
C-2610	678285120135	10 SQ.FT., 20" ENCON SPA REPL.(V)	20
C-2612		USE C-2608	
C-2613	678285120159	12 SQ.FT. RAINBOW 29 REPL.	20
C-2618	678285120166	18 SQ.FT. RAINBOW 29X REPL.	20
C-2698	678285120203	8 SQ.FT. FILL FILTER	9
C-2699	678285120180	4 SQ.FT. FILL FILTER	56
C-2912		USE C-2607	
<b>C-3301</b>	<b>678285130073</b>	<b>COLD PLUNGE FILTER</b>	<b>12</b>
C-3302	678285130035	2 SQ.FT. INTEX "E" SKIM FILTER	12
C-3304	678285130059	INTEX TYPE "H" REPL	12
C-3305	678285130066	2 SQ.FT. BEST WAY REPL	12
C-3310AM	678285130042	8 SQ.FT. MASTER SPAS (INNER) - ANTIMICROBIAL	12
		<i>*C-3310AM not eligible to ship into Canada.</i>	
C-3608	678285130011	8 SQ.FT. ALCOVE REPL.(V)	15
C-3612	678285130028	12 SQ.FT. SYLVAN REPL.(V)	15
C-4301	678285140010	27.5 SQ.FT. MARTEC REPL.	6
C-4302	678285140027	12 SQ.FT. SKIM FILTER	4
C-4303		USE 4CH-20 (MPT)	
C-4304	678285140041	SLM REPLACEMENT	15
C-4305	678285140058	50 SQ.FT. CAL SPA, MARTEC REPL.	6
C-4306	678285140065	5 SQ.FT. GENERAL FOAM REPL.	15
C-4307	678285140072	7 SQ.FT. GENERAL FOAM REPL.	12
C-4308	678285140584	25 SQ.FT. SONFARREL REPL.	6
C-4309	678285140089	10 SQ.FT. GENERAL FOAM REPL.	12
C-4310	678285140096	10 SQ.FT., 4" SKIM FILTER	4
C-4311	678285140102	45 SQ.FT., 12-1/4" FILTER(V)	6
C-4312		USE C-4325	
C-4313	678285150768	2.5 SQ.FT. INTEX "D", AQUA LEISURE "1"	4
C-4314AM	678285140850	13.5 SQ.FT. SARATOGA SPA - ANTIMICROBIAL	4
		<i>*C-4314AM not eligible to ship into Canada.</i>	
C-4315	678285140709	15 SQ.FT. ICON SPAS(V)	12
C-4316	678285140751	16 SQ.FT. SPLASH TUB	4
C-4317	678285140935	INTEX TYPE "S1" (SPA MODELS) REPL	4
C-4320	678285140126	20 SQ.FT. HAYWARD CX200XRE REP	6
C-4321	678285140133	25 SQ.FT. RAINBOW LEAF CART.RE	6
C-4324		USE 4CH-24 (MPT)	
C-4325	678285140157	25 SQ.FT. HAYWARD CX225RE REP	6
C-4326	678285140164	25 SQ.FT. WATERWAY REPL.	6
C-4327AM	678285140867	27.5 SQ.FT. SARATOGA SPA - ANTIMICROBIAL	6
		<i>*C-4327AM not eligible to ship into Canada.</i>	
C-4328	678285140188	25 SQ.FT. SANTANNA REPL.	6
C-4329	678285140173	25 SQ.FT. ICON SPAS(V)	4
C-4332	678285140195	32 SQ.FT. MARTEC REPL.	6

## 2024-2025 UNICEL PRODUCTS

UNICEL Part No	UCC-12 (UPC-A)	Description	Qty per Case
C-4335	678285140201	35 SQ.FT. RAINBOW 9.25 O/L REP	4
C-4339	678285140218	40 SQ.FT. WATERWAY REPL.	6
C-4340	678285140225	40 SQ.FT. DIMENSION ONE REPL.	6
C-4345	678285140232	45 SQ.FT. SANTANNA 14-7/8 REPL(V)	6
C-4346	678285140249	45 SQ.FT. SANTANNA 17-3/4 REPL(V)	6
C-4347		USE C-4305	
C-4349	678285140263	50 SQ.FT. ADVANTAGE MFG.	6
C-4350	678285140270	50 SQ.FT. GRECIAN SPA REPL.(V)	4
C-4351	678285140744	50 SQ.FT. ICON SPAS	4
C-4360	678285140737	60 SQ.FT. ICON SPAS	4
C-4401	678285140287	RAINBOW DSF-35 REPL.(2/SET)	4
C-4402	678285140294	20 SQ.FT. AQUA SPA REPL.	6
C-4403	678285140300	25 SQ.FT. NEMCO REPL. (V)	6
C-4405	678285140317	RAINBOW DSF-50 REPL. (2/SET)	6
C-4428	678285140324	25 SQ.FT. SANTANNA 9-13/16 REP	6
C-4429	678285140331	30 SQ.FT. NEMCO REPL.	6
C-4430		USE C-4332	
C-4431		NO ALTERNATIVE - DISCONTINUED	
C-4440	678285140362	40 SQ.FT. SUNDANCE SPAS REPL.	4
C-4449	678285140379	45 SQ.FT. SANTANNA 17-3/4 REPL	6
C-4600	678285140591	8 SQ.FT. MUSKIN A2300 REPL.	15
C-4601		USE C-4618	
C-4602		USE C-4605	
C-4603	678285140409	9 SQ.FT. JACUZZI LEISURE REPL.(V)	15
C-4604	678285140416	15 SQ.FT. JACUZZI LEISURE REPL	15
C-4605	678285140423	8 SQ.FT. MUSKIN REPL.	15
C-4607	678285140430	COLECO F-120/INTEX "A" & "C" REPL	15
C-4608	678285140447	COLECO F-110/CR-8 NO CORE REPL	12
C-4609	678285140454	COLECO F-110/CR-8 W/CORE REPL.	12
C-4610	678285140461	STA-RITE TX-15 REPL.	6
C-4611	678285140478	COLECO DR-11 W/CORE REPL.	12
C-4616	678285140485	COLECO DR-16 W/CORE REPL.	12
C-4618	678285140492	COLECO DR-18 W/CORE REPL.	12
C-4625	678285140515	25 SQ.FT. RAINBOW IN-LINE REPL.	6
C-4637	678285140522	37 SQ.FT. RAINBOW IN-LINE REPL	6
C-4950	678285140539	50 SQ.FT. RAINBOW IN-LINE REPL	6
C-4950AM	678285140836	50 SQ.FT. RAINBOW IN-LINE - ANTIMICROBIAL	6
*C-4950AM not eligible to ship into Canada.			
C-4970		USE C-4995	
C-4975	678285140553	75 SQ.FT. RAINBOW RTL-75 REPL.	4
C-4995	678285140560	95 SQ.FT., WATERWAY REPL.	4
C-4999	678285140577	100 SQ.FT. RAINBOW IN-LINE REP	5
C-5300	678285150019	50 SQ.FT. JAC. FRONT LOAD REPL	6
C-5301	678285150026	8 SQ.FT. PELICAN REC. REPL.	6
C-5302		USE C-5624	
C-5315	678285150446	15 SQ.FT. INTEX "B" FILTER	1
C-5325	678285150040	25 SQ.FT., SEASONMASTER REPL.	1
C-5326	678285150057	25 SQ.FT., SEASONMASTER REPL W/ MPT(V)	1
C-5330	678285150392	30 SQ.FT. INTEX REPL.	1
C-5345	678285150361	45 SQ.FT. REC WAREHOUSE	4
C-5346	678285150064	50 SQ.FT. MARQUIS SPA REPL.	6
C-5349	678285150071	50 SQ.FT., SEASONMASTER REPL W/ MPT(V)	1
C-5350	678285150088	50 SQ.FT., SEASONMASTER REPL.	1
C-5351	678285150415	135 SQ.FT. WATERWAY,COAST SPAS	4
C-5371	678285150095	75 SQ.FT. PREMIER 23.25 O/L	4
C-5374	678285150378	65 SQ.FT. REC WAREHOUSE	4
C-5375	678285150101	75 SQ.FT., SEASONMASTER REPL.	1

## 2024-2025 UNICEL PRODUCTS

UNICEL Part No	UCC-12 (UPC-A)	Description	Qty per Case
C-5376	678285150118	75 SQ.FT., SEASONMASTER REPL.	1
C-5396	678285150422	100 SQ.FT. WATERWAY,COAST SPAS	4
C-5397	678285150385	80 SQ.FT. REC WAREHOUSE	4
C-5398	678285150125	100 SQ.FT., SEASONMASTER REPL.	1
C-5399	678285150132	100 SQ.FT., SEASONMASTER REPL.	1
C-5402	678285150149	25 SQ.FT. OZONE, 11.8" CART(V)	1
C-5404	678285150156	40 SQ.FT. OZONE, 17" CART.	1
C-5405	678285150163	50 SQ.FT. NEMCO REPL.	1
C-5423	678285150170	34 SQ.FT., C/TOP, MARQUIS REPL	6
C-5426	678285150187	25 SQ.FT. PREMIER 9 O/L REPL.	6
C-5427	678285150194	25 SQ.FT. PREMIER 11.87 O/L(V)	6
C-5431	678285150200	30 SQ.FT. WATKINS REPL.	1
C-5434	678285150217	58 SQ.FT., C/TOP, MARQUIS REPL	6
C-5601	678285150224	25 SQ.FT. JAC. FRONT LOAD REPL	6
C-5615		USE C-5635	
C-5616	678285150248	16 SQ.FT. PREMIER REPL.(V)	6
C-5621	678285150255	22 SQ.FT. ADVANCED SPA REPL.	6
C-5622		USE C-5626	
C-5623	678285150279	PAC FAB MY-30/50 REPL.(V)	6
C-5624	678285150286	25 SQ.FT. JACUZZI W.B. REPL.	6
C-5625	678285150293	25 SQ.FT. JACUZZI CFR-25 REPL.	6
C-5626	678285150309	25 SQ.FT. MARQUIS REPL	6
C-5627	678285150316	MARLIN/ROMANESQUE REPL.(V)	6
C-5635	678285150323	37 SQ.FT. JACUZZI REPL.	6
C-5637	678285150347	40 SQ.FT. MARQUIS REPL	6
C-6300	678285160018	30 SQ.FT. JACUZZI W.B. REPL.(V)	1
C-6310	678285160308	100 SQ.FT. WATERWAY DYNA-FLO XL RE.	1
C-6324	678285160261	15 SQ.FT. SPLASH TUB	6
C-6330	678285160339	30 SQ.FT. WATKINS REPL.	1
C-6350	678285160391	50 SQ.FT. WATKINS REPL.	1
C-6355	678285160407	75 SQ.FT. WATKINS REPL.	1
C-6375	678285160315	75 SQ.FT. WATERWAY DYNA-FLO XL REP.	1
C-6376	678285160452	75 SQ.FT. WATERCO MULTICYCLONE	1
C-6405	678285160025	50 SQ.FT. ONYX REPL.(V)	1
C-6407	678285160032	75 SQ.FT. ONYX REPL.	1
C-6408	678285160049	75 SQ.FT. AQUATEMP REPL.	1
C-6430		USE C-6430AM	
C-6430AM	678285160384	30 SQ.FT. WATKINS REPL. - ANTIMICROBIAL	1
*C-6430AM not eligible to ship into Canada.			
C-6433	678285160063	33 SQ.FT. WATKINS 9" O/L REPL.(V)	1
C-6445	678285160070	FOUNTAIN VALLEY SPA REPL.(V)	1
C-6450		USE 6CH-50 (MPT)	
C-6475		USE 6CH-50 (MPT)	
C-6600	678285160100	45 SQ.FT. WATKINS REPL.	1
C-6601		USE 6CH-35 (MPT) or 6CH-940 (SAE)	
C-6602	678285160124	60 SQ.FT. PAGEANT SPA REPL.	1
C-6603	678285160131	35 SQ.FT. FOUR SEASONS REPL.	1
C-6605	678285160148	50 SQ.FT. FOUR SEASONS(V)	1
C-6610	678285160155	10 SQ.FT. MUSKIN REPL.	6
C-6616		USE C-6610 OR C-6620	
C-6617	678285160179	COLECO DR-17 W/CORE REPL.(V)	1
C-6620	678285160186	20 SQ.FT. MUSKIN REPL.	6
C-6622	678285160193	COLECO DR-22 W/CORE REPL.	1
C-6625	678285160209	25 SQ.FT. JACUZZI CF-25 REPL.	1
C-6640	678285160216	40 SQ.FT. JACUZZI CF-40 REPL.	1
C-6645	678285160223	45 SQ.FT. GERICO REPL.	1
C-6650	678285160230	50 SQ.FT. SPA CARTRIDGE	1

## 2024-2025 UNICEL PRODUCTS

UNICEL Part No	UCC-12 (UPC-A)	Description	Qty per Case
C-6659	678285160247	60 SQ.FT. DOUGHBOY SKIM REPL.(V)	1
C-6660	678285160254	60 SQ.FT. JACUZZI CF-60 REPL.	1
C-6900	678285160292	25 SQ.FT. QUAD DE 100/HAY DE250E REPL.	1
C-6900-4	678285160360	25 SQ.FT. QUAD DE 100/HAY DE250E REPL. - 4 PAK	1 set
C-6950	678285160414	HAYWARD DE150E REPLACEMENT	1
C-6950-4	678285160421	HAYWARD DE150E REPL SET	1 set
C-6960	678285160278	15 SQ.FT. QUAD DE 60 REPL.	1
C-6960-4	678285160346	15 SQ.FT. QUAD DE 60 REPL. - 4 PAK	1 set
C-6970	678285160438	HAYWARD DE200E REPLACEMENT	1
C-6970-4	678285160445	HAYWARD DE200E REPL SET	1 set
C-6980	678285160285	20 SQ.FT. QUAD DE 80 REPL.	1
C-6980-4	678285160353	20 SQ.FT. QUAD DE 80 REPL. - 4 PAK	1 set
C-7301	678285170017	75 SQ.FT.ADVANTAGE MFG. REPL.	1
C-7302	678285170024	100 SQ.FT.ADVANTAGE MFG. REPL.	1
C-7303	678285170031	150 SQ.FT.ADVANTAGE MFG REPL.	1
C-7304	678285170987	40 SQ.FT JACUZZI CE REPL.	1
C-7306	678285170994	60 SQ.FT JACUZZI CE REPL.	1
C-7330	678285171083	30 SQ.FT. MICRO FILTER	1
C-7335	678285171267	35 SQ.FT. DIMENSION ONE REPL.	1
C-7350	678285171090	50 SQ.FT. CALDERA SPA	1
C-7352		USE C-7425	
C-7367	678285171038	67 SQ.FT. DIMENSION ONE REPL.	1
C-7370	678285171045	75 SQ.FT. SUNDANCE, 2-1/2" ID	1
C-7375	678285171106	75 SQ.FT. CALDERA SPA	1
C-7377		USE C-7469	
C-7399		USE C-7652	
C-7400		USE 7CH-50 (1.5" MPT) or 7CH-502 (2" MPT)	
C-7401	678285170055	20 SQ.FT. DOUGHBOY SKIM REPL.	1
C-7402	678285170062	40 SQ.FT. DOUGHBOY SKIM REPL.(V)	1
C-7403	678285170079	60 SQ.FT. DOUGHBOY SKIM REPL.(V)	1
C-7404	678285170086	35 SQ.FT. BAKER 9.81 O/L REPL.	1
C-7405	678285170093	50 SQ.FT. BAKER 14.75 O/L REPL	1
C-7406	678285170109	75 SQ.FT. BAKER 19.62 O/L REPL	1
C-7407	678285170116	100 SQ.FT. BAKER 29.37 O/L REP	1
C-7408	678285170123	150 SQ.FT. BAKER 19.62 X2 O/L	1
C-7409	678285170130	90 SQ.FT. DOUGHBOY SKIM REPL.(V)	1
C-7413		USE C-7414	
C-7414	678285170154	150 SQ.FT. REC.WAREHOUSE REPL.	1
C-7415	678285170161	65 SQ.FT. REC.WAREHOUSE REPL.	1
C-7416	678285170178	65 SQ.FT. MARTEC REPL., 14"(V)	1
C-7417	678285170185	50 SQ.FT. REC.WAREHOUSE REPL.	1
C-7418	678285170192	100 SQ.FT. REC.WAREHOUSE REPL.	1
C-7419	678285170208	100 SQ.FT. MARTEC REPL. (V)	1
C-7425	678285170215	25 SQ.FT. AMER/SQUIP/PREM REPL	1
C-7427	678285170222	25 SQ.FT. WATERCO REPLACEMENT	1
C-7430	678285171229	110 SQ.FT. TC330 TRI-CLOPS REPL.	1
C-7432		USE 7CH-32 (1.5" MPT) or 7CH-322 (2" MPT)	
C-7433	678285170246	PUREX CF-33/CF-100 REPL.	1
C-7435	678285170253	35 SQ.FT. AMER. 9.81 O/L REPL.	1
C-7437	678285170260	43.7 SQ.FT. AMER. 11.81 O/L	1
C-7439		USE 7CH-40 (1.5" MPT) or 7CH-402 (2" MPT)	
C-7440	678285170284	PUREX CF-40 REPL.	1
C-7441	678285171236	147 SQ.FT. TC440 TRI-CLOPS REPL.	1
C-7442	678285170291	40 SQ.FT. HAYWARD CX410RE REP	1
C-7447	678285170307	50 SQ.FT.HAYWARD CX470RE REP	1
C-7447-4	678285171274	HAYWARD C2000/C2020 - 4 PAK	1 set
C-7448	678285170314	50 SQ.FT. JANDY/WATERCO REPL.(V)	1

## 2024-2025 UNICEL PRODUCTS

UNICEL Part No	UCC-12 (UPC-A)	Description	Qty per Case
C-7449		USE 7CH-50 (1.5" MPT)	
C-7450	678285170338	50 SQ.FT. AMER. 19.62 O/L REPL	1
C-7451	678285170345	50 SQ.FT. CALDERA SPA REPL.	1
C-7452	678285171243	179 SQ.FT. TC550 TRI-CLOPS REPL.	1
C-7453	678285170352	75 SQ.FT. AMER. 19.62 O/L REPL	1
C-7454		USE C-7497	
C-7455		USE C-7656	
C-7456	678285171496	56 SQ.FT. HAYWARD CX481XRE REP	1
C-7456-4	678285171502	HAYWARD C2030 - 4 PAK	1 set
C-7457		USE C-7473	
C-7458	678285171113	56 SQ.FT. HAYWARD CX480XRE	1
C-7458-4	678285171281	HAYWARD C2025 - 4 PAK	1 set
C-7459	678285171052	85 SQ.FT. JANDY CL340	1
C-7459-4	678285171298	85 SQ.FT. JANDY CL340 - 4 PAK	1 set
C-7460	678285170383	PUREX CF-60 REPL.	1
C-7463	678285170390	80 SQ.FT. FOX WAL-PAK REPL.	1
C-7464		USE C-7463	
C-7465	678285170413	65 SQ.FT. SUNDANCE, 2-1/16" ID	1
C-7466	678285170420	65 SQ.FT. SUNDANCE, 2-5/8" ID	1
C-7467	678285170437	PUREX CF-67.5 REPL.	1
C-7468	678285171069	115 SQ.FT. JANDY CL460	1
C-7468-4	678285171304	115 SQ.FT. JANDY CL460 - 4 PAK	1 set
C-7469	678285170444	60 SQ.FT. CLEAN & CLEAR+ REPL.	1
C-7469-4	678285171311	CLEAN & CLEAR PLUS 240 - 4 PAK	1 set
C-7470	678285170451	80 SQ.FT. CLEAN & CLEAR+ REPL.	1
C-7470-4	678285171328	CLEAN & CLEAR PLUS 320 - 4 PAK	1 set
C-7471	678285170468	105 SQ.FT. CLEAN & CLEAR+ REPL	1
C-7471-4	678285171335	CLEAN & CLEAR PLUS 420 - 4 PAK	1 set
C-7472	678285170475	125 SQ.FT. CLEAN & CLEAR+ REPL	1
C-7472-4	678285171342	CLEAN & CLEAR PLUS 520 - 4 PAK	1 set
C-7473	678285170482	75 SQ.FT. JANDY/WATERCO REPL.	1
C-7474	678285170499	87.5 SQ.FT.AMER.16.5 O/L REPL.	1
C-7475	678285170505	75 SQ.FT. AMER. 29.37 O/L REPL	1
C-7476	678285170512	90 SQ.FT. CLEAN&CLEAR+/QUANTUM	1
C-7477		USE C-7483	
C-7478		USE C-7497	
C-7479	678285170543	75 SQ.FT. CALDERA SPA REPL.	1
C-7480		USE C-7460	
C-7481	678285170567	93.5 SQ.FT. PUREX REPL.	1
C-7482	678285171076	145 SQ.FT. JANDY CL580	1
C-7482-4	678285171366	145 SQ.FT. JANDY CL580 - 4 PAK	1 set
C-7483	678285171120	81 SQ.FT. HAYWARD CX580XRE	1
C-7483-4	678285171373	HAYWARD C3025/C3030 - 4 PAK	1 set
C-7484	678285171519	87 SQ.FT. HAYWARD CX590RE	1
C-7484-4	678285171526	HAYWARD C7000/C7020 - 4 PAK	1 set
C-7485	678285171533	87 SQ.FT. HAYWARD CX591XRE	1
C-7485-4	678285171540	HAYWARD C7030/HCF7030C - 4 PAK	1 set
C-7487		USE C-7488	
C-7486	678285171632	145 SQ.FT. CLEAN & CLEAR+ REPL	1
C-7488	678285171137	106 SQ.FT. HAYWARD CX880XRE	1
C-7488-4	678285171397	HAYWARD C4025/C4030 - 4 PAK	1 set
C-7489	678285171144	112 SQ.FT. HAYWARD CX875XRE	1
C-7489-4	678285171403	HAYWARD C4500/C4520 - 4 PAK	1 set
C-7490	678285171151	137 SQ.FT. HAYWARD CX1380XRE	1
C-7490-4	678285171410	HAYWARD C5500/C5520 - 4 PAK	1 set
C-7491	678285170581	75 SQ.FT. SEAHORSE 18.437	1
C-7492	678285170598	100 SQ.FT. SEAHORSE 24.437	1
C-7493	678285170604	125 SQ.FT. SEAHORSE 30.437	1

## 2024-2025 UNICEL PRODUCTS

UNICEL Part No	UCC-12 (UPC-A)	Description	Qty per Case
C-7494	678285171168	131 SQ.FT. HAYWARD CX1280XRE	1
C-7494-4	678285171427	HAYWARD C5025/C5030 - 4 PAK	1 set
C-7487		USE C-7488	
C-7495		USE C-7494	
C-7496	678285170628	PUREX CF-105 REPL.	1
C-7497	678285170635	100 SQ.FT. JANDY/WATERCO REPL.	1
C-7498	678285170642	125SQ.FT. CLEAN&CLEAR+/QUANTUM	1
C-7499	678285170659	100 SQ.FT. AMER. 29.37 O/L REP	1
C-7603	678285170666	12.5 SQ.FT. BAKER 5 O/L REPL.	1
C-7604		USE C-7404	
C-7605	678285170680	50 SQ.FT. BAKER 19.62 O/L REPL	1
C-7606	678285170697	75 SQ.FT. BAKER 29.37 O/L REPL	1
C-7607	678285170703	100 SQ.FT. BAKER 19.62 X2 O/L	1
C-7610	678285170710	PUREX CF-25 REPL.	1
C-7618	678285170727	50 SQ.FT. AQUATEMP REPL.	1
C-7619	678285170734	65 SQ.FT. AQUATEMP REPL.	1
C-7620	678285170741	75 SQ.FT. AQUATEMP REPL.	1
C-7621	678285170758	105 SQ.FT. AQUATEMP REPL.(V)	1
C-7622	678285170765	100 SQ.FT. AQUATEMP REPL.	1
C-7623	678285170772	135 SQ.FT. AQUATEMP REPL.	1
C-7624	678285170789	25 SQ.FT. TOP LOAD CARTRIDGE	1
C-7625		USE C-7425	
C-7626	678285170802	25 SQ.FT. HAYWARD CX250RE REP	1
C-7630	678285170819	30 SQ.FT. PACIFIC SPA REPL.	1
C-7632	678285170826	33 SQ.FT. TOP LOAD CARTRIDGE(V)	1
C-7633	678285170833	PUREX CF-33/CF-100 REPL.	1
C-7641	678285170840	40 SQ.FT. PACIFIC SPA REPL.(V)	1
C-7650		USE C-7450	
C-7651		USE C-7460	
C-7652	678285170871	50 SQ.FT. SWIMQUIP REPL.	1
C-7655	678285171175	HARMSCO SC/TC 55	1
C-7656	678285170888	50 SQ.FT. HAYWARD CX500RE REP	1
C-7660	678285170895	PAC FAB 60 GPM REPL.	1
C-7674	678285171182	HARMSCO SC/TC 75	1
C-7675		USE C-7475 OR C-7499	
C-7676	678285170918	75 SQ.FT. HAYWARD CX750RE REP	1
C-7677	678285170925	75 SQ.FT. SWIMQUIP REPL.	1
C-7678	678285170932	PAC FAB 50 GPM REPL.	1
C-7679	678285170949	PAC FAB 150 GPM REPL.	1
C-7680	678285170956	PAC FAB 80 GPM REPL.	1
C-7685	678285171199	HARMSCO SC/TC 105	1
C-7688	678285170963	133 SQ.FT. WET INSTITUTE	1
C-7697	678285171205	HARMSCO SC/TC 155	1
C-7698	678285171212	100 SQ.FT. HAYWARD CX1000RE	1
C-7699	678285170970	PAC FAB 100 GPM REPL.	1
C-8300	678285180429	100 SQ.FT. CALDERA SPAS REPL.	1
C-8310	678285180016	100 SQ.FT. REC WAREHOUSE REPL.	1
C-8311	678285180306	100 SQ.FT. HAYWARD CCX1000RE REPL.	1
C-8315	678285180023	150 SQ.FT. REC WAREHOUSE REPL.(V)	1
C-8316	678285180313	150 SQ.FT. HAYWARD CCX1500RE REPL.	1
C-8317	678285180399	175 SQ.FT. HAYWARD CCX1750RE REPL.	1
C-8319	678285180405	200 SQ.FT. HAYWARD CCX2000RE REPL.	1
C-8320		USE C-8325	
C-8325	678285180207	125 SQ.FT. SUNDANCE UNIVERSAL	1
C-8326	678285180221	125 SQ.FT. SUNDANCE SPAS	1
C-8327	678285180412	125 SQ.FT. SUNDANCE SPAS	1
C-8340	678285180047	40 SQ.FT. HAYWARD CX400RE REP	1

## 2024-2025 UNICEL PRODUCTS

UNICEL Part No	UCC-12 (UPC-A)	Description	Qty per Case
C-8341	678285180344	40 SQ.FT. MICRO FILTER REPL.	1
C-8350	678285180054	50 SQ.FT. VITA SPA REPL.	1
C-8380	678285180214	80 SQ.FT. SUNDANCE MICROCLEAN	1
C-8399	678285180283	100 CALDERA SPA REPL.	1
C-8401	678285180061	75 SQ.FT. PUREX DM REPL.	1
C-8402		USE C-8401 OR C-8403	
C-8403	678285180085	120 SQ.FT. PUREX DM REPL.	1
C-8405	678285180092	180 SQ.FT. PUREX DM REPL.	1
C-8406		USE C-8405	
C-8408	678285180481	100 SQ.FT. HAYWARD C100S REPL.	1
C-8409	678285180115	90 SQ.FT. CX900-RE/PXC-95 REP	1
C-8410	678285180368	100 SQ.FT. JANDY CS100 REPL.	1
C-8411	678285180191	75 SQ.FT. CX760-RE/PXC-75 REP	1
C-8412	678285180122	120 SQ.FT. CX1200-RE/WW PRO CLEAN	1
C-8413	678285180238	125 SQ.FT. STA-RITE PCX-125 RE	1
C-8414	678285180320	150 SQ.FT. CLEARWATER II/JANDY CS150	1
C-8415	678285180276	150 SQ.FT. ASTRAL 2515 CE TERRA	1
C-8416	678285180290	150 SQ.FT. PRO CLEAN/PXC-150 REPL.	1
C-8417	678285180139	175 SQ.FT. CX1750-RE/PXC-150 R	1
C-8418	678285180375	200 SQ.FT. JANDY CS200 REPL.	1
C-8419	678285180337	200 SQ.FT. WW CLEARWATER II REPL.	1
C-8420	678285180351	200 SQ.FT. WW PRO CLEAN/C1900	1
C-8421		USE C-8419	
C-8425	678285180382	250 SQ.FT. JANDY CS250 REPL.	1
C-8449	678285180245	50 SQ.FT. ASTRAL 2505 CE TERRA	1
C-8450	678285180146	50 SQ.FT. COLEMAN/MAAX SPA REPL.	1
C-8465	678285180153	65 SQ.FT. WATKINS REPL.	1
C-8474	678285180252	75 SQ.FT. ASTRAL 2507 CE TERRA	1
C-8475	678285180160	75 SQ.FT. COLEMAN/MAAX SPA REPL.	1
C-8499	678285180269	100 SQ.FT. ASTRAL 2510 CE TERRA	1
C-8600	678285180177	80 SQ.FT. HAYWARD CX800RE	1
C-8610	678285180184	100 SQ.FT. HAYWARD CX1100RE R	1
C-9401	678285190015	75 SQ.FT. WATERWAY REPL.	1
C-9402	678285190022	100 SQ.FT. WATERWAY REPL.	1
C-9403	678285190039	150 SQ.FT. WATERWAY REPL.	1
C-9404		USE C-9403	
C-9405	678285190046	50 SQ.FT. PREDATOR REPLACEMENT	1
C-9407	678285190053	75 SQ.FT. PREDATOR REPLACEMENT	1
C-9410	678285190060	100 SQ.FT.PREDATOR REPLACEMENT	1
C-9412		USE C-9410	
C-9415	678285190077	150 SQ.FT.PREDATOR REPLACEMENT	1
C-9417	678285190459	175 SQ.FT.PREDATOR REPLACEMENT	1
C-9419	678285190084	200 SQ.FT.PREDATOR REPLACEMENT	1
C-9420	678285190091	200 SQ.FT. JACUZZI CFR-200 REP	1
C-9421	678285190381	200 SQ.FT. JANDY CJ 200	1
C-9422	678285190398	250 SQ.FT. JANDY CJ 250	1
C-9430	678285190671	190 SQ.FT. AQUASTAR PF27000REP	1
C-9431	678285190688	226 SQ.FT. AQUASTAR PF35000REP	1
C-9440	678285190602	100 SQ.FT.HAYWARD CS100E REPL.	1
C-9441	678285190619	150 SQ.FT.HAYWARD CS150E REPL.	1
C-9442	678285190626	200 SQ.FT.HAYWARD CS200E REPL.	1
C-9443	687285190633	135 SQ.FT. WATERCO OPAL REPL	1
C-9444	678285190640	180 SQ. FT. WATERCO OPAL REPL.	1
C-9450AM	678285190435	150 SQ.FT. WATERWAY REPL. - ANTIMICROBIAL	1
*C-9450AM not eligible to ship into Canada.			
C-9475	678285190107	75 SQ.FT. JACUZZI CFR-75 REPL.	1
C-9478	678285190114	150 SQ.FT. JACUZZI CFR-150 REP	1

**2024-2025 UNICEL PRODUCTS**

<b>UNICEL Part No</b>	<b>UCC-12 (UPC-A)</b>	<b>Description</b>	<b>Qty per Case</b>
C-9480	678285190121	80 SQ.FT. JACUZZI REPL.	1
C-9481	678285190138	120 SQ.FT. JACUZZI REPL.	1
C-9482	678285190145	160 SQ.FT. JACUZZI REPL.	1
C-9483	678285190152	200 SQ.FT. JACUZZI REPL.	1
C-9485	678285190169	85 SQ.FT. HAYWARD CX850RE REP	1
C-9489AM	678285190442	200 SQ.FT. WATERWAY REPL. - ANTIMICROBIAL	1
*C-9489AM not eligible to ship into Canada.			
C-9490	678285190411	100 SQ.FT., JANDY PRO EDGE REP	1
C-9492	678285190497	125 SQ.FT. AQUAPRO APEX, 17.94" OAL	1
C-9494	678285190510	100 SQ.FT. AQUAPRO APEX, 25.19" OAL	1
C-9495	678285190527	150 SQ.FT. AQUAPRO APEX, 25.19" OAL	1
C-9496	678285190534	200 SQ.FT. AQUAPRO APEX, 25.19" OAL	1
C-9498	678285190428	200 SQ.FT., JANDY PRO EDGE REP(V)	1
C-9499	678285190176	120 SQ.FT. HAYWARD CX1250RE R	1
C-9601	678285190183	75 SQ.FT. AQUATEMP REPL.	1
C-9602	678285190190	100 SQ.FT. AQUATEMP REPL.(V)	1
C-9603	678285190206	150 SQ.FT. AQUATEMP REPL.	1
C-9650	678285190213	50 SQ.FT. JACUZZI CFR-50 REPL.	1
C-9699	678285190220	100 SQ.FT. JACUZZI CFR-100 REP	1
C-9950	678285190237	50 SQ.FT. AIRWK/HELDRE/RICH REP	1
C-9960	678285190480	15 SQ.FT. PENTAIR EC60 DE REPL	1
C-9970		USE C-9999	
C-9990	678285190473	30 SQ.FT. PENTAIR EC90 DE REPL	1
C-9999	678285190251	100 SQ.FT. AIRWK/HELDRE/RICH	1
T-380	678285120029	RED TOP,6 SQ.FT. 9-3/4 X 2-3/4	100
T-380R	678285120012	RED TOP,6 SQ.FT. 9-3/4 X 2-3/4	24
UHD-SR35	678285190268	37 SQ.FT. STA-RITE REPL.	1
UHD-SR50	678285190275	52 SQ.FT. STA-RITE REPL.	1
UHD-SR70	678285190282	72 SQ.FT. STA-RITE REPL.	1
UHD-SR100	678285190299	102 SQ.FT. STA-RITE REPL.	1
UHD-SR135	678285190305	135 SQ.FT. STA-RITE REPL.	1
UHD-SR137	678285190312	137 SQ.FT. STA-RITE PMT135 REP	1
SC3-SR35		USE UHD-SR35	
SC3-SR50	678285190336	52 SQ.FT. STA-RITE REPL.	1
SC3-SR70	678285190343	72 SQ.FT. STA-RITE REPL.	1
SC3-SR100	678285190350	102 SQ.FT. STA-RITE REPL.	1
SC3-SR135		USE UHD-SR135	
SC3-SR137	678285190374	137 SQ.FT. STA-RITE PTM135 REP	1
4CH-15	678285240185	15 SQ.FT. WATERWAY REPL.	4
4CH-19	678285240017	13 SQ.FT.,4-5/8",W 1-1/2" MPT	4
4CH-20	678285240024	20 SQ.FT.,6-3/4", W/ 1-1/2"MPT	4
4CH-21	678285240031	19 SQ.FT.,8", W/ 1-1/2" MPT	4
4CH-22	678285240116	25 SQ.FT.,6-5/8", W/ 1-1/2"MPT	4
4CH-23	678285240123	25SQFT,6-5/8",MPT BOT,CLSD TOP	4
4CH-24	678285240048	25 SQ.FT.,9-3/4", W/1-1/2" MPT	4
4CH-25	678285240246	23 SQ.FT.,8", W/ 1-1/2" MPT	4
4CH-30	678285240055	30 SQ.FT.,11-7/8", W/1-1/2"MPT	4
4CH-35	678285240062	35 SQ.FT.,16", W/ 1-1/2" MPT	4
4CH-50	678285240079	50 SQ.FT.,14-3/4",W/1-1/2" MPT	4
4CH-65	678285240086	65 SQ.FT.,19-5/8",W/1-1/2"MPT (V)	4
4CH-252	678285240222	25 SQ.FT.,8", W/ 2" MPT	4
4CH-920	678285240130	20 SQ.FT.,6-3/4", W/ 1-1/4" SAE	4
4CH-925	678285240154	20 SQ.FT.,7-1/4", W/ 1-1/2" SAE	4
4CH-926	678285240161	25 SQ.FT WATERWAY	4



## 2024-2025 UNICEL PRODUCTS

UNICEL Part No	UCC-12 (UPC-A)	Description	Qty per Case
4CH-934	678285240239	25 SQ.FT. JACUZZI PREMIUM J-400	4
4CH-935	678285240178	35 SQ.FT WATERWAY	4
4CH-940	678285240093	40 SQ.FT.,15",W/SAE	4
4CH-949	678285240147	50 SQ.FT.,13-1/2",W/ 2" SAE	4
4CH-949AM	678285240192	50 SQ.FT.,13-1/2", W/ 2" SAE - ANTIMICROBIAL	4
*4CH-949AM not eligible to ship into Canada.			
4CH-950	678285240109	25 SQ.FT.,12",W/SAE	4
5CH-25	678285250061	25 SQ.FT.,6", W/1-1/2" MPT	1
5CH-35	678285250016	35 SQ.FT.,8", W/1-1/2" MPT	1
5CH-37	678285250108	37.5 SQ.FT. AQUATERRA SPA REPL	6
5CH-45	678285250023	45 SQ.FT.,10", W/1-1/2" MPT	6
5CH-203	678285250047	20 SQ.FT. LA SPAS SOCK FILTER SUB.	6
5CH-352	678285150439	35 SQ.FT. MARQUIS	6
5CH-352AM	678285250085	35 SQ.FT. MARQUIS - ANTIMICROBIAL	6
*5CH-352AM not eligible to ship into Canada.			
5CH-402	678285250030	40 SQ.FT., 10-3/4", W/2" MPT	6
5CH-502	678285150354	50 SQ.FT. MARQUIS, CAL SPAS REPL.	6
5CH-502AM	678285250092	50 SQ.FT. MARQUIS - ANTIMICROBIAL	6
*5CH-502AM not eligible to ship into Canada.			
5CH-512	678285250191	50 SQ.FT. MARQUIS	6
5CH-752	678285250054	75 SQ.FT. CAL SPAS REPL.	6
5CH-902AM	678285250115	90 SQ.FT. MARQUIS - ANTIMICROBIAL	1
*5CH-902AM not eligible to ship into Canada.			
6CH-25	678285260015	25 SQ.FT.,5-1/2",W/ 1-1/2" MPT	1
6CH-26	678285260022	25 SQ.FT., 7",W/ 1-1/2" MPT	1
6CH-35	678285260039	35 SQ.FT.,9-3/4", W/1-1/2" MPT	1
6CH-45	678285260046	45 SQ.FT.,12-1/4",W/1-1/2" MPT (V)	1
6CH-47	678285260053	47 SQ.FT., 9", W/ 1-1/2" MPT	1
6CH-49	678285260169	50 SQ.FT.,8", W/ 1-1/2" MPT	1
6CH-50	678285260060	50 SQ.FT.,13-5/16",W/1-1/2"MPT	1
6CH-60	678285260077	60 SQ.FT.,16-1/8",W/1-1/2" MPT (V)	1
6CH-75	678285260084	75 SQ.FT.,19-5/8",W/1-1/2" MPT (V)	1
6CH-352	678285260152	35 SQ.FT.,8", W/ 2" MPT	1
6CH-402	678285260268	40 SQ.FT.,9-1/2", W/ 2" MPT	1
6CH-502	678285260138	50 SQ.FT., 8", W/2" MPT	1
6CH-924	678285260176	25 SQ.FT.TOP LOAD	1
6CH-925	678285260183	25 SQ.FT.TOP LOAD	1
6CH-940	678285260091	40 SQ.FT., 8-1/4", W/ SAE	1
6CH-940AM	678285260213	40 SQ.FT., 8-1/4", W/SAE - ANTIMICROBIAL	1
*6CH-940AM not eligible to ship into Canada.			
6CH-941	678285260107	40 SQ.FT.TOP LOAD (UPPER) REPL	1
6CH-942	678285260114	40 SQ.FT.TOP LOAD (LOWER) REPL	1
6CH-945	678285260191	45 SQ.FT. JACUZZI PREMIUM	1
6CH-959	678285260206	60 SQ.FT. JACUZZI PREMIUM REPL.	1
6CH-960	678285260121	52 SQ.FT. JACUZZI PREMIUM REPL.	1
6CH-960AM	678285260237	52 SQ.FT. JACUZZI PREMIUM - ANTIMICROBIAL	1
*6CH-960AM not eligible to ship into Canada.			
6CH-961	678285260145	60 SQ.FT. JACUZZI PREMIUM REPL.	1
6CH-961AM	678285260244	60 SQ.FT. JACUZZI PREMIUM - ANTIMICROBIAL	1
*6CH-961AM not eligible to ship into Canada.			
6CH-975	678285260251	75 SQ.FT., 15-1/2", W/ 2" SAE	1
7CH-32	678285270014	32 SQ.FT.,8", W/ 1-1/2" MPT	1
7CH-40	678285270038	40 SQ.FT.,9-3/4", W/1-1/2" MPT	1
7CH-50	678285270052	50 SQ.FT.,14-3/4",W/1-1/2" MPT	1
7CH-90	678285270106	90 SQ.FT. SUNDANCE SPAS	1

## 2024-2025 UNICEL PRODUCTS

UNICEL Part No	UCC-12 (UPC-A)	Description	Qty per Case
7CH-322	678285270021	32 SQ.FT.,8",W/ 2" MPT	1
7CH-402	678285270045	40 SQ.FT.,9-3/4", W/ 2" MPT	1
7CH-502	678285270069	50 SQ.FT.,14-3/4", W/ 2" MPT	1
7CH-552	678285270076	52 SQ.FT.,10-1/2", W/ 2" MPT	1
7CH-752	678285270083	75 SQ.FT.,14-3/4", W/ 2" MPT	1
7CH-975	678285270090	10-1/2" TOP LOAD CART., W/SAE	1
8CH-102	678285280075	95 SQ.FT. SUNDANCE/JACUZZI REPL.	1
8CH-202AM	678285780037	120 SQ.FT. DIAMANTE SPAS REPL. - ANTIMICROBIAL	1
	*8CH-202AM not eligible to ship into Canada.		
8CH-502	678285280068	50 SQ.FT. VITA SPA REPL.	1
8CH-60		USE 8CH-66	
8CH-66	678285280020	60 SQ.FT., 9-1/2",W/2" MPT	1
8CH-852AM		USE 8CH-66	
	*8CH-852AM not eligible to ship into Canada.		
8CH-950		USE 8CH-951	
8CH-951	678285280099	40 SQ.FT. BULLFROG SPA REPL	1
FG-1002	678285300018	12" PACFAB,AMPROD,HAYW,STARITE	10
FG-1003	678285300025	18",PACFAB,AMPROD,HAYW,STARITE	10
FG-1004	678285300032	24",PACFAB,AMPROD,HAYW,STARITE	10
FG-1005	678285300049	30",PACFAB,AMPROD,HAYW,STARITE	10
FG-1006	678285300056	36",PACFAB,AMPROD,HAYW,STARITE	10
PG-1902	678285500012	12"SMALL,PACFAB,AMPROD,HAYWARD	10
PG-1903	678285500029	18"SMALL,PACFAB,AMPROD,HAYWARD	10
PG-1904	678285500036	24"SMALL,PACFAB,AMPROD,HAYWARD	10
PG-1905	678285500043	30"SMALL,PACFAB,AMPROD,HAYWARD	10
PG-1906	678285500050	36"SMALL,PACFAB,AMPROD,HAYWARD	10
FS-2002	678285400015	12" PACFAB,AMPROD,HAYWARD SET	1 set*
FS-2003	678285400022	18" PACFAB,AMPROD,HAYWARD SET	1 set*
FS-2004	678285400039	24" PACFAB,AMPROD,HAYWARD SET	1 set*
FS-2005	678285400046	30" PACFAB,AMPROD,HAYWARD SET	1 set*
FS-2006	678285400053	36" PACFAB,AMPROD,HAYWARD SET	1 set*
	*1 set is comprised of 7 full/large grid and 1 partial/small grid.		
FG-1024	678285300063	12" PREMIER ATLAS REPL.	8
FG-1036	678285300070	18" PREMIER ATLAS REPL.	8
FG-1048	678285300087	24" PREMIER ATLAS REPL.	8
FG-1060	678285300094	30" PREMIER ATLAS REPL.	8
FG-1072	678285300100	36" PREMIER ATLAS REPL.	8
FG-1224	678285300117	12" PUREX REPL.	8
FG-1236	678285300124	18" PUREX REPL.	8
FG-1248	678285300131	24" PUREX REPL.	8
FG-1260	678285300148	30" PUREX REPL.	8
FG-1272	678285300155	36" PUREX REPL.	8
FG-2409	678285300162	9" X 24", ANTHONY REPL.	15
FG-2412	678285300179	12" X 24", ANTHONY REPL.	15
FG-2413	678285300186	13-1/2" X 24", ANTHONY REPL.	15
FG-2417	678285300193	17-1/2" X 24", ANTHONY REPL.	15
FG-3005	678285300209	5" X 18", SWIMQUIP REPL.	12
FG-3008	678285300216	8-5/16" X 18",SWIMQUIP REPL.	12
FG-3009	678285300223	9-11/16" X 18", SYSTEM 3 REPL.	12
FG-3011	678285300230	11" X 18", SWIMQUIP/SYS 3 REPL	12

## 2024-2025 UNICEL PRODUCTS

UNICEL Part No	UCC-12 (UPC-A)	Description	Qty per Case
FG-3012	678285300247	12-7/16" X 18", SYSTEM 3 REPL.	12
FG-3013	678285300254	13-3/4" X 18", SWIMQUIP REPL.	12
FG-3015	678285300261	15-3/16" X 18", SYSTEM 3 REPL.	12
FG-3016	678285300278	16-1/2" X 18",SWIMQUIP/SYS 3 R	12
FG-3019	678285300285	19-5/16" X 18",SWIMQUIP/SYS 3	12
FG-3020	678285300292	20-3/4" X 18", SWIMQUIP REPL.	12
FG-3022	678285300308	22" X 18", SWIMQUIP REPL.	12
FG-3911	678285300315	11" X 18" OFFSET, SWIMQUIP REP	12
FG-3912	678285300322	12-7/16" X 18" OFFSET, SYS 3 R	12
FG-3913	678285300339	13-13/16" X 18" OFFSET,SYS 3 R	12
FG-3916	678285300346	16-1/2" X 18" OFFSET,SYS 3 REP	12
FG-3917	678285300353	17-3/4" X 18" OFFSET, SWIMQUIP	12
FG-3919	678285300360	19-5/16 X 18" OFFSET,SWIMQUIP	12
FS-3037	678285400060	37 SQ.FT. STA-RITE SYS: 3 SD DE SET	1 set
		1 set is comprised of 11 grids: 1 FG-3912 and 2 each of FG-3913, FG-3009, FG-3012, FG-3015, FG-3016	
FS-3053	678285400077	53 SQ.FT. STA-RITE SYS: 3 SD DE SET	1 set
		1 set is comprised of 13 grids: 3 FG-3916 and 2 each of FG-3011, FG-3015, FG-3016, and 4 FG-3019	
PG-1960		12" PREMIER ATLAS REPL. (RIGHT)	1
PG-1961		12" PREMIER ATLAS REPL. (LEFT)	1
PG-1962		18" PREMIER ATLAS REPL. (RIGHT)	1
PG-1963		18" PREMIER ATLAS REPL. (LEFT)	1
PG-1964		24" PREMIER ATLAS REPL. (RIGHT)	1
PG-1965		24" PREMIER ATLAS REPL. (LEFT)	1
PG-1966		30" PREMIER ATLAS REPL. (RIGHT)	1
PG-1967		30" PREMIER ATLAS REPL. (LEFT)	1
PG-1968		36" PREMIER ATLAS REPL. (RIGHT)	1
PG-1969		36" PREMIER ATLAS REPL. (LEFT)	1
S-0110	678285600019	FILTER DISC, 11-1/2" X 2"	75
S-0115	678285600026	FILTER DISC, 11-1/2" X 2-1/2"	60
S-0130	678285600033	FILTER DISC, 13" X 2-1/2"	50
S-0140	678285600040	FILTER DISC, 14-1/2" X 2-1/2"	50
S-0147		FILTER DISC, INTL, ORIGINAL - <i>sub S-0140 with S-1102 adapter</i>	
S-0160	678285600064	FILTER DISC, 16" X 2-1/2"	25
S-0170	678285600071	FILTER DISC, 17" X 2-1/2"	25
S-0174	678285600088	FILTER DISC, STA-RITE POSI-FLO	45
S-0175	678285600095	FILTER DISC, STA-RITE	22
S-0176	678285600101	FILTER DISC, ANTHONY	25
S-1010		SPACER, 1/2" X 1-3/4"	
S-1011		SPACER, 1" X 1-3/4"	
S-1012		SPACER, 1/2" X 2"	
S-1013		SPACER, 5/8" X 2"	
S-1014		SPACER, 3/4" X 2"	
S-1015		SPACER, 1" X 2"	
S-1019		SPACER,1" X 2-3/8" LOCKING HUB - <i>no longer available</i>	
S-1020		SPACER, 1-1/4" X 2-3/8"	
S-1030		SPACER, 1/2" X 2", "ONE SIDED"	
S-1031		SPACER, 5/8" X 2", "ONE SIDED"	
S-1032		SPACER, 3/4" X 2", "ONE SIDED"	
S-1033		SPACER, 1" X 2", "ONE SIDED"	
S-1050		CONVERSION ADAPTER, SWIMRITE	
S-1051		CONVERSION ADAPTER, JACUZZI	
S-1052		CONVERSION ADAPTER, STARBRIGHT	
S-1080		SPACER INSERT, 2-1/2" TO 2"	
S-1120		REDUCER INSERT, 2-1/2" TO 2"	
S-1900	678285600118	FILTER DISC, 19" X 2-1/2"	20

## 2024-2025 UNICEL PRODUCTS

UNICEL Part No	UCC-12 (UPC-A)	Description	Qty per Case
S-1920		FILTER DISC, 19" X 2" - <i>sub S-1900 with S-1120 adapter</i>	
S-2000	678285600132	FILTER DISC, PAC FAB	28
S-2225		ADAPTER INSERT, PADDOCK	
S-2226		ADAPTER INSERT, LANDON	
S-7111	678285600156	FILTER DISC, PADDOCK	50
S-7112	678285600163	FILTER DISC, LANDON	50
S-7131	678285600170	FILTER DISC, SWIMQUIP	34
S-7141	678285600187	FILTER DISC, JACUZZI	39
S-7143	678285600194	FILTER DISC, SWIMQUIP	34
S-7144	678285600200	FILTER DISC, SWIMQUIP, COMMERCIAL	25
S-7146	678285600217	FILTER DISC, MARINE, ORIGINAL	48
S-7150	678285600224	FILTER DISC, SWIMQUIP, NEW STYLE	42
S-7151		FILTER DISC, SWIMQUIP, 2-1/2" HUB - <i>no longer available</i>	
S-7160	678285600248	FILTER DISC, PAC FAB	50
S-7172	678285600255	FILTER DISC, MARINE, ORIGINAL	24
S-7173	678285600262	FILTER DISC, SWIMWRITE, OLD STYLE	50
S-9253		ADAPTER, SWIMQUIP, NEW STYLE	
S-9262		ADAPTER, SWIMQUIP, RESIDENTIAL	
S-9264		ADAPTER, SWIMQUIP, COMMERCIAL	
S-9271		ADAPTER, MARINE, OLD STYLE	
S-9275		ADAPTER INSERT, PAC FAB	
S-9277		ADAPTER INSERT, JACUZZI	
S-9302		SPACER INSERT, 2" TO 1.7"	
S-9314		SPACER INSERT, 2-1/2" TO 2.375"	
S-9401		SPACER RING, 1/2"	
S-9402		SPACER RING, 5/8"	
S-9403		SPACER RING, 3/4"	
S-9405		SPACER RING, 1"	
S-9465		SPACER, 1" X 2.375"	
S-9466		SPACER, 1.25" X 2.375"	
SB-0040	678285600279	SEP BAG, DOUBLE PLY, PAC FAB #40	1
SB-0060	678285600286	SEP BAG, DOUBLE PLY, PAC FAB #60	1
SB-0080	678285600293	SEP BAG, DOUBLE PLY, PAC FAB #80	1
U-NOZZLE	678285800006	SWEEPER HOSE NOZZLE	72

There are no assigned UCC-12 numbers for UNICEL DE grid spacers and adapters and no fixed case quantities. Some UNICEL DE grid spacers and adapters are scheduled for obsolescence once current stock is depleted.


*\*Product descriptions that include "(V)" are "Vintage" and may be subject to longer lead times.*

CLEANABLE + REUSABLE = ECONOMICAL

# Clearly the **BEST**

POOL & SPA FILL FILTERS

## Filter Your Water Before it Enters Your Pool or Spa



**C-2698**

8 Square Feet of Filter Area.  
Ideal for In-Ground Pools  
or Swim Spas



**C-2699**

4 Square Feet of Filter Area.  
Ideal for Above-Ground  
Pools and Spas

- 💧 Hose Attachment Built Into the Filter
- 💧 Environmentally Friendly and Cleanable, Reusable Material
- 💧 Helps Clean Tap, Ground and Well Water when Filling or Topping off your Above-Ground or In-Ground Pool, Swim Spa or Spa




Made in the USA

[www.unicelfilters.com](http://www.unicelfilters.com)



@unicelfilters



# Unicel U-Nozzle

## High Pressure Sweeper Nozzle

***Now available  
in a retail friendly,  
counter display jar***




72 nozzles per box



- 💧 Impact resistant, rustproof polymer construction
- 💧 Attaches to hose end or threaded front nozzle
- 💧 Sprays a concentrated jet stream ideal for cleaning filter elements (and filling water balloons 🤪)
- 💧 Bright blue and neon orange color makes the nozzle easy to spot in a supply box or service bucket

 Made in the USA  
[www.unicelfilters.com](http://www.unicelfilters.com)  
 @unicelfilters





# UNICEL Industrial Filter Cartridges

## REPLACEMENT PRODUCTS FOR:

- **Standard 10"**  
In-Line Housing
- **Standard 20"**  
Slim-Line Housing
- **10" Big Blue, Big White**
- **20" Big Blue, Big White**

**Unicel**®

For over 50 years, Unicel has been the industry leader in manufacturing filter elements for the pool and spa industry.

Unicel cartridges are manufactured with 100% synthetic filter media. There are no resins, surfactants, or binders to break down or leach out during the filtration process.

Unicel filter medias are produced using the latest technology in spun-bonding equipment. This process produces continuous filament filter medias with exceptionally high isotropic strength.

Unicel cartridges are capped with vinyl plastisol specifically formulated with FDA acceptable components. As a result, Unicel cartridges are ideal as pre-filter or primary sediment filters in potable water applications.

Unicel cartridges are comprised of pleated material to maximize dirt holding capacity and extend the time between filter change outs.

Unicel filter medias do not contain "cellulose fibers" and are therefore mildew and rot resistant.

Unicel filter media, made without binders, offers a high degree of porosity. This allows the media to function as both a surface filter and, to some degree, a torturous path depth filter.

Unicel filter cartridges are ideal for all types of water and light industrial applications.



100% polyester continuous filament fiber



100% polypropylene continuous filament fiber

### 2 3/4" Outside Diameter x 9 3/4" Overall Length / Standard 10" In-line Housing\*

PART NUMBER	MEDIA	NOMINAL MICRON	PLASTISOL END CAP COLOR	QTY/CASE	CORE
T-0797-50-B	Polyester	50	Light Blue	100	1.093" I.D.
T-0497-20-B	Polypropylene	20	Light Blue	100	.056" Wall Thickness
T-0697-10-B	Polypropylene	10	Light Blue	100	Standard Wall
T-0597-05-B	Polyester	5	Dark Blue	100	Molded Polypropylene
T-1197-01-B	Polyester	1	White	100	

\*Available in 4 and 6 sq. ft

### 2 3/4" Outside Diameter x 20" Overall Length / Standard 20" Slim Line Housing

PART NUMBER	MEDIA	NOMINAL MICRON	PLASTISOL END CAP COLOR	QTY/CASE	CORE
T-0720-50-B	Polyester	50	Light Blue	50	1.093" I.D.
T-0420-20-B	Polypropylene	20	Light Blue	50	.056" Wall Thickness
T-0620-10-B	Polypropylene	10	Light Blue	50	Standard Wall
T-0520-05-B	Polyester	5	Dark Blue	50	Molded Polypropylene
T-1120-01-B	Polyester	1	White	50	

### 4 5/8" Outside Diameter x 9 3/4" Overall Length / 10" Big Blue, Big White Replacement

PART NUMBER	MEDIA	NOMINAL MICRON	PLASTISOL END CAP COLOR	QTY/CASE*	CORE
K-40715-B	Polyester	50	White	20	1.093" I.D.
K-40415-B	Polypropylene	20	White	20	.142" Wall Thickness
K-40615-B	Polypropylene	10	White	20	Heavy Wall
K-40515-B	Polyester	5	White	20	Molded Polypropylene
K-41115-B	Polyester	1	White	20	

\* Individually Shrinkwrapped

### 4 5/8" Outside Diameter x 20" Overall Length / 20" Big Blue, Big White Replacement

PART NUMBER	MEDIA	NOMINAL MICRON	PLASTISOL END CAP COLOR	QTY/CASE*	CORE
K-40730-B	Polyester	50	White	20	1.093" I.D.
K-40430-B	Polypropylene	20	White	20	.142" Wall Thickness
K-40630-B	Polypropylene	10	White	20	Heavy Wall
K-40530-B	Polyester	5	White	20	Molded Polypropylene
K-41130-B	Polyester	1	White	20	

\* Individually Shrinkwrapped



**Unicel Industrial Filter Cartridges**

21701 Prairie Street Chatsworth, California 91311  
 TEL 818.678-0400 FAX 818.678.0412




# Clearly the **BEST**



## Things to Consider When Purchasing a Cartridge Replacement

- 💧 **Does your cartridge meet the specifications of the NSF certification for your filter system?** *NSF certifies systems based on a stated square footage and type of media specified by the system manufacturer.*
- 💧 **Is the basis weight of the media in your cartridge the same as that specified by the system manufacturer?** *Assure you are not getting a cartridge with media that weighs 3 ounces per square yard in a system that specifies elements with 4 ounces per square yard. "4 oz media" contains 33% more fibers by weight than "3 oz media". This significantly increases its durability, filtration matrix and dirt trapping ability and provides for longer, more efficient filtration.*
- 💧 **Is the media in your cartridge finished with a "flat bond" or a "point bond"?** *The point bonding process fuses the area on and around the bond for no or low water flow; this effectively reduces the surface area of your element up to 20%!*
- 💧 **Does the square footage of your cartridge match that of your filter systems?** *Under or oversizing your elements may not yield the best system performance.*
- 💧 **Does your replacement cartridge have support bands like the original from the system manufacturer did?** *The support bands on a cartridge play an important role in maintaining pleat spacing and preventing pleat bunching in the tank and during cleaning.*
- 💧 **How does your cartridge balance "dirt holding" and "cleanability?"** *Dirt holding and cleanability are a tradeoff. Cartridges that hold more dirt are going to be harder to clean.*

 **Made in the USA**  
[www.unicelfilters.com](http://www.unicelfilters.com)  
 **@unicelfilters**



# REPLACING A CARTRIDGE FILTER

## How can I tell when a cartridge filter element needs to be replaced?

With no moving parts or electrical switches to fail, cartridge elements do not have a defined termination point. Instead the fine interstices of the media matrix gradually plug up over time. In a typical spa, the culprit that plugs the media is perspiration and body oils combined with soaps, chemicals and very fine particulate. In a swimming pool, the loading is primarily debris along with sun tan lotions and organic matter such as algae.



**Determining when the cartridge is exhausted depends primarily on three factors:** (Assuming the filter is properly maintained and correctly sized to the pump)

1. Shorter cycle time between cleanings,
2. Low water flow rate and high differential pressure, and
3. Catastrophic failure such as a tear in the media or center core collapse.

All three are dependent upon proper pool or spa water chemistry and following a routine maintenance schedule. Homeowners should be reminded that filter elements are plastic and should be handled and maintained accordingly.

## To maximize the life of a cartridge:

- Clean the elements per cleaning instructions.
- Never use a stiff brush to scrub the media.
- Maintain pool or spa water chemistry in proper balance.
- Do not allow the differential pressure to go over 8 psi between cleanings.
- Alternate two sets of cartridges when cleaning.
- Use an enzyme treatment to break down oils.



# CARTRIDGE CLEANING INSTRUCTIONS FOR CHLORINE USERS

## When should a cartridge element be cleaned?

For swimming pools, clean the cartridge when the filter canister pressure reaches 8 PSI above the initial system or new cartridge starting pressure.

For spas, establish a routine cartridge cleaning schedule based on the amount of spa usage. If Baquacil® is used as a sanitizer, the filter element must be cleaned with Baqua Clean® before any cartridge cleaner is used (Step 4).



Please refer to "Cartridge Cleaning Supplement for Biguanide Users."

## What is the procedure to clean my cartridge?

1. Remove the cartridge from the filter housing following the manufacturer's instructions.
2. Use a garden hose with a straight flow nozzle to wash down the filter element. Work from the top down, holding the nozzle at a 45 degree angle, and wash all the pleats with emphasis between pleats.
3. Rinse until all dirt and debris are gone.
4. For all spa cartridges and elements used in swimming pools where perspiration, suntan lotions, and other oils are present, soak the element for at least one hour (overnight is most effective) in
  1. a commercial filter cleaner; or
  2. one cup trisodium phosphate (TSP) to five gallons water; or
  3. one cup dishwasher detergent to five gallons of water.
5. Rinse the cartridge again to remove oils and cleaning solution.



6. If the filter has a coating of algae, calcium carbonate (residue from calcium hypochlorite), iron, or other minerals, soak the cartridge in a solution of one part muriatic acid to twenty parts water until all bubbling stops. **WARNING:** Failure to remove all oils and cleaning solution before acid soaking will result in a permanent restriction of water flow and cause premature cartridge failure.

7. Rinse the cartridge clean and reassemble housing.



Also check out the Cleaning Instructions video on the Unicel website



**WARNING:** Wear rubber gloves and safety glasses when using acid and chlorine. Do not add water to acid. Do not mix chlorine and acid.

NOTE: Unicel does not recommend the use of diatomaceous earth (DE) with cartridge filters. DE particles will become trapped in the body of the media and shorten cartridge life. If desired, a cellulose fiber (synthetic DE) can be used in moderation.

# POOL FILTERS THAT MAKE A DIFFERENCE

Made in the USA matters  
because, thanks to your purchase,  
Americans can keep working  
and taking pride in their craft while  
providing for their families.

From all of us at,

**Unicel**

818.678.0400

[www.unicelfilters.com](http://www.unicelfilters.com)

